### Form # P 04 DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK PERMIT ISSUED **CITY** OF PORTLAND Please Read CTION Application And Notes, If Any, Permit Number 051083 2005 PERMI Attached Nisbet Gregory J /Waldo Tro This is to certify that CITY OF PORTLAND Repair and replace decks, por s. Stairs ch sia has permission to 118 D009001 AT 20 Noyes St tion epting this permit shall comply with all provided that the person or persons, m or ances of the City of Portland regulating of the provisions of the Statutes of N ine and of the the construction, maintenance and u of buildings and st stures, and of the application on file in this department.

Apply to Public Works for street line and grade if nature of work requires such information.

n fication inspect in must generally in permission procuble this led ding or of the the ding of the this led or consection.

H. IR NOTICE IS REQUIRED.

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

OTHER REQUIRED APPROVALS

Fire Dept.

Health Dept.

Appeal Board

Other

Department Name

PENALTY FOR REMOVINGTHIS CARD

Inspection Services

•	nine - Building or Use			Issile Date:	SUED <sub>CBL:</sub> 18 D009001	
389 Congress <b>Street</b> , 04  Location of Construction:	101 Tel: (207) 874-870 Owner Name:	3, Fax: (207) 874-87	Owner Address:	AUG 2 6	2000 Phone:	
20 Noves St		rv I	20 Noyes St	HUU & U	ZORO Prione:	
20 Noyes St Nisbet Gregor Business Name: Contractor Nam		<u> </u>	Contractor Address		Phone	
2 dolliess i vallev	Waldo Trott		23 Motley Street	GHOTY AND PO	RTLAN 076532341	
Lessee/Buyer's Name					1-5	
Past Use:	Proposed Use:		Permit Fee:	Cost of Work:	CEO District:	
Duplex	1 1	Duplex/ Repair and replace decks, porches. Stairs each side.		\$1.000.0	00 3	
	porches. Stan			Approved Us	SPECTION 3.3 Type. 5B	
			1 N/H		Ise Group: $1.3$ Type. $5B$	
Proposed Project Description:			1 / 1 /			
Repair and replace decks	, porches. Stairs each side.		Signature:		gnature:	
			PEDESTRIAN ACT	TIVITIES DISTRIC	CT (P.A.D.)	
			Action: Approved Approve		ed w/Conditions Denied	
			Signature:		Date:	
Permit Taken By: ldobson	Date Applied For: 08/10/2005		Zonin	g Approval		
1.		Special Zone or Revi	ews Zon	ing Appeal	Historic Proservation	
1.		Shoreland	☐ Varian	ace	Not in District or Landmark	
2. Building permits do septic <b>or</b> electrical w	not include plumbing,	Wetland	Miscel	laneous	Does Not Require Review	
3. Building permits are	void if work is not started s of the date of issuance.	☐ Flood Zone ↓ L	Condit	tional Use	Requires Review	
	ny invalidate a building	Subdivision 30	Interpr	retation	Approved	
		Site Plan	Approv	ved	Approved w/Conditions	
		Maj Minor MM	Denied	1	Denied	
		Date: 8/24/0	Date:		Date: 8/24/85	
I have been authorized by jurisdiction. In addition, i shall have the authority to	the owner to make this apple f a permit for work describe	lication as his authorize ed in the application is i	he proposed work and I agreed ssued, I certify that	e to conform to a t the code officia	the owner of record and that all applicable laws <b>of</b> this al's authorized representative an of the code(s) applicable to	
such permit.						
SIGNATURE OF APPLICANT		ADDRES	C	DATE	PHONE	

City of Portland, Maine - Building or Use Permit			Permit No:	Date Applied For:	CBL:
389 Congress Street, 041	05-1093	08/10/2005	118 D009001		
ocation of Construction:	Owner Name:	[•	Owner Address: Phone:		Phone:
20 Noyes St	Nisbet Gregory J		20 Noyes St		I
lusiness Name:	Contractor Name:	(	Contractor Address:		Phone
	Waldo Trott		23 Motley Street Portland		(207) 653-2341
.essee/Buyer's Name	Phone:	1	Permit Type:		•
'roposed Use:		Propose	d Project Description:		
Duplex/ Repair and replace	decks, porches. Stairs each side	. Repair	and replace decks	, porches. Stairs each	h side.
	-		-	•	
Dept: Zoning	Status: Approved with Condition	ons Reviewer:	Tammy Munson	Approval D	ate: 08/24/2005
Note:	11		J	**	Okto Issue: 🗹
1) Your present structure is legally nonconforming as to lot coverage. If you are to demolish this structure on your own volition, you will only have one (1) year to replace it in the same footprint (no expansions), with the same height, and same use. Any changes to					
any of the above shall require that this structure meet the current zoning standards. The one (1) year starts at the time of removal. It					
	consibility to contact the Code E				
Dont Duilding					00/24/2005
	Status: Approved	keviewer:	Tammy Munson	Approval D	_
Note:					Ok to Issue:

City of Portland, Maine - I 389 Congress Street, 04101 T	Permit No: 05-1093	Date Applied For: 08/10/2005	CBL: 118 D009001				
Location of Construction:	Owner Name:			Owner Address:			
20 Noyes St	Nisbet Gregory J		20 Noyes St				
Business Name:	Contractor Name:	Contractor Name: C		Contractor Address:			
	Waldo Trott		23 Motley Street Portland		(207) 653-2341		
Lessee/Buyer's Name	Phone:			Permit Type:			
				Alterations - Dwellings			
Proposed Use:	Proposed	roposed Project Description:					
Duplex/ Repair and replace decks	Repair	and replace decks	, porches. Stairs each	h side.			
				_	<del></del>		


Dept:	Building	Status:	Approved	Reviewer:	Tammy Munson	Approval Date:	08/24/2005
Note:							
'							

## All Purpose Building Permit Application


If you or the property owner owes real estate or personal property taxes or user charges on any property Within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 20 + as/ Doyes 57.						
Total Square Footage of Proposed Structu 72	Square Footage of Lot					
Tax Assessor's Chart, Block & Lot Chart# Block# Lot#	Owner: Greeny Wisbet			Telephone: 757-9232		
Lessee/Buyer's Name (If Applicable)	Applicant name, address & telephone: water Trust 13 motery 57.  Positions 713-2927		t W	ost Of ork: \$_ <i>1,400 · **</i> ee: \$		
Current use: Duplex						
If the location is currently vacant, what wa	as prior use:			_		
Approximately how long has it been vaca	ınt:			_		
Proposed use: <u>Réplace Decks - / Parches / Stairs - electronics</u> Project description: Replan						
Contractor's name, address & telephone:						
Who should we contact when the permit is ready: WALDS TRUTT						
Mailing address: 23 Motkey 57.						
Mailing address: 23 Moticy 57.  Portugible of 57.  We will contact you by phone when the permit is ready. You must contact you by phone when the permit is ready. You must contact you the permit and review the requirements before starting any work, with a Plan Leviewer. A stop your property be issued and a \$100.00 fee if any work starts before the permit is picked up.  PHONE: 2341						
IF THE REQUIRED INFORMATION IS NOT INCLUDED IN THE SUBMISSIONS THE PERMIT WILL BE AUTOMATICALLY DENIED AT THE DISCRETION OF THE BUILDING/PLANNING DEPARTMENT, WE MAY REQUIRE ADDITIONAL INFORMATION IN ORDER TO APROVE THIS PERMIT.						
I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.						
Signature of applicant: Wells 17 Date: 8-4-03						

This is NOT a permit, you may not commence ANY work until the permit is issued. If you are in a Historic District you may be subject to additional permitting and fees with the Planning Department on the 4th floor of City Hall



# 20-24 NoyES 57.




1/4 = 3

ne Depot # 2401 'ERSIDE STREET, PORTLAND, ME 04103 (201) 101-0600 Mon Aug 01 09:49:07 2005 The materials for this project will cost \$592.23


STEVE TROTT

BACKSIDE DECK
219703
3D View



The **Home** Depot # 2401 245 RIVERSIDE STREET, PORTLAND, ME 04103 (207) 761-0600 Mon Aug 01 09:49:07 2005 The materials for this project will cost \$592.23

STEVE TROTT BACKSIDE DECK 219703 Deck Layout



The Home Depot # 2401 245 RIVERSIDE STREET, PORTLAND, ME 04103 (207) 761-0600 Mon Aug 01 09:49:07 2005 The materials for this project will cost \$592.23

STEVE TROTT BACKSIDE DECK 219703 Post Layout for Deck 1

> $\circ$ abla9 6'6'2" 6' 1 3 3 1' 3" !  $3^{\mbox{\scriptsize BasePoint}}$ 10"

4.

2 -

The Hor 245 RIV Home Depot # 2401 245 RIVERSIDE STREET, PORTLAND, ME 04103 (207) 761-0600 8/1/2005 STEVE TROTT BACKSIDE DECK 219703

### Materials for Deck:

Qty	UOM	SKU	Use	Description
42 1 1 6 4 2 1 1 5 1 1 3 4 1 4	EAA EAA EAA EEA EAAA EEA	430400 255411 168768 168793 168768 255411 255278 257974 256276 255278 255411 255974 167894 168768 254258	Balusters Beam Decking Decking H Top Rail Joist Ledger Post Railing Post Railing Post Rim Joist Stair Stringer Step Tread Vert Top Rail	2X2-42 B1E BALLUSTER PT 2X6-12 #1 SYP PT 5/4 X6-8FT THOMPSONIZED DECK PT 5/4 X6-12FT THOMPSONIZED DECK PT 5/4 X6-8FT THOMPSONIZED DECK PT 2x6-12 #1 SYP PT 2X6-8 #1 SYP PT 4x4-10 #2 PT 4X4-8 #2 PT 2X6-8 #1 SYP PT 2x6-12 #1 SYP PT 2x6-12 #1 SYP PT 5/4X6-10 THOMPSONIZED DECK PT 5/4 X6-8FT THOMPSONIZED DECK PT 2X4-8 #1 SYP PT
		Materials		
6 2 2 2 2 1	EA EA EA EA EA	865827 209715 526610 538892 538981 735002	2x6 Joist Hanger 4x4 Post Foot Brkt Anchor Bolt Anchor Nut Anchor Washer BalusterScrewGreen	ZMAX 2X6 JOIST HANGER-JLQ 300PCS POST BASE 4X4 Z-MAX 6"X1/2 HOT GALV ANCHOR BOLT 1PC HEX NUT GALV 1/2 FLAT CUT WASHER GALV 1/2 GREEN 5LB 2 1/2IN DECKMATE DECK
4 4 4 1 1 2 2 1 10 16 16 16	EAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	544208 538892 538981 169765 258132 192708 439398 336963 462810 192708 538981 928607 544208 538892 538892	Beam Bolt 4x4 Beam Nut Beam Washer ConcPierIn-Ground DiagBrac Joist DiagBrac Joist Nail Flashing Footing Tube 10" Hanger Nails 2x6 Joist Framing Nails Lag Bolt Washer Ledger-Bolt Rail Post-Bolt Rail Post-Washer	SCRW CARRIAGE BOLT-GALV. 1/2 X 8 HEX NUT GALV 1/2 FLAT CUT WASHER GALV 1/2 80LB. CONCRETE MIX 4x4-12 #2 PT 16D 3-1/2" HOT GALV COMMON 5 LB DECK LEDGER FLASHING WHT GALV 8FT 10IN X 481N TUBE FOR CONCRETE 10D JOIST HANGER NAILS 16D 3-1/2" HOT GALV COMMON 5 LB FLAT CUT WASHER GALV 1/2 LAG SCREW GALV 1/2 X 6 CARRIAGE BOLT-GALV. 1/2 X 8 HEX NUT GALV 1/2 FLAT CUT WASHER GALV 1/2
Deckir 1	ng: Defau EA	lt 735003	Deck Screws Green	GREEN 5LB 3 IN DECKMATE DECK SCRW

The total cost of in stock materials is \$592.23 plus tax. This estimate was created on 8/1/2005 and is valid for 3 business days.


Parameters from UBC.cod parameter file. Parameters used for Deck 1: 80 psf live load, 48 inch footing depth.

### WARNING:

THIS IS NOT A FINAL DESIGN PLAN. VARIATIONS IN BUILDING CODES, SPECIFIC ARCHITECTURAL

The Home Depot # 2401 245 R VERSIDE STREET, PORTLAND, ME 04103 (207)761-0600 Mon Aug 01 09:49:07 2005 The materials for this project will cost \$592.23

STEVE TROTT BACKSIDE DECK 219703 Deck Dimensions for Deck 1




Joist Spacing = 16 in. o.c. Baluster Spacing = 3 3/4" Toe Spacing = 3 3/4" Railing Height = 36"

```
The Home Depot # 2401
245 RIVERSIDE STREET, PORTLAND, ME 04103
(207) 761-0600
Mon Aug 01 09:49:26 2005
STEVE TROTT
BACKSIDE DECK
219703
Construction Specifications
deck 1:
   Construction Method = Beam to Side of Post
   FootingType = Pier In-Ground
   Live Load = 80
   Dead Load = 10
   Decking Spacing = 0 1/4"
   Joist Spacing = 16"
   Beam Spacing = 48"
   Post Spacing = 72"
   Decking = 5/4X6 Thompsonized Southern Pine No. 2
Beams = 2X6 Treated Southern Pine No. 1
Joists = 2X6 Treated Southern Pine No. 1
Posts = 4X4 Treated Southern Pine No. 2
   Deck Height = 60"
   Diagonal Bracing = Yes
   Deck Skirt = No
   Joist Overhang = 12"
   Beam Overhang = 12"
Decking Deflection Factor = 360
   Joist Deflection Factor = 360
Beam Deflection Factor = 360
   Pref Decking Size = ML5/4x6x8
   Pref Joist Size = none
   Pref Beam Size = none
   Pref Post Size = none
   Diag Brace Height 1 = 24" in
   Diag Brace Height 2 = 24" in
Stair 1:
   Step Width = 36"
   Step Height = 52 1/2"
Step Rise = 7 1/2"
   Step Run = 11"
   Stringers = 2X12 Treated Southern Pine No. 2
   Risers = 5/4X6 Thompsonized Southern Pine No. 2
   Treads = 5/4X6 Thompsonized Southern Pine No. 2
Railing 6:
   Railing Height = 36"
   Baluster Spacing = 3 3/4"L
Railing 7:
   Railing Height = 36" \nu
   Baluster Spacing = 3 3/4"
Railing 2:
   Railing Height = 36"
   Baluster Spacing = 3 3/4"
```

Railing 1:

Railing Height = 36" Baluster Spacing = 3 3/4" Railing 3: Railing Height = 36" Baluster Spacing = 3 3/4" CONSIDERATIONS, OR SITE CONDITIONS MAY REQUIRE CHANGES TO THIS DESIGN. YOU ARE RESPONSIBLE FOR THE FINAL STRUCTURE, CODE VERIFICATION, MATERIAL USAGE, AND STRUCTURAL SAFETY OF THIS DESIGN. BE SURE TO CHECK AND VERIFY THE DESIGN WITH YOUR LOCAL ARCHITECT AND BUILDING INSPECTOR.

THE COMPANY ASSUMES ABSOLUTELY NO RESPONSIBILITY FOR THE CORRECT USE **OF** THIS PROGRAM. ALL OUTPUT SHOULD BE EXAMINED BY A QUALIFIED PROFESSIONAL TO DETERMINE IF THEY ARE REASONABLE AND ACCURATE.



# Descriptor/Area A: FA/2Fr/B 1616 sqft E:WD 42 sqft C: 2Fr/B 161 sqft D:WD 35 sqft E: OFP 646 sqft