CI. 05						AII 1990	LU		
City of Portland, Maine - B 389 Congress Street, 04101 Te	Suilding or Use	Permi	t Applicatio	n Peri	nit No 01-1125	Issue Date:	7	CBL:	7000011
Location of Construction:	Owner Name:), Гах. ———	(207) 874-871			FIP 2 0 2001	—	<u> </u>	C009011
335 Brighton Ave		Ya			Address:		J	Phone:	
Business Name:	Mmc Realty C				amhall Vt C	F PORTL	<u>IND</u>	207-879	}-8000
n/a	Hebert Constr		I.C		ctor Addressi			Phone	
Lessee/Buyer's Name	Phone:	uction 1	T.		ıld Rd. Lew	iston		207783	2091
n/a	i .			Permit					Zoper.
	n/a		<u> </u>	Alter	ations - Cor	mmercial			
Past Use:	Proposed Use:			Permit	Fee:	Cost of Work:	CE	O District:	
Maine Medical Center	Maine Medica				\$2,724.00	\$450,000.0	0	3	
	patient and nu		tion on first	FIRE I	DEPT:	r rpproved	SPECTION		٠, ح
	and second no	Ю.				Denied Us	e Group:		Mype:
						7	30×	And	/1990
						- 8	रिहिंद	733 r	D'EN
Proposed Project Description:	Lanton	. 0.			. 4		S.	l _	17211
Renovate first and second floor.	- interior			Signatu		M B		must	Alfra
		,	,	PEDES	TRIAN ACT	IVITIES DISTRIC	CT (P.A.)	D.) [
				Action:	Approv	ved Approve	d w/Con	ditions [Benied
9/13/01 MUN has du	SK.			Signatu	ıre:		Da	te:	
Permit Taken By: Date	e Applied For:								
	2/10/2001				Zomng	Approval			
1. This permit application does n	not preclude the	Spe	cial Zone or Revie	ws	Zoni	ng Appeal	1	Historic Pr	eservation
Applicant(s) from meeting app Federal Rules.		☐ Sh	oreland		☐ Variance	e	V	Not in Dist	rict or Landman
2. Building permits do not include septic or electrical work.	le plumbing,	□ w	etland		Miscella	neous		Does Not R	Require Review
3. Building permits are void if we within six (6) months of the da	ork is not started ate of issuance.	☐ Fid	ood Zone		Condition	onal Use		Requires R	eview
False information may invalidate permit and stop all work		☐ Su	bdivision		Interpret	ation		Approved	
		☐ Sit	e Plan		Approve	ed		Approved v	w/Conditions
		Maj [Minor MM		Denied			Denied	
		Dale	Jul	> ₁	Date:		Date:	<u> </u>	FUN'S
			911490	1			PER.	MT ST REQUIR	Ell
			,	•			MILL	•	
		C	ERTIFICATION)N					
hereby certify that I am the owner have been authorized by the owner urisdiction. In addition, if a permit hall have the authority to enter all a such permit.	r to make this appli- for work described	med procation a	pperty, or that the ship authorized application is is	e propo agent a	and I agree to	to conform to al	l applic	able laws	s of this
SIGNATURE OF APPLICANT			ADDRESS			DATE		PH	ONE
RESPONSIBLE PERSON IN CHARGE OF	WORK, TITLE					DATE		PH	ONE

	BUILDING PERMIT REPORT
	DATE: 13 September 2006 ADDRESS: 335 Brighton Ave. CBL: 121- C-609 REASON FOR PERMIT: Interior renovations First of Second Flow
	REASON FOR PERMIT: Interior renovations First & Second Flor
	BUILDING OWNER: MMC Realty Coop.
	PERMIT APPLICANT: /CONTRACTOR Hebert Coast LLC
	USE GROUP: To CONSTRUCTION TYPE: 18 CONSTRUCTION COST: 450,000 PERMIT FEES: 2724
}	The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
·	CONDITION(S) OF APPROVAL
	This permit is being issued with the understanding that the following conditions shall be met:

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2

Foundations anchors shall be a minimum of 12" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a

maximum 6' O.C. between bolts. Section 2305.17

5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.

7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the

proper setbacks are maintained.

8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical

Code/1993). Chapter 12 & NFPA 211

10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.

Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/1" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) R-3 (ONE & TWO FAMILY DWELLINGS) GUARD HEIGHT IS 36" MINIMUM.

12. Headroom in habitable space is a minimum of 7'6'. (Section 1204.0)

13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread, T' maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria witter section 1011.3 but not less then 36.
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly

from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provided in Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms In each story within a dwelling unit, including basements X21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0) 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard. x 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard. 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999) 25. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services. 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done. 29. All requirements must be met before a final Certificate of Occupancy is issued. 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996). ¥31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16) 32. Please read and implement the attached Land Use Zoning report requirements. 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3, 1, 2305.4,4 and 2305.5.1 of the City's Building Code. 34. Bridging shall comply with Section 2305.16. 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0) 36. All flashing shall comply with Section 1406.3.10. 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999). Building Inspector Lt. MeDougall, PFD Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager Worn

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building):	335 Brighton Ave. First & Secon	d Floor	
Total Square Footage of Proposed Structure	Square Footage of Lot		
Tax Assessor's Chart, Block & Lot Number Chart Block Lot Q	Owner. Maine Medical Center	Telephone#: 879-8000	
Owner's Address: Maine Medical Center 22 Bramhall Street Portland, ME 04102	Lessee Buyer's Name (If Applicable)	Cost Of Work: Fee \$ 450,000 \$ 2,724	
Proposed Project Description:(Please be as specific as possible)	Renovate patient rooms and nur first and second floor	se's station on	
Contractor's Name, Address & Telephone Hebert Cons	truction LLC 783-2091 d. Lewiston, ME 04240	Rec'd By	
Current Use: Patient Rooms	Proposed Use: Patient Room	s	
6°			

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
•All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
•HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.
You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)

Floor Plans & Elevations

Window and door schedules

Foundation plans with required drainage and dampproofing

Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued. I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

addice the provisions of the codes applicable to day before	
Signature of applicant:	Date:

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum



Hebert Construction LLC 9 Gould Road Lewiston, ME 04240 (207)783-2091 FAX: (207)782-4938

HEBERT CONSTRUCTION LLC

LETTER OF TRANSMITTAL

City of Portland 389 Congress Street Portland, ME 04101					DATE: 9/10/2001 RE: MMC Brighton Campus Health South Rehab Renovations			
	SHOP DRAWINGS	8		PRINTS		PLANS SAMPLES		
	COPY OF LETTE	R		CHANGE ORDER		Contract		
COPIES	DATE	NO.				DESCRIPTION		
1	9/4/01				Data D	Pisk Health South Rehab Renovations		
2	9/4/01				Sets of	prints for Health South Rehab Renovations		
THESE ARE TRAI	NSMITTED AS CHE	CKED BELO	W:					
	FOR APPROVAL			APPROVED AS SUI	BMITTEI	D RESUBMIT COPIES		
,	FOR YOUR USE		APPROVED AS NOT		red	FOR REVIEW & COMMENT		
■ AS REQUESTED				RETURNED FOR C	ORRECT	TIONS RETURN CORRECTED PRINTS		
	FOR BIDS DUE:							
REMARKS:								
								
COPY TO: File				SIGNE	D: Dan Hebert			

DUPLICATE

GENERAL RECEIPT

CITY OF PORTLAND, MAINE

DEPART		DATE	DATE CONTRACTOR OF THE PROPERTY OF THE PROPERT			
RECEIV	ED FROM		: · · ·	<u> </u>		
ADDRE	SS ZET Product					
UNIT	ITEM	REVENUE CODE	DOLL/ AMOU	AR NT		
	Promit Eggs		2721			
				1 1 1 1 1 1		
			<u>-</u>	 		
☐ CA	SH CHECK COTHER	TOTAL	2724	LA.		
	/ED BY (1) (2) (2)					

KEY BANK KEY ORDER OF: TO THE PAY

"BBP 2 00"

:0809002 1 1 0:1

#252 E001 89661

City of Portland

HEBERT CONSTRUCTION LLC
9 GOULD ROAD
LEWISTON, MAINE 04240 TEL 207.783.2091

9-10-01

HEBERT CONSTRUCTION LLC

002988

DESIGNS BY SKIP 207-784-0098