Location of Construction: 335 Brighton Ave		Owner:	······································		Phone:		Permit No: 970732
Owner Address:	Lessee/B	uyer's Name:	1,	Phone:	Busines	ssName:	PERMIT ISSUED
Contractor Name:	Address:	Gowld Rd Lewiste			78.	3-2091	Permit Issued:
Past Use:	Proposed	Use:	C	OST OF WOR		PERMIT FEE: \$ 345.00	
Medical Offices	Sass	*		RE DEPT.		INSPECTION: Use Group: Type:	Zone: CBL: 121-C-009
Proposed Project Description:		***************************************		gnature:	CTIME	Signature: ES DISTRICT (P.A.D.)	Zoning Approval:
Nake Interior Renovation Ground Floor - Pre Admi		98.188	A	ction:	Approved	with Conditions: E Date:	☐ Shoreland
Permit Taken By:		Date Applied For:	<u>-</u>	gnature:		Date.	☐ Site Plan maj ☐minor ☐mm ☐
 Building permits do not include plumbing Building permits are void if work is not station may invalidate a building permit and 15639/30-3652 	rted within six	(6) months of the date of is	suance	la de			☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action:
I hereby certify that I am the owner of record of authorized by the owner to make this application	on as his authon is issued, I co	rized agent and I agree to c rtify that the code official's	onform author	authorized by the to all applicable ized representat	ne owner of e laws of th ive shall ha	record and that I have been nis jurisdiction. In addition	ı, │ □ Denied
if a permit for work described in the application areas covered by such permit at any reasonable	e nour to enfor			Ol July 19	997		Section Statement
		ADDRESS:		Ol July 19 DATE:	97	PHONE:	Special Control of the Control of th

COMMENTS

,		
3/1/97 118° @ anh. St. Mac I	Jugal inspected (Ok) much	all
Collis has a comple hurar	require ments for Falmouth the String Spray on fireproofi Duribing contractor. Of	letsia)
Puro lite 15 (C-82810) [12 14	Atrixa Spran - Disentanti	n a
11 MH Dunahan + Mating	Olymphia a cout to at all	15-60
Many ranger quing f	monory and age . of	(* 10
occupy.		
	•	***************************************
	Inspection Record	
	Type Foundation:	Date
	Foundation: Framing:	
	Plumbing:	
	Final:	8-1-97
	Other:	

Location of Construction: 335 Brighton Ave	Owner:			
	MMC		Phone:	Permit No: 9 7 0 7 3 2
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name: Edward Hebert & Sons	Address: 9 Gould Rd Lewis	Phon ton, ME 04240	783-2091	Permit Issued: JUL 1997
Past Use:	Proposed Use:	COST OF WOR \$ 65,000. FIRE DEPT. □	.00 \$ 345.0	00
Medical Offices	Same		Denied Use Group:	Type:
Proposed Project Description:			Signature: ACTIVITIES DISTRICT	Total : 1
Make Interior Renovation	Action:	Approved with Condition Denied	Special Zone or Reviews:	
Ground Floor - Pre Admis		Signature:	Date:	□ Flood Zone □ Subdivision
Permit Taken By: Mary Gresik	Date Applied For:	01 July 1997		☐ Site Plan maj ☐minor ☐mm ☐ Zoning Appeal
 This permit application does not preclude th Building permits do not include plumbing, Building permits are void if work is not start tion may invalidate a building permit and s 	septic or electrical work. ed within six (6) months of the date of			☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
15639/30-3652				Historic Preservation Whot in District or Landmark Does Not Require Review Requires Review Action:
I hereby certify that I am the owner of record of t authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable	n as his authorized agent and I agree to is issued, I certify that the code officia	o conform to all applicables authorized representations.	le laws of this jurisdiction. tive shall have the authority	In addition, Denied
SIGNATURE OF APPLICANT Dan Hebert	ADDRESS:	01 Ju1y 1 DATE:	997 PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WO	RK, TITLE		PHONE:	CEO DISTRICT

BUILDING PERMIT/REPORT

DATE: 17/10/97	ADDRESS: 335 Bughton Aun
REASON FOR PERMIT:	range of tem
BUILDING OWNER:	m m c
CONTRACTOR:	11.do 1 + Jan
PERMIT APPLICANT:	Dan 11.6.57 APPROVAL: X/X/6X/7 4/9×25×26 DENIED

CONDITION(S) OF APPROVAL

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)

Precaution must be taken to protect concrete from freezing.

4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)

6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.

Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.

8. Headroom in habitable space is a minimum of 7'6".

9. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.

10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.

11. Every sleeping room below the fourth story in buildings of use Groups R and 1-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.

12. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.

- All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
- 14. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

X/16)	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the labet of an approved	agency and oc or an
^	approved type.	
y (17)	The Fire Alarm System shall be maintained to NFPA #72 Standard.	
1 (18)	The Sprinkler System shall maintained to NEPA #13 Standard.	
(NO.)	All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section	& Subsections
<i>y</i>	1022 & 1024 Of the Circle building code (The ROCA National Building Code/1990)	
20,	All construction and demolition debris must be disposed at the City's authorized reclamation site. The I	ee rate is attached.
	Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Oc	cupancy is issued
	or demolition permit is granted	
21.	Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be grant	ed a permit to
٠,	except the or open any street or sidewalk from the time of November 15 of each year to April 15 of the 101	lowing year .
22.	The builder of a facility to which Section 1594-C of the Maine State Human Rights Act Title 5 MRSA II	eiers, snan oouann a
44.	certification from a design professional that the plans commencing construction of the facility, the build	er shall submit the
	certification to the Division of Inspection Services.	
9.2	This permit does not excuse the applicant from obtaining any license which may be needed from the Cit	v Clerk's office.
23.	I has permit does not excuse the applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been been applicant from obtaining any needs which has been been applicant from obtaining any needs which has been been been been been been been bee	, -
-X24. X25.	Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code.	
X.25.	All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.	
V (26.)	This project requires State Fin March 11 Bypraid	
(
27.		A SAN SAN SAN SAN SAN SAN SAN SAN SAN SA
28.		

P. Samuel Hoffses, Chief of Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal

11. 4 Hu Sy