Location of Construction: 333 Brighton Avenue	Owner:		Phone:	Permit No: 9 9 0 6 4 2
Owner Address: 22 Branhall St. Ptld, ME 04101	Lessee/Buyer's Name: K.E. Rehab Hospital	Phone:	BusinessName:	I DEDINITICOLED
Contractor Name:	Address: 9 Gould Rd. Lewiston, M	Phon	e: 783-2091	Permit Issued! 100ULV
Past Use:	Proposed Use:	COST OF WOR	K: PERMIT FEE: \$ 1.125	JUN 2 1 1999
Office/Tegatment	Sane	FIRE DEPT.	Approved INSPECTION: Use Group ZTyp BOCA 46	Zone: CBL: 121-C-009
		Signature:	Signature:	
Proposed Project Description: Interior renovations including par	titions,	Action:	ACTIVITIES DISTRICT (RA. Approved Approved with Conditions: Denied Date:	Zoning Approval: Special Zone or Reviews: Shoreland Wetland Flood Zone Subdivision
Permit Taken By: \$\$\mathbb{P}\$	Date Applied For:	-15-99	Example of the state of the sta	☐ Site Plan maj ☐minor ☐mm ☐
 This permit application does not preclude the Building permits do not include plumbing, s Building permits are void if work is not started tion may invalidate a building permit and stee 	Zoning Appeal Variance Miscellaneous Conditional Use Interpretation Approved Denied			
			PERMIT ISSUED WITH REQUIREMENTS	Historic Preservation ☑ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable has	□ Appoved □ Approved with Conditions □ Denied			
		June 15, 199	9	
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE		PHONE:	CEO DISTRICT
White-Pe	ermit Desk Green–Assessor's Ca	nary–D.P.W. Pink–Pເ	ıblic File İvory Card–Inspect	or L

"Manager"				
27 July 99	Done Closing-jn Valk arequith Supt, Work Completed MA	INSPECTION	with LT. Me De	0444/18
17 July 99 1	Valk arequity Supt	& LT, Me word	K 90179 95 120L)	2978
38 DCT 94	Work Con Wetel ma	Ko Final To	a) Fill Main	and as
PED	of the second		p will and the	19410(
			· · · · · · · · · · · · · · · · · · ·	
	Close and			,
1				
			· ·	
	/	/		
			Inspection Record	
		Type Foundation:		Date
		Foundation: Framing:		
		Plumbing:		
		Other:		***************************************



CITY OF PORTLAND, MAINE

Department of Building Inspection

Certificate of Occupancy

LOCATION 335 Brighton Ave CBL: 121-C-009

Issued to Maine Medical Center

Date of Issue 10/28/99

This is to certify that the building, premises, or part thereof, at the above location, built — altered — changed as to use under Building Permit No. 990642 , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Certificate of Occupancy for permit #980642

Building Code BOCA 1996 Use Group 1-2 Type of Construction 2B

Limiting Conditions:

This certificate supersedes certificate issued

Approved:

(Date) Inspector

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

BUILDING PERMIT REPORT

NATE: 17 June 99 ADDRESS: 335 Brighton Ave. CBL: 121-C-009
TT The handle look
BUILDING OWNER: MAINE Modrea (Center)
PERMIT APPLICANT: BOCA 1996 CONSTRUCTION TYPE 3B
USE GROUP BOCA 1996 CONSTRUCTION TYPE CONDITION(S) OF APPROVAL
This promittie being issued with the understanding that the following conditions are met:
This permit is being issued with the same of the same

Approved with the following conditions: \(\frac{\psi}{1} \) 30 \(\frac{\psi}{2} \) \(\frac{\psi}{2} \)

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A

Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2

Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from comers of foundation and a 4.

maximum 6' o.c. between bolts. (Section 2305.17)

Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code. 5.

Precaution must be taken to protect concrete from freezing. Section 1908.0

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the ۶. 1.

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached 8. side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4,

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical 9.

Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.

Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the 10. purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", 11. except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)

Headroom in habitable space is a minimum of 7'6". (Section 1204.0) Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 12. 13. 7" maximum rise. (Section 1014.0)

The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4 14.

Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. 15. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly

from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1) 16. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0) 17.

The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic 18.

All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be 19.

installed	and maintained at the following locations):
•	In the immediate vicinity of bedrooms In all bedrooms
	In each story within a dwelling unit, including basements
	on to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive com a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
A portab (Section	ole fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
•	Alarm System shall maintained to NFPA #72 Standard.
The Spri	inkler System shall maintained to NFPA#13 Standard.
	signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the uilding Code. (The BOCA National Building Code/1996)
Section 2	25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any sidewalk from the time of November 15 of each year to April 15 of the following year".
	der of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a rofessional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection
Services.	•
	on shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
	rical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all
	l (min. 72 hours notice) and plumbing inspections have been done.
	rements must be met before a final Certificate of Occupancy is issued.
All buildi	ing elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building
Code/199	96).
Ventilatio	on of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical
	93). (Chapter M-16)
	ad and implement the attached Land Use Zoning report requirements.
	outting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
	I glazing shall meet the requirements of Chapter 24 of the building code.

Sawal Rotte's Building Inspector

A Korres, Building Inspector L. McDougall, PFD Marge Schmuckal, Zoning Administrator

PEH 12-14-98 USNI

24.

25.

26. 427.

28. **¥** 29.

¥,30.

31. 732. 733. 734.

35.

36.

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

Ŝ

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction (include Portlon of Building): 335 BALLSHOW ALE

Total Square Footage of Proposed Structure 7,670		Square Footage of Lot N/A					
Tax Assessor's Chart, Block & Lot Number Chart# /2 / Block# C Lot# 009	1	INE MEDICAC ENTER	Telephone#: #79 # 6000				
Owner's Address: 22 MARAMHALL ST ' PORTUMND, ME, OGIO!	No E.	ame (If Applicable) CENTAL SPITE	Cost Of Work: Fee \$ 221,000 \$ //25				
Proposed Project Description: (Please be as specific as possible) INTERESPONDING RENOVERSE ENTRY BY THE REAR O	USINC	01100060000	IONS, FINISHES ENED ADA				
Contractor's Name, Address & Telephone Elithery & South 9 400		M 752-2201	240 PRICE EMERY				
Current Use: Office of TREATMEN	UT	Proposed Use: Office of The	REATMENT				
•All construction must be conducted in compli •All plumbing must be condu •All Electrical Installation must comply was •HVAC(Heating, Ventililation and Air Conduction You must Include the following with you application 1) ACopy of You must Include the following with you application 1)	lance with the 1 letted in compile with the 1996 N litioning) instal n: Your Deed or P of your Constru 3) A Plot Pla r the above propi	ance with the State of Maine Plustional Electrical Code as amendation must comply with the 199 urchase and Sale Agreement ction Contract, if available in/Site Plan osed projects. The attached	amended by Section 6-Art II. mbing Code. ded by Section 6-Art III.				
Unless exempted by State Law, constru			and dealers specificant				
A complete set of construction drawings showing al Cross Sections w/Framing details (including Floor Plans & Elevations Window and door schedules	l of the following	g elements of construction:	(3' 1/1//				

Certification I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the previsions of the codes applicable to this permit

Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

The state of the s	
Signature of applicant:	Date: 6/15/99
71/11/7 1.7 (612)	

Byllding Permit Fee \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

94%

Foundation plans with required drainage and dampproofing

APPLICATION FOR EXEMPTION FROM SITE PLAN REVIEW

Planner's Signature Ruch Ku	Planning Office Use Only: Exemption Granted Partial Exemption	h) Adequate Utilities	g) Sufficient Property Screening	f) No Stormwater Problems	e) No Additional Parking / No Traffic Increase	d) Curbs and Sidewalks in Sound Condition/ Comply with ADA	c) No New Curb Cuts, Driveways, Parking Areas	b) Footprint Increase Less Than 500 Sq. Ft.	a) Within Existing Structures; No New Buildings, Demolitions or Additions	Criteria for Exemptions: See Section 14-523 (4)	Please Attach Sketch/Plan of Proposal/Development	CAMP INTERIOR DE COVERED		6	Applicant Applicant Applicant's Mailing Address Applicant's Mailing Address Applicant's Mailing Address Applicant's Mailing Address
Date 5-4	nption Exemption Denied	LES	165	LOUR	Contraction of the contraction o	Tes	Cocke	AREA - 460 OF	CAMPRY AND VESTIBLE ONLY		Applicant's Assessment (Yes, No, N/A)	By A CANDON ST	OVAL OF THE EXE	Address of Proposed S	5) CHIOZ-3175 Appli Proje
1-99		OK	0 1/2	OK	OIC	. 015	2/0	OK	OK.		Planning Office Use Only		RAMP	ite	ation Date RELIAB OBZUHTON It Name/Description MEDICAL