


Location of Construction: 271 Woodfords St		Owner: Miller James		Phone:		Permit No: 970394	
Owner Address:		Lessee/Buyer's Name: Port Resources, Inc.		Phone:		BusinessName:	
Contractor Name: Port Resources, Inc.		Address: 175 Lancaster St Ste 217 Portland, ME 04101		Phone: 828-0048		Permit Issued: MAY - 2 1997	
Past Use: 1-fam		Proposed Use: Handicapp Family Unit		COST OF WORK: \$		PERMIT FEE: \$ 25.00	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: Type:	
				Signature:		Signature:	
Proposed Project Description: Change Use				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)			
				Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/>			
				Signature:		Date:	
Permit Taken By: Mary Gresik		Date Applied For: 24 April 1997					



Zone: R-5 CBL: 123-1-002

Zoning Approval: *shall conform to meet*

Special Zone or Reviews:

Shoreland *the district*

Wetland *BA 11/1/97*

Flood Zone

Subdivision *1-2-4-29*

Site Plan maj minor mm

Zoning Appeal

Variance

Miscellaneous

Conditional Use

Interpretation

Approved

Denied

Historic Preservation

Not in District or Landmark

Does Not Require Review

Requires Review

Action:

Approved

Approved with Conditions

Denied

Date:

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

Arthur Lerman 24 April 1997

SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

CEO DISTRICT

COMMENTS

5-2-97 Work is all completed OK for City

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 271 Woodford St		Owner: Miller James		Phone:		Permit No: 970394			
Owner Address:		Buyer's Name: Port Resources, Inc.		Phone:		Business Name:			
Contractor Name: Port Resources, Inc.		Address: 175 Lancaster St Ste 217 Portland, ME 04101		Phone: 828-0048		<div style="border: 2px solid black; padding: 5px; text-align: center;"> PERMIT ISSUED Permit Issued: MAY - 2 1997 CITY OF PORTLAND </div>			
Past Use: 1-fam		Proposed Use: Handicapp Family Unit		COST OF WORK: \$				PERMIT FEE: \$ 25.00	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied				INSPECTION: Use Group: <i>R3</i> Type: <i>531</i> Signature: <i>[Signature]</i> Date: <i>4/21/97</i>	
Proposed Project Description: Change Use				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/> Signature: _____ Date: _____				Zoning Approval: <i>condition shall continue to meet</i> Special Zone or Reviews: <input type="checkbox"/> Shoreland <i>The definition</i> <input type="checkbox"/> Wetland <i>of a handicapped</i> <input type="checkbox"/> Flood Zone <i>family unit</i> <input type="checkbox"/> Subdivision <i>all one 4/21/97</i> <input type="checkbox"/> Site Plan <i>map</i> <input type="checkbox"/> minor <input type="checkbox"/> firm <input type="checkbox"/>	
Permit Taken By: Mary Gresik		Date Applied For: 24 April 1997							

- This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: 4/21/97
RK

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

[Signature of Arthur Lerman]

24 April 1995

SIGNATURE OF APPLICANT Arthur Lerman ADDRESS: _____ DATE: _____ PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT 6
M. Lerman



CITY OF PORTLAND, MAINE
Department of Building Inspection

Certificate of Occupancy

LOCATION: 271 Woodford St. 123-L-002

Issued to: Port Resources, Inc.

Date of Issue: 08 May 1997

This is to certify that the building, premises, or part thereof, at the above location, built — altered — changed as to use under Building Permit No. 970394, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire

Handicap Family Unit

Limiting Conditions:

This certificate supersedes
certificate issued

Approved:

[Signature]

(Date)

Inspector

[Signature]

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.


BUILDING PERMIT REPORT

DATE: 30 April 97 ADDRESS: 271 Woodford St.
REASON FOR PERMIT: Change of Use (Handicapp Family Unit)
BUILDING OWNER: Miller James
CONTRACTOR: Port Resources
PERMIT APPLICANT: Arthur Lemay APPROVAL: *1 *21 *26 DENIED

CONDITION(S) OF APPROVAL

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 3. Precaution must be taken to protect concrete from freezing.
 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
 7. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42" , except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
 8. Headroom in habitable space is a minimum of 7'6".
 9. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
 10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
 11. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
 12. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 13. All vertical openings shall be enclosed with construction having a fire rating of at least one (1)hour, including fire doors with self closer's.
 14. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
 15. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 16. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 17. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 18. The Sprinkler System shall maintained to NFPA #13 Standard.
- 19. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 20. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
- 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- 24. Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code.
- 25. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.
- 26. Condition: Shall continue to meet the definition of a Handicapped Family Unit.
- 27. _____
- 28. _____




P. Samuel Heffses, Chief of Code Enforcement

cc: Lt. McDougall, PFD
Marge Schmuckal

FLOORPLANS

Directions: Sketch the floor plan of the facility, noting location, size and number of resident bedrooms. Also note areas designated for resident use, rooms to be occupied by family members or others who are not residents, bathrooms, living and dining areas, and exits. You may send printed floorplans or blueprints in lieu of this sketch.




FIRST FLOOR

NOT TO SCALE

FLOORPLANS

Directions: Sketch the floor plan of the facility, noting location, size and number of resident bedrooms. Also note areas designated for resident use, rooms to be occupied by family members or others who are not residents, bathrooms, living and dining areas, and exits. You may send printed floorplans or blueprints in lieu of this sketch.



SECOND FLOOR

NOT TO SCALE

ELECTRICAL PERMIT

City of Portland, Me.



To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations
 in accordance with the laws of Maine, the City of Portland Electrical Ordinance,
 National Electrical code and the following specification:

Date 17 July 1996

LOCATION: 271 Woodford St

Permit # 17032

OWNER Port Resources ADDRESS _____

200-7-981

										TOTAL EACH FEE		
OUTLETS												
		Receptacles		Switches	6	Smoke Detector					.20	1.20
FIXTURES		(number of)										
		incandescent		fluorescent							.20	
		fluorescent strip									.20	
SERVICES												
		Overhead				TTL AMPSTO	800				15.00	
		Underground					800				15.00	
TEMPORARY SERV.												
		Overhead				AMPS OVER	800				25.00	
		Underground					800				25.00	
METERS		(number of)									1.00	
MOTORS		(number of)									2.00	
RESID/COM		Electric units									1.00	
HEATING		oil/gas units									5.00	
APPLIANCES	1	Ranges		CookTops		Wall Ovens			1	2.00	2.00	
		Water heaters		Fans		Dryers				2.00		
Disposals		Dishwasher		Compactors		Others (denote)				2.00		
MISC. (number of)		Air Cond/win								3.00		
		Air Cond/cent								10.00		
		Signs								5.00		
		Pools								10.00		
		Alarms/res								5.00		
		Alarms/com							1	15.00	15.00	
		Heavy Duty								2.00		
		Outlets										
		Circus/Carnv								25.00		
		Alterations								5.00		
		Fire Repairs								15.00		
		E Lights								1.00		
		E Generators								20.00		
		Panels								4.00		
TRANSFORMER		0-25 Kva								5.00		
		25-200 Kva								8.00		
		Over 200 Kva								10.00		
										TOTAL AMOUNT DUE		
										MINIMUM FEE/COMMERCIAL 35.00	MINIMUM FEE 25.00	25.00

INSPECTION: Will be ready 7/19 PM or will call _____

CONTRACTORS NAME Seabee Electric
 ADDRESS 200 Anderson St
 TELEPHONE 774-4880
 MASTER LICENSE No. 17032
 LIMITED LICENSE No. _____

SIGNATURE OF CONTRACTOR

