


REPLACE WITH 30" X 45" BRASS CASING



ST Prospect St. 2ND Floor 1/4" = 1'-0"

FLOOR PLAN

SEPTEMBER 12, 2011

EXISTING DORMER = 5' WIDE GABLE DORMER, INCREASING TO 10' WIDE. ~~adding 20'g~~ adding 20'g


19x32=60x 25x35=70x
 + 10x55=55 10x44=40
 15.5 FT = 25x35 10x44=40

adding 20'g adding 20'g
7/8 label

ANSWERS TO QUESTIONS IN E-MAIL FOR S1 PROJECT

ATTEN: JOHN EXISTING ROOF RIDGE/Rafter TO WALL - FOUNDATION

NOTE:
REFER TO BIRDSEYE PLAN
TO SEE HIP-ROOF DESIGN





- NEW WALL + ROOF SHEATHING FOR DORMER IS 1/2 CDX PLY.

- FINISHED HEADROOM = 7'2" FINISHES = 1/5" LEFT TO RIGHT OFF CENTER AND 21" IN FRONT

- DORMER TO ROOF DETAIL

- FROM INSIDE -





EXISTING FRONT DORMER
(HIP ROOF)

EXISTING RAFTERS
TOP

Roof/Ceiling to be sprayed
closed cell spray foam R-38

Walls to be fiberglass
min R-21

EXISTING
ROOF

NEW ROOF

(2) 2x10s
SISTERS TO
EXISTING RAFTERS


NEW SPYLIGHTS
(APP. 30" x 45")

NEW BACK DORMER
(GABLE END)

51 Prospect St.

Roof Plan 1/4" = 1'-0"

9/12/11



57 PROSPECT ST.

SIDE ELEVATION 1/4" = 1'-0"

SEPT. 12, 2011