


City	y of Portland, Maine - Buil	ding or Use	Permi	t Application	1 Per	rmit No:	Issue Dates	RN	CBL:	
389	Congress Street, 04101 Tel: (2	207) 874-8703	, Fax:	(207) 874-871	6	02-0341	DE	NIL	124 G02	21001
Loca	tion of Construction:	Owner Name:			Owner Address:					
190	Coyle St	Hawkins Kath	leen M		190 Coyle St 207-871-8288					
Busin	ness Nanie:	Contractor Name	:		Contra	actor Address:			Phone	
		no contractor /	self		Port	land				
Lesse	re/Buyer's Name	Phone:			Permit Type: Sheds				Zone:	
Past Use: Proposed Usc:					Perm	it Fee:	Cost of Work	:	CEO District:	1
-3-family 3-family erecti		ng 8' x	12' shed		\$37.00	\$1,559	9.00	3		
					FIRE	DEPT:	Approved	INSPE	CTION:	
						1		Use G	roup:	Турс-
Prop	upluse 2m	it only	2-0	contractude	une	n				
	ting 8' x 12' shed	1	-	5	Signat			C. mat		
			- )		-					
		10	1		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)					
			1	)	Actio	n Approv	ved Appr	oved w	/Conditioos	Denied
			1	1	Signa	ture			Date:	
	· · · · · · · · · · · · · · · · · · ·	oplied For:				Zoning	Approva	I		
Jod	linea 04/10	)/2002								
1.	This permit application does not	preclude the	Spe	cial Zone or Revie	ws	Zoni	ng Appeal		Historic Press	ervation
Applicant(s) from meeting applicable State and Federal Rules.		and Shoreland			Variance			Not in District or Landmark		
<ol> <li>Building permits do not include plumbing, septic or electrical work.</li> </ol>		W	etland	Miscellancous		ancous	ł	Does Not Require Review		
3.	Building permits are void if work within six (6) months of the date		E FI	ood Zone		Conditio	onal Use		Requires Rev	iew
	False information may invalidate permit and stop all work		🗌 🗌 Si	ıbdivision		Interpre	tation	ľ	Approved	
			SI SI	te Plan		🗌 Арргом	cd		Approved w/C	Conditions
	of breach At	2 aut	Maj	Minor MM		Denied			Denied	
		I	Date			Date.			Date:	
	per marety the 1955 D calledoura	ret				<u>,                                     </u>		1		

#### CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT

ADDRESS



# All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Logation (Address of Construction: 5.0)	CANLE OT Post	
Location/Address of Construction: 190		
Total Square Footage of Proposed Structure <b>96</b> Sq. <i>F</i> -	ure Square Footage of して、ひつつ	<sup>1</sup> Lot
Tax Assessor's Chart, Block & LotChart#Block#Lot#IOMCaDo I	Owner: Kathleen Hawkins	Telephone:
Lessee/Buyer's Name (If Applicable)	Applicant name, address & telephone: Kathleen Hawking/87 190 Conle St. Portl	Cost Of 1559- Work: \$ 1559- and Fee: \$ 1559-37-
Current use: YARD 3 FAM	4	
If the location is currently vacant, what we	as prior use: <u>YARD</u>	
Approximately how long has it been vaca	int: -	
Proposed use: Storege Shed	3 Amilie	• • • • • • • • • • • • • • • • • • •
Project description:	BYIN	short.
Contractor's name, address & telephone:	Home Depot / Wa	men Are
Who should we contact when the permit Mailing address: 190 Coyle St fortland We will contact you by phone when the p review the requirements before starting and and a \$100.00 fee if any work starts before	ermit is ready. You must come ir 1y work, with a Plan Reviewer. A	n and pick up the permit and stop work order will be issued
THE REQUIRED INFORMATION IS NOT INCLU ENIED AT THE DISCRETION OF THE BUILDING NFORMATION IN ORDER TO APROVE THIS PE nereby certify that I am the Owner of record of the no ave been authorized by the owner to make this appli risdiction. In addition, if a permit for work described in fail have the authority to enter all areas covered by the	/PLANNING DEPARTMENT, WE MA RMIT. Imed property, or that the owner of record cation as his/her authorized agent. I agree this application is issued. I certify that the	Y REQUIRE ADDITIONAL d authorizes the proposed work and that I te to conform to all applicable laws of this Code Official's authorized representative
Signature of applicant:	Date:	4/9/02
This is NOT a permit, you may no you are in a Historic District you ma Planning Depai	ot commence ANY work un by be subject to additional p tment on the 4 <sup>th</sup> floor of City	permitting Circle Calles And Maren

PRICE IN         ✓ DELIVERY to y         ✓ CONSTRUCTION         ✓ WINDOWS and         ✓ ROOF STYLE of	ON on-site	Vinyl Colors white cream			LOX BURG	TYLE
✓ SHINGLE COL	OR choice	tan	ailable in your choice of si	CEDAR	PINE	SMART PANEL II
✓ 10 YEAR WAR	RANTY	gray		ALANT	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
ROOF STYLES	SHINGLE COLORS	SIZES				
THE REAL PROPERTY OF		8x12	\$1,999.00	\$1,815:00	\$1,559.09	\$1,495.00
		8x14	\$2,299.01	\$2,085.00	\$1,889.00	\$1,765.00
Peak	Black	8x16	\$2,569.00	\$2,335.00	\$2,169,00	\$2,035.00 ₹
	Didtk	10x12	\$2,439.00	<b>\$</b> 2,275 00	\$2,159.00	\$1,919.00
		10x14	\$2,739.00	\$2,555.00	\$2,299.00	\$2,179.00
I TATA		10x16	\$3,129.00	\$2,925.00	\$2,599.00	\$2,435.00
Extended Peak	Brown	12x12	\$2,869.00	\$2,679.00	\$2,379.00	\$2,159.00
No. of the other	1000	12x14	\$3,239.00	\$3,029.00	\$2,609.00	\$2,429.00
	1. 1. 1.	12x16	\$3,659.00	\$3,419.00	\$2,969.00	\$2,689.00
Gambrel	White/Gray	12×20	\$4,549.00	\$4,249.00	\$3,679.00	\$3,439.00

# **DELIVERED** and **BUILT** ON SITE, free of charge - guaranteed



For more information visit our Web site www.ShedsUSA.com or call us at 800.441.8489

\* not available in all amas

HEIbos-N-03/02

Delivered Built Guaranteed

### **Options & Upgrades for All Sheds**

Note: Options and upgrades are an additional cost to the standard pricing.

Item	Wood Price	Vinyl Price
2" x 6" floor joists for 6' or 8' wide sheds (2"x6" floor joints are standard on all 10' x	Viewald and a second	\$ .92 sq ft
Pressure treated plywood floor	\$1.20 sq ft	\$1.20 sq ft
4' storage loft for 8' wide sheds	\$65.00	\$65.00
4' storage loft for 10' wide sheds	\$80.00	\$80.00
4' storage loft for 12' wide sheds (loft storage space will vary with roof style a	\$95.00 and 4° storage loft for 6° u	\$95.00 ide shads is not available;
8' shell (All abeds except cedar models)	\$45.00	\$45.00
Enlarge Standard 40" Door to 54" Door	\$94.00	\$79.00
Enlarge Standard 40" Door to 66" Door	\$\$9.00	\$99.00
Enlarge Standard 40" Door to 78" Door	\$114.00	\$129.00
4' pressure-treated ramp	\$44.00	\$44.00
Vinyl shed window upgrade (functional)	n/a	\$49.00 each
Window screen	\$13.00 each	\$13.00 each

Note: 54" double doors not anallable on any 6° usile or 8x8 New Yorker, 66" 6-78" double door not anallable on any New Yorker or any of the following Bostoman stars - 8x12, 10x12 or 12x12 due to space restrictions.

### Product Warranty

#### **10-YEAR Limited Warranty!**

Sheds USA warranties the sinuctural soundness of all its sheds for a period of 10 years from the date of delivery with proper maintenance. A detailed warranty and registration will be sent by mail to all new customers.

VINYL	CEDAR	PINE	SMART PANEL II
100% maintenance free     Varser of colors available     Beannful     Durable     Economical     Maintenance free white tran	Plenant avera naturally repet, intects and evisits network     Ages heatmally     Encollent have for stain and paint     Very stable—resists warping and backling	Most popular material     Withstands all types of seather     Classic tringue-and-groove     construction     Affordably priced	Vertical extentor siding     Durable     Pre-primer surface makes an     excellent base for paint     Economical

SKU \*471-897 (SKU represents Sheds USA's Bostonian, Portsmouth and New Yorker sheds only)

### HOW TO ORDER THE BOSTONIAN STYLE SHED

Please make the following selections:

hed Siding Material		
D Bostonian - Cedar	Bostonian - Pine	Bostonian - Smart Panel II
🛛 Bostonian - Vinyl	O white vinyl O cream v	inyl O clay vinyl O tan vinyl O gray vi
hed Size	And the second second	
X	12	
oof Style		
-Gambrel	D Peak	Extended Peak
	22 - Star	
oof Shingle Color	and the second second	والمحادثة المتحد والتقد ومعربا الأ
Black	Brown	SWhite/Gray
Options & Upgrades		
Pressure treated ran	np	Window screen qty:
□ 4' storage loft for	0.8' 0.10' 0.12'	U Vinyl shed window upgrade
Door enlargement	0.54' 0.66' 0.78'	Pressure treated plywood floor
2"x 6" floor joist	06' 08'	8' shelf (not available on ceda)

### Site Requirements

- Clearance Shed site inust be located at least 5' from any fences, trees, etc. Please remove tree branches, brush or other obstacles 5' around perimeter of shed and 12' above ground.
- Land Grade Must be less than 6" slope from highest to lowest point, with no protroding rocks or stumps in the area.
- Access Shed is delivered in prefab panels; clear access to site is necessary stairs, narrow walkways, fences, gates, shrubs, carports, awnings, arbors, etc. may present difficulties and should be brought to the attention of Sheds USA prior to delivery.
- Land Quality Consider all factors when choosing your size, including proper dramage, firmness of earth, etc.
- Permits Responsibility of the homesware Please contact your local town office soon after ordering your shed to determine any restrictions or setback requirements.
- Shed site must be 150'or less from where a large tractor-trailer can park. Shed sites 150' - 300' from track parking area will incur a \$50.00 fee payable to the delivery crew. If your site is farther than 300' please contact our main office.

The above site requirements allow us to build a safe, sturdy shed for our customers. If any of these requirements are not met, your shed may not be built and a fee of \$150.00 will be charged for our crew to return and construct your shed once conditions are met. If this occurs, delivery of your shed materials must be completed and placed on your property, in a location accessible to the final shed site to avoid a 20% re-delivery fee. It is the customers responsibility to cover the materials with a non-transparent, waterproof material to prevent unnecessary weathering and or discoloration. All fees are due at time of notification.

### Delivery

- Sheds USA will acknowledge the receipt of your order by phone or by mail. Please provide a daytime phone number at time of purchase.
- Delivery schedule will be established by Sheds USA. You will be contacted by phone 1 to 2 weeks in advance.
- · Delivery time will fluctuate based on seasonal volume, weather conditions, etc.
- Delivery date and installation date may differ.
   Rescheduling of the delivery/install date will only occur if Sheds USA is forced to so by events out of our control (weather concerns, illness, mechanical or other difficulties). Sheds USA crews deliver/install several sheds per day, therefore the status of one customer's order affects many others. To provide the best service for all of our customers, once a delivery/install date has been agreed to and scheduled by the customer and Sheds USA, postponement or cancellation by the customer will result in a 20% restocking fee.

### Standard Features & Materials

Roof (peak, extended peak or gamhwi-6' wide sheds smallable in peak roof only)

- 7/16" 088
- T'x4" construction, 24" on center
- Self-sealing shingles with 20-year warranty available in black, brown or white/gray

#### Roof Heights

- 6' wide peak = 8'
   8' wide gambrel = 9'
- 8' wide peak =  $\overline{8}$  3" 10' wide gambrel = 9' 5"
- 10' wide peak = 8' 11'
   12' wide gambrel = 9' 10''
- 12' wide peak = 9' 6"

#### Walls

.

- 2"x4" construction, 24" on center
- Smart Panel II: pre-primed siding (vertical)
- Pine: 6" tongue & groove (horizontal)
- Cedar, 6" or 8" tongue & groove (vertical)
- Wall height = 71", Extended front gable, front wall = 75"
   Maintenance free viryl siding applied over 1/2" physiod

### Floor (Floor sizes are approximate. If the customer chooses to install a concrete base

or footings, they must first contact Shads USA for exact outside floor measurements.)

- · 5/8" OSB tongue and groove
- · Pressure treated floor joists standard
- Optional pressure treated plywood available
- 2"x4" construction, 16" on center for 6' & 8' wide units
- Optional 2"xb" floor joists available for 6" & S" wide units
- 2"x6" construction, 16" on center for 10" & 12" wide units
   Concrete block supports—4 corners, front & back center of outside frame
- Contribute brock supports 5 conters, from & oack denier of outside in
   Pressure treated 4x4 center beam on all 12' wide sheds
- If preparing your own foundation/footing, please call Sheds USA
- for exact outside floor dimensions.


#### Windows

- All windows come with flower boxes and shutters
- · Wooden sheds come standard with functional windows
- Vinyl sheds come standard with non-functional windows (functional windows available as an option)

#### Doors

40" double door standard

Note: All shed dimensions are approximate and door and window locations cannot be changed.



			MENT RECORD-		F PUF	LANI	<u>,</u>	MAI				
LAND NOS. STREET	ELDG. NO.	CARD NO		AREA	DIST	ZONE	C	HART			LOT	CURR.
<u>05 /7) 184-</u> 194 Coyle		1 A OF Z		1223	a 7			124	G	19-2	0-	G
TAXPAYER ADDRESS AND DESC	RIPTION		RECORD OF TAXPAYER		YEAR	BOOK P	GE				FACTORS	THENTS
	·					BOOK		-	POGRAPHY			VEMENTS
No. L. ALBERT W		Crawfor	d Lebrd E. + Beu	126 P.	17:4			LEVEL		+	SEWER	
ATLE ST			· · · · · · · · · · · · · · · · · · ·			_		LOW		· <b>   </b> ·	GAS	
$\mathbb{E}_{\mathcal{F}} = \{ \mathbf{y} \in \mathcal{F} : \mathbf{y} \in \mathcal{F} \}$								ROLLIN	 1G		ELECTRICIT	r
								SWAMP		1		
BLDGS COYLE ST #	184-194				-				STREET .		TREND O	FDISTRIC
ILION ST PORTLAND MA	INE.							PAVED		1	IMPROVING	
ALEA 23490 30 FT	-20		· · · · · · · · · · · · · · · · · · ·			'	,- <b></b> -	_SEMI-1	MPROVED		STATIC	
			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · ·	•	·		DIRT_			DECLINING	
			• • • • • • • •					SIDEW			WOODED	WASTE
LAND VALUE COMPUTATIONS	AND SUMMARY	<u> </u>	LAND VALUE COMPU	TATIONS AN				TILLAB	MENT REC		NCREASE	
PONTAGE DEPTH FRONT	T. YEAR 10		UNIT DEP	H FRONT FT.	0.00	1	-1-		1 1/1			
287.9 190 1300 120 155			TAGE DEPTH POLE FACT	OR PRICE		19	950	BLDGS	28	25		
	2000							TOTAL	1 42	<u>75  </u>		
			· · · · · · · · · · · · · · · · · · ·				-	LAND				ļ
<ul> <li>The second se second second seco</li></ul>	T		· · ·			. ]	161	BLDGS.	4, 42	50		
	* <b>†</b>		· · · · · · · · · · · · · · · · · · ·			·		TOTAL	1,61.			<u> </u>
							- 02	LAND	12.0			¥
TOTAL VALUE LAND	2000	200-0 TO	AL VALUE LAND		·····	<u>·</u>	-  <u> </u>	BLDGS.	149.	1	750	
TOTAL VALUE BUILDINGS	8290 9	5320 TO	AL VALUE BUILDINGS			1	-	TOTAL	161		/ ·	17
TOTAL VALUE LAND AND BUILDINGS	10,290 10	320 10	TAL VALUE LAND AND BUILDING	5		i	-14	LAND	1	75	1000	Y
2. 2.8 59. FT. TO FROM CH / 2. 1/ BI	K. G LOT 17-2.	1 21	SQ. FT. TO-FROM CH	ELK.	101	ļ.	§			71	100	
	<u>.K. LOT</u>		SQ. FT. TO-FROM CH	BLK.	LOT	i	<u>z</u> _	LAND		.00	10 0	600
			LAND VALUE COMPU		D SUMMA	ARY	- 0		2	>74	<b>.</b>	100
RONTAGE DEPTH PRICE FACTOR PRICE	195	9.54 FRO	TAGE DERTH UNIT DEP		19	19	_  <sup>=</sup>	TOTAL	34	4.1		260
65 190 13°° 120 15°	//	010	····				30	LAND	1 6	00		1
	- <u>-</u> !						6	BLDGS.	28	50	· · · · · · · · · · · · · · · · · · ·	225
······································					<u></u>	<u> </u>	<	TOTAL	1 34	50		<u> </u>
			-					LAND_	<u> </u>	<u> </u>		
					:		6	BLDGS.		!	<u> </u>	·
TOTAL VALUE LAND	2000					1	- _	TOTAL				<u> </u>
TOTAL VALUE BUILDINGS		11 -	AL VALUE LAND	· · · · · · · · · · · · · · · · · · ·				LAND				· ·
TOTAL VALUE LAND AND BUILDINGS			AL VALUE BUILDINGS			·	-   -	BLOGS.			·····	
	K. LOT		SQ. FT. TO-FROM CH		LOT	 i	- -	TOTAL				
	.K. LOT		50. FT. TO-FROM CH		LOT		-	LAND				<b>!</b>
YEAR ORIG. COST		YKEST 1					-  ≏			ا <del>ل</del>		
	•	11-251 2	5@1007 =115 1@ 667 = 13				-	LAND	<u> </u>	<u> </u>		
YEAR SALE PRICE	EXPENSE	2	10 007 - 13				6		1		• • · · · · · · · · · · · · · · · · · ·	
YEAR U. S. R. S.	NET		120				1-	TOTAL	T	· · · · ·		

/

.

# (100 811 65"

· . · .

<del>x (1</del>

<i>,</i>	• Grade denotes quality		D OF BUILD A-EXCELLENT: B-GOO		CHEAP; E-VERY CHEAP	May-Mas - Fire reventer
(), 2 YEAR 19	YEAR 19				15-618-400-Rep	Wir fire dames 11g 2/te.
			CONSTRUCTION		15636646 AUTO	WASN
		FOUNDATION	FLOOR CONST.	PLUMEING		
		CONCRETE	TEODIT CONST	FATHROOM 21	<b>Y</b>	· · · · · · · · · · · ·
19-19 B		CONCRETE BLOCK	STEEL JOIST	TOILET ROOM	-	······································
÷.		BRICK OR STONE	MILL TYPE	WATER CLOSET		and the second
There are and and	and the second second	PIERS	RAIN. CONCRETE	LAVATORY	·····	
		CELLAR AREA FULL	FLOOP FINISH	KITCHEN SINK	]	ing bigge of the second se
		<u>14 1/2 1/4</u>	5/1,2 3	STD. WAT. HEAT		
	• • •	NO. CELLAR	CEMENT	AUTO. WAT. HEAT	35/3Lyin has	a.2
	e -	EXTERIOR WALLS	EARTH	ELECT. WAT. SYST.		<u>_ /</u>
- e -	e e e e e e e e e e e e e e e e e e e	CLAFBJARDS	PINE	LAUNDRY TUBS	1	COMPUTATIONS
		WIDE SIDING	HARDWOOD V V	NO PLIMBING	UNIT 1921	l
• •		NO SHEATHING	TILE	TILING	888 s. r. 7730	
		WOOD SHINGLES		BATH FL. & WCOT.	S. F.	
3		ASBES. SHINGLES		TOILET FL. & WOOT.	]	
		STUCCO ON FRAME	ATTIC FLR. & STAIRS	LIGHTING	ADDITIONS + 78)	
		STUCCO ON TILE	INTERIOR FINISH	ELECTRIC		
	╶┊┄╎╴╬╸╽╎╏┉╎╎╏╸┇╼ <b>╀╌╏╸┠╼┨╾┦╼┨╼┨╼┨╼╉╼┨═</b>	BRICK VENEER	B 1 2 8	NO LIGHTING	31/BAY + 300	
		BRICK ON TILE	PINC	BENT. 2ND 4	BASEMENT	
	╶┧╶┧╾┧╴┧╵╎╵┆╵╎╺╬╼╎╼┥╼╎╸┞┉╄╸┡╍┊╍┽╌╄╍┨	SOLID BRICK	HARDWOOD	115T 4 200 2	WALLISHT + 290	
		STONE VENEER	PLASTER	OCCUPANCY	ROOF	
	╎╺╎╺╎┈╎╵╎╾┆╶┆╺╎┉╅┙┟╾ <mark>┥╾┽╶┼╶┼╶┤╶┼</mark> ╼╂╸┃	CONC. OF CIND. B'.	UNFINISHED	SINGLE FAMILY	1-23 1344 + 130	
			METAL CLG.	TWO FAMILY	FLOORS	
	┊┊╶┊╶┊╶╎╎┈╴┽╼╎╼╢╶┥╼┼╌┝╍╂╸╞╍┲╤╂╧╏	TERRA COTTA		APARTMENT		
		VITROLITE	RECREAT, POOM	STORE	ATTIC	ter and the second s
		PLATE GLACS	FINISHED ATTIC	THEATPU	FINISH	
1STR	<b>╸</b> ╴╴╴╴╴╴╴╴╴╴ <del>╴</del>	WEATHERSTPIP	FIREPLACE V	HOTEL		
		ROOFING	HEATING	OFFICES	FIREFLACE +140	a an
5 1 4 4 4	272	ASPH. SHINGLES	PIPELESS FURNACE	WAREHOUSE	HEATING + 310	
30 76		WOOD SHINGLES	FORCED AIR FURN.	COMM. GARAGE	-	
30 10	<sub>┿╋┿╋</sub> ╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋╋	ASEES, SHINGLES	STEAM	GAS STATION MULTI FAM	PLUMBING +510	
		SLATE TILE	HOT W. L. CR VAPOR	ECONOMIC CLASS	TILING	
		METAL	NO HEATING	OVER BUILT	M.F.104. + 770	
		COMPOSITION	· · · · · · · · · · · · · · · · · · ·	UNDER BUILT		• · · · · · · · · · · · · · · · · · · ·
		ROLL ROOFING	GAS BURNER	VET 7/22/59 AR. 9	TOTAL 10980	
				10. 5 PD. BE	FACT 10 -770	
		INSULATION	FTOXER	ме. ск. <b>5013</b> 2	REP. VAL 10,210	
			S		BUILDINGS	K.R. TRACKS
24		0CC'Y -	TTE GR. A		EP. VAL. P. D. FHY VAL	
	I I I I I I I I I I I I I I I I I I I	Dury A BARNY Style = /10x2	21 13 0 5	+	0,210 45% 5610	15% 4770 2850 S
	are	BARNYSING =/ 10x2	3 20123 C C	K F	+,100 50% 550	
╡╺┟╷┙╺╪╖╴╸┥╴╸╴╴╴╴╴╴╴╸╴╴╴╸╸ ╴┧╴╷╼╪╖╞┅╻╴┇╴┊╴╞╴┍╵╎╺┣━┲╴╄╶╽╴╏╴╺╼╺╴		c			CARO De	
	<u>s</u> s	p			K Koz	0 3160 1400 1.
│ │ │ │ │ │ │ │ │ │ │ │ │ │ │ │ │ │ │	┆╾╽┊╍╬┙╸┊┊╏┇┊┟╋╪╋┿┱┧╌┧╴╽╺┿╾╡╵╽	E T	3174 G+ 19-7	1954	L-VI Hum	- = 3370 700 SI
		-			· · · · · · · · · · · ·	F
		G				s i
	h (363)		1953 1954			8290 4950
<sub>╴</sub> ╎ <sub>╺╺╵┥╸</sub> ╎╌╎╌╎╼╎╼╎╌╎╼ <b>┡┽╓┼╌┽╌┿</b>	┼┾╒╦╪┝╃╎┈╎┤┼╎╵╎	YEAR 1958	1953 1954	<ul> <li>.</li> <li>.</li> </ul>	1951 TOTAL BLOGS.	8470 1130
╾┨╶┍╌╁╌┧╼╎╼┼╼╎╺╎╌╎╶╎╶╎╼╎╼╎╸╎╶╎	480	TAX VAL. LIGIS CLOVAL TASC	5015 3075 J975 J075	~	54 5877	19 19 19
		CHANGE _ DI	100 -700	٤`	254 3071	<sup>1</sup> 19

,

1



## **CITY OF PORTLAND, MAINE**

**Department of Building Inspections** 

4/10 20 Of
Received from Itawlans
Location of Work 190 augustreet
Cost of Construction $\frac{1559}{37.00}$ Permit Fee $\frac{37.00}{57.00}$
Building (IL) Plumbing (I5) Electrical (I2) Site Plan (U2)
Other
CBL: 6 124-6-021 Check #: CADA Total Collected \$ 37-

# THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$10.00 or 10% whichever is greater.

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Permit Copy