

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND BUILDING PERMIT

This is to certify that

MARSHALL CHRISTOPHER D & JENNIFER R CURTIS
JTS

Located at

190 COYLE ST

PERMIT ID: 2016-02359

ISSUE DATE: 04/26/2017

CBL: 124 G021001

has permission to **Legalize one non-conforming dwelling unit, bringing the total to three dwelling units.**

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Jason Grant

/s/ Jeanie Bourke

Fire Official

Building Official

**THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY
THERE IS A PENALTY FOR REMOVING THIS CARD**

Approved Property Use - Zoning

Three dwelling units

Building Inspections

Use Group: R-2

Type: 5B

Residential Apartments (3 dwelling units)

Nonsprinkled

ENTIRE

Municipal Housing Code

Fire Department

Classification:

Apartment Building

ENTIRE

NFPA 101 CH 31

BUILDING PERMIT INSPECTION PROCEDURES
Please call 874-8703
or email: buildinginspections@portlandmaine.gov

**Check the Status of Permit or Schedule an Inspection at
<http://www.portlandmaine.gov/planning/permitstatus.asp>**

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that are attached to this permit.**
- **Permits expire in 6 months if the project is not started or ceases for 6 months.**
- **If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.**
- **Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.**

REQUIRED INSPECTIONS:

Legalize Nonconforming units

Fire Inspection

Certificate of Occupancy/Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

City of Portland, Maine - Building or Use Permit		Permit No: 2016-02359	Date Applied For: 09/02/2016	CBL: 124 G021001
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716				
Proposed Use: Three dwelling units	Proposed Project Description: Legalize one non-conforming dwelling unit, bringing the total to three dwelling units.			
Dept: Zoning Status: Approved w/Conditions Reviewer: Christina Stacey Approval Date: 02/27/2017				
Note:				Ok to Issue: <input checked="" type="checkbox"/>
Conditions:				
1) Upon issuance of the Certificate of Occupancy, this property shall remain three dwelling units. Any change of use shall require a separate permit application for review and approval.				
2) This permit is being approved on the condition that the applicant completes all required work to bring the property into compliance with the applicable housing and life safety codes. A Certificate of Occupancy for the legalized unit(s) shall not be issued until such work is completed, as verified by a final inspection. If a Certificate of Occupancy is not issued, the approval of the legalized unit(s) is void and the applicant shall be required to remove the unit(s).				
Dept: Building Inspecti Status: Approved w/Conditions Reviewer: Jeanie Bourke Approval Date: 04/26/2017				
Note:				Ok to Issue: <input checked="" type="checkbox"/>
Conditions:				
1) Hardwired photoelectric interconnected battery backup smoke detectors shall be installed in all sleeping rooms, protecting outside these rooms, and on every level. The same is required for existing buildings undergoing alterations, hard wired to the electrical system. Interconnection is required, where permanent wiring is feasible, which shall be verified upon inspection.				
2) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems, fire suppression and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.				
3) This permit recognizes a pre-existing land use and does not require or certify compliance with the City's current building code. The inspection performed will be done pursuant to the City's Minimum Standards for Housing, The Housing Code. All violations shall be corrected prior to the final inspection and the issuance of the Certificate of Occupancy.				
4) Egress size windows are required (1) in each sleeping room per IRC Sec. R310 or per the State Fire Marshal policies for existing buildings.				
5) This is a Change of Use ONLY permit. It does NOT authorize any construction activities.				
6) Carbon Monoxide (CO) alarms shall be installed in each area within or giving access to sleeping rooms. That detection must be powered by the electrical service (plug-in or hardwired) in the building and battery.				
Dept: Fire Status: Approved w/Conditions Reviewer: Jason Grant Approval Date: 03/13/2017				
Note:				Ok to Issue: <input checked="" type="checkbox"/>
Conditions:				
1) Fire extinguishers are required per NFPA 1 (2009 Edition) Table 13.6.2. quantity, size, type and location shall be in accordance with NFPA 1, 13.6.8.				
2) All residential occupancies, and all new multiple occupancies containing attached parking structures or fuel burning appliances shall be protected in accordance with NFPA 720, Standard for the Installation of Carbon Monoxide (CO) Detection and Warning Equipment, 2009 edition. Detectors shall be provided in the following areas.				
1. Outside each separate sleeping area in the immediate vicinity of the sleeping areas				
2. On each level of the dwelling unit, including basements but excluding attics and crawl spaces.				

- 3) City of Portland Code Chapter 10 section 10-3 (I) Single-station and or multiple-station non-ionization type (photoelectric) smoke alarms are required. Smoke Alarms shall be installed per NAPA 101 2009 section 9.6.2.10. Detectors are required to be installed in the following locations
1. Inside all sleeping rooms.
 2. Outside each separate sleeping area, in the immediate vicinity of the sleeping areas
 3. On each level of the dwelling unit, including basements but excluding attics and crawl spaces.
- 4) All construction shall comply with 2009 NFPA 101, Chapter # 31
All construction shall comply with 2009 NFPA 1, Fire Code. Review and approval by the AHJ shall not relieve the applicant of the responsibility of compliance with this Code (Chapter 1.14.4).
All means of egress to remain accessible at all times.