					TISSUED		
City of Portland, Main 389 Congress Street, 0410	01 Tel: (207) 874-8703		cauon	rmit No: Issue Date 01-0422 MAY	e: CBL: 126 BC)05001	
Location of Construction:	- ···			r Address	Phone:		
540 Forest Ave	Bearly In Busi	ness Inc		The state of the s	PORTLAND772-	.0300	
Business Name:	Contractor Name	:	Contr	actor Address:	Phone		
n/a	n/a		n/a I	Portland			
Lessee/Buyer's Name	Phone:		Permi	t Type:		Zone:	
n/a	n/a		Alte	erations - Commercial		BU	
Past Use:	Proposed Use:		Perm	it Fee: Cost of Wor	rk: CEO District:	†	
Restaurant		Restaurant / Outside dining 10			\$0.00 3		
	chairs & 7 tab	les	FIRE	DEPT: Approved	INSPECTION:		
				Denied	Use Group:	Type:	
				Denied	PERMIT ISSI	HED	
					PERMIT ISS	MENTS	
Proposed Project Description:					WITHREQUIRE	141 -	
Outside Dining			Signa	ture: Uty	sivas de la companya del companya de la companya del companya de la companya de l		
				STRIAN ACTIVITIES DIS	S DISTRICT PAD		
			Actio	n: Approved Ap	oproved w/Conditions	Denied	
			Signature:		Date:	Date:	
Permit Taken By:	Date Applied For: 04/26/2001		· · · · · · · · · · · · · · · · · · ·	Zoning Approva	al		
1. This permit application	does not preclude the	Special Zone of	or Reviews	Zoning Appeal	Vistoric Pres	servation	
1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules.		Shoreland		☐ Variance		ct or Landma	
2. Building permits do not include plumbing, septic or electrical work.		Wetland	Wetland Miscellaneous		☐ Does Not Re	Does Not Require Review	
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work		Flood Zone		Conditional Use	Requires Re	view	
		Subdivision		Interpretation	Approved		
		Site Plan		Approved	Approved w/	/Conditions	
		Mai Minon	V _{MM} □	Denied	☐ Denied ∠	2	
		Date:	white S	Date:	Date:		
		C C	4/20	Date	Date.		
		,	, (3				
I hereby certify that I am the I have been authorized by the jurisdiction. In addition, if a shall have the authority to ent such permit.	e owner to make this appli permit for work described	cation as his autl	that the prophorized agent to is issued.	t and I agree to conform I certify that the code of	to all applicable laws	of this	
SIGNATURE OF APPLICANT		AI	ODRESS	DATE	Е РНО)NE	
RESPONSIBLE PERSON IN CHA	RGE OF WORK, TITLE		· ·	DATE	PHO	NIE	

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Minor/Minor Site Review for New Detached Single Family Dwelling, All Purpose Building Permit Application

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 54.	FOREST NE PONTLAWS, MAINE	041-1
Total Square Footage of Proposed Structure	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# 126 Block# B Lot#00		Telephone#: 772 - 03 • •
$1 \text{all } \Lambda = 1 \text{all } $		Vork: / Fee:
Current use: Out oo o o out of our or out of	t:	
Contractor's Name, Address & Telephone: Applicants Name, Address & Telephone: Chizzy BEAN, I.J.C. 54	· forest AC. PONTIANS 0410	172-0300
Who should we contact when the permit is real Telephone: 772-0300 If you would like the permit mailed, what ma		
		Rec'd By:

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicants	Date: 4/25/01

You may draw your sketch in the space below

6440-1C



~ ~ ~		
C/B/L:		

CONDITIONS FOR SIDEWALK OCCUPANCY PERMIT

Written consent and agreement relating to occupancy of the City of Portland sidewalk in the
front, side, and or rear of the building at the stated
location: 540 Forest NE.; in Portland, Maine, by the owner of the
establishment being: 6 MILLIA 2544, I.C., doing business
as: THE GREAT WIT BEAN NESCANAUM, hereby, to the fullest extent permitted by law,
shall defend, indemnify and hold harmless the City of Portland, its officers and employees, from
and against all claims, damages, losses and expenses, just or unjust, including, but not limited to
costs of defense and attorney's fees, arising out of the establishment's occupancy of the sidewalk,
provided that any such claims, damage, loss or expense (1) is attributable to bodily injury,
sickness, disease, or death, or to injury to or destruction of tangible property including the loss of
use therefrom, and (2) is caused in whole or in part by any negligent act or omission of the
establishment, anyone directly or indirectly employed by it, or anyone for whose act it may be
liable.
Signed and acknowledged:
Establishment owner
Date: 4/25/ 1

BUILDING PERMIT REPORT

DATE: 30 APril 200 / ADDRESS: 540 Fores / AUR CBL: 126-13-695
REASON FOR PERMIT: Outside Dining
BUILDING OWNER: Bear / In Business Inc
PERMIT APPLICANT: /CONTRACTOR SPO
USE GROUP: 43 CONSTRUCTION TYPE:CONSTRUCTION COST:PERMIT FEES 75,00
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF ADDDOVAL

This permit is being issued with the understanding that the following conditions shall be met:

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements.
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 34. Bridging shall comply with Section 2305.16.

PSH 10/1/00

- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- 36. All flashing shall comply with Section 1406.3.10.
- 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Gode/1999).

 38. Bill rules and regular 1995. Set Funt of Equits de dingress

 By This ste Shall be Subject to the conditions of the

 Traffic Engineer on City Properties

 The Adem property with An over head door Shall Not

 Standard Hoffses, Building Inspector

 Cit. McDougall, PFD

 Harge Schmuckal, Zoning Administrator

 Michael Nugent, Inspection Service Manager

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00

