126-B-005

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:	**	Phone:	Downit Net Q Q A 9
540 Forest Ave		business, Inc.	772-0 9 00	Permit Nag 8 0 4 9 1
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name:	Address:	Phone:		Permit Issued:
Past Use:	Proposed Use:	COST OF WORK	FERMIT FEE: \$ 25.00	MAY 1 4 1998
destaurant			enied Use Group: Type:	Zone: CBL: 126-3-005
Proposed Project Description:		Signature: PEDESTRIAN AC	Signature: CTIVITIES DISTRICT (P.A.D.)	Zoning Approval:
Conduct Outside Dining		Action: A	approved approved with Conditions:	Special Zone or Reviews: Shoreland Wetland Flood Zone
		Signature:	Date:	□Subdivision
Permit Taken By:	Date Applied For:	12 May 1998		☐ Site Plan maj ☐minor ☐mm ☐
 Building permits do not include plumbing Building permits are void if work is not station may invalidate a building permit and 	☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied			
			PERMIT ISSUED WITH REQUIREMENTS	Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action:
I hereby certify that I am the owner of record or authorized by the owner to make this applicati if a permit for work described in the applicatio areas covered by such permit at any reasonable	on as his authorized agent and I agree to a sissued, I certify that the code offici	to conform to all applicable al's authorized representative	owner of record and that I have be laws of this jurisdiction. In addition	n, Denied
areas covered by such permit at any reasonable		12 May 1998		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF W	ORK, TITLE		PHONE:	CEO DISTRICT
White	-Permit Desk Green-Assessor's	Canary–D.P.W. Pink–Pub	olic File Ivory Card–Inspector	

COMMENTS

						OT A REST TO A CO						
				1						get and a second		
5	-20-8	ϵ_{-}	2hl		αU	Lend	41	d or	ou	ALK	deci	<i>l.</i>
					7			**************************************			•	
		•										
						The state of the s						
												477.4
								4,				
	·				1=							
									10-4- ····			
		VA MAN MANNY										
				****				***************************************				
				W- 114					· · · · · · · · · · · · · · · · · · ·			
<u> </u>								***************************************		-1		
						na con constant and a second						
								Туре	Inspecti	on Record		Dat
						Found						ı ı ı ı ı
						Frami	ng:					

BUILDING PERMIT REPORT

DATE: 12 MAY 98 ADDRESS: 540 Fores T AVE. (126-B-005)
REASON FOR PERMIT: Outside dining
BUILDING OWNER: Bearly In Business
CONTRACTOR: SAM
PERMIT APPLICANT:
A 2
USE GROUP H-S BOCA 1996 CONSTRUCTION TYPE S-B
CONDITION(S) OF APPROVAL
This Permit is being issued with the understanding that the following conditions are met:
Approved with the following conditions: * (* 8 * 10 * 17 * 24 * 26 * 20
1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 Precaution must be taken to protect concrete from freezing. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to
verify that the proper setbacks are maintained.
 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996) 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA Nationa Mechanical Code/1993).
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2".
9. Headroom in habitable space is a minimum of 7'6". 10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.

closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.)

The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.

All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self

16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the

14.

provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an The Fire Alarm System shall be maintained to NFPA #72 Standard. The Sprinkler System shall maintained to NFPA #13 Standard. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996) Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. All requirements must be met before a final Certificate of Occupancy is issued. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996). Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). Please read and implement the attached Land Use-Zoning report requirements.

P. Samuel Houses, Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal

17.

18.

19. 20.

21.

22.

27.

28. 29.

30.

31.

32.

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 540 Fones	AVE.						
Total Square Footage of Proposed Structure り (水	fr.						
Tax Assessor's Chart, Block & Lot Number Chart# \ 2 6 Block# B Lot# 5	Owner: BEARLY IN BUSINESS, INC.	Telephone#: 772.0309					
Owner's Address: Sto foner Ave. Pontuno, MAINE 04101	Lessee/Buyer's Name (If Applicable)	Cost Of Work:					
Proposed Project Description:(Please be as specific as possible)							
Outpor Diving							
Contractor's Name, Address & Telephone N 1							
Current Use: OUF DOOR DINING RESTANGUE Proposed Use: OUF DOOR DINING RESTANGUE							

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art IL. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

•All Electrical Installation must comply with the 1993 BOCA Mechanical Code.
•HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

| OF BUILDING INSPECTION |

You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement 2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: LZ V. Cy_	D. 4.	1.	101	
Organic of approxime to the second se	Date: 5	112	178	•

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum

CITY OF PORTLAND, ME

ACORD CERTIFICATE OF LIABILITY INSURANCE DATE (MM/DD/YY) 05/07/1998 PRODUCER (207)774-6257 THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION FAX (207)774-6257 ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE Clark Associates HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. 2331 Congress Street P 0 Box 3543 **COMPANIES AFFORDING COVERAGE** Portland, ME 04104 Acadia Insurance Co. COMPANY Attn: Ext: INSURED COMPANY Grizzly Bear, Inc. Dba The Great Lost Bear COMPANY P.o. Box 8227 С Portland, ME 04104 COMPANY D COVERAGES THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. POLICY EFFECTIVE POLICY EXPIRATION CO LTR TYPE OF INSURANCE POLICY NUMBER LIMITS DATE (MM/DD/YY) DATE (MM/DD/YY) GENERAL LIABILITY GENERAL AGGREGATE 2,000,000 X COMMERCIAL GENERAL LIABILITY PRODUCTS - COMP/OP AGG 2,000,000 CLAIMS MADE X OCCUR PERSONAL & ADV INJURY 1,000,000 CPA1001333-11 10/24/1997 10/24/1998 OWNER'S & CONTRACTOR'S PROT EACH OCCURRENCE 1,000,000 FIRE DAMAGE (Any one fire) \$ 250,000 MED EXP (Any one person) 5,000 AUTOMOBILE LIABILITY COMBINED SINGLE LIMIT ¢ ANY AUTO ALL OWNED AUTOS BODILY INJURY (Per person) SCHEDULED AUTOS HIRED AUTOS BODILY INJURY \$ (Per accident) NON-OWNED AUTOS PROPERTY DAMAGE **GARAGE LIABILITY** AUTO ONLY - EA ACCIDENT ANY AUTO OTHER THAN AUTO ONLY: **EACH ACCIDENT: \$** AGGREGATE \$ **EXCESS LIABILITY EACH OCCURRENCE** UMBRELLA FORM AGGREGATE \$ OTHER THAN UMBRELLA FORM \$ WORKERS COMPENSATION AND TORY LIMITS ÉŔ **EMPLOYERS' LIABILITY** EL EACH ACCIDENT THE PROPRIETOR/ EL DISEASE - POLICY LIMIT INCL \$ PARTNERS/EXECUTIVE OFFICERS ARE: EXCL EL DISEASE - EA EMPLOYEE OTHER DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS roof of Liability Insurance for patio **CERTIFICATE HOLDER** CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

©ACORD CORPORATION 1988

ACORD 25-S (1/95)

City of Portland

Portland, ME 04101

