

Reference #	Classification	Dimensions	Square Footage	2009 IBC Max Occupancy per Person	Gross Occupants	Net Occupants
1	Commercial Kitchen	20' x 16'	299	200	1	2
2	Restroom	5.41666' x 7.6667'	45	0	0	0
3	Restroom	Irregular	88	0	0	0
4	Business Area	7.20866' x 16'	115.333328	100	1	1
5	Accessory Storage Area	6' x 16'	96	300	0	0
6	Accessory Storage Area	6' x 15'	88	300	0	0
7	Restaurant without fixed seats unconcentrated (tables and chairs)	Aggregate Seating	446	-	-	-
7a	Drink Rail	16' x 2'	32	7	5	5
7b	Drink Rail	20 x 2'	40	7	6	6
7d	Table Seating Area	9' x 8'	72	15	5	5
7e	Table Seating Area	9' x 8'	72	15	5	5
7f	Low-Top Seating	15' x 8'	120	15	8	8
7g	Bar Seating	5' x 2'	10	7	1	1
7h	Seating	10' x 10'	100	15	7	7
8	Accessory Storage Area	17.354' x 8.64583'	152	300	1	0
9	Corridor / Shared Egress	20.22917 x 8.6458'	174.8980255	0	0	0
10	Walking Path	Irregular	1192.768646	0	0	0
11	Stairs Egress	9 x 7	63	0	0	0
				Occupancy Load		38