| 389 Congress Street, 04101 Tel: (207) 874-870 Location of Construction: Owner Name: | | , 1 ax. (201) 0/4-8/ | | 01-0676 | | | 126 H0 | | |
|---|---|--|--|--------------------------------|---------------------------|---|---|----------------|--|
| 53 Clifton St Walter Bened | | ot R & | 53 C | r Address: Hifton St Dom | Jond Man | LAND | Phone: | 2072 | |
| 53 Clifton St Walter Bene Business Name: Contractor Na | | | Contr | 53 Clifton St Portland, Me 041 | | +101 | 207-828-2972 Phone | | |
| | | • | | Carlyle St. Portland | | | 2077741846 | | |
| n/a Oreily, Sean Lessee/Buyer's Name Phone: | | | | Permit Type: | | | Zone: | | |
| n/a | n/a | Additions - Dwell | | 1 ~ ~ | | R-3 | | | |
| Past Use: | Proposed Use: | | | Cost of Wor | /ork: CEO District: | | | | |
| Single Family | | Mudroom Addition | | | \$10,00 | | 3 | | |
| , | ,- | | FIRE | DEPT: | Approved | INSPECT | | | |
| | | | | | | Use Grou | | Type:5 | |
| | | | | L. | Denied | | - 401 | CD | |
| | | | | | | ANG | ANT ASS | The same | |
| Proposed Project Description: | · · · · · · · · · · · · · · · · · · · | | _ | | | WITH | REQUERTS | News / | |
| Build Mudroom | | | Signature: | | Signature | ignature | | | |
| | | | PEDE | PEDESTRIAN ACTIVITIES DISTRI | | | CT (P.A.D.) | | |
| | | | Actio | n: Appro | ved 🗀 App | proved w/C | onditions | Denied | |
| | | Signature: | | | Date: | | | | |
| Permit Taken By: | Date Applied For: | | 518111 | | - A mmuo | | | | |
| gg | 06/11/2001 | | | Zoning | g Approva | ŧ.i | | | |
| | on does not preclude the | Special Zone or Reviews Zor | | Zoni | ng Appeal | Historic Preservation | | | |
| Applicant(s) from mo | Shoreland | ☐ Variance | | | Not in District or Landma | | | | |
| 2. Building permits do septic or electrical w | ☐ Wetland ☐ Misco | | Miscella | aneous | Does Not Require Revie | | quire Review | | |
| 3. Building permits are within six (6) months | ☐ Flood Zone ☐ Subdivision | | Conditional Use Interpretation Approved Denied Date: | | | Requires Review Approved Approved w/Conditions Denied Date: | | | |
| False information ma permit and stop all w | | | | | | | | | |
| - Contact | Site Plan | | | | | | | | |
| Will E-M Plans + | Maj Minor MM | | | | | | | | |
| • | Date: | Date | | | | | | | |
| M. N. | | | | | | a TIW | PERMIT IS H REQUIR | SUED EMENTS | |
| l have been authorized by jurisdiction. In addition, i | he owner of record of the nat the owner to make this appli f a permit for work described enter all areas covered by su | cation as his authorized in the application is | the proped agentissued, | t and I agree I certify that | to conform the code off | to all app | licable laws | of this | |
| SIGNATURE OF APPLICANT | ADDRESS | | DATE | | | PHONE | | | |
| RESPONSIBLE PERSON IN C | WARGE OF WORK THE F | | | | DATE | | | | |

DATE

PHONE

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

| Location/Address of Construction: 53 | CLIFTON STREET | | |
|---|---|--|--|
| Total Square Footage of Proposed Structure | 5. 5. 5.40 | | |
| Tax Assessor's Chart, Block & Lot Number Chart# 12 6 Block# H Lot# 4 PURTUAN WE 0414 | | | |
| Lessee/Buyer's Name (If Applicable) | Owner's/Purchaser/Lessee Address: Cost Of Work: Fee: 84, 81, 81, 90, 90, 90, 90, 90, 90, 90, 90, 90, 90 | | |
| Current use: SINGLE FAMIL If the location is currently vacant, what wa Approximately how long has it been vacant Proposed use: SINGLE FAMIL Project description: MUPROVIM | t: NA | | |
| Applicants Name, Address & Telephone: Benwarek 53 CL Who should we contact when the permit is rea | iling address should we use: CALL 6/11 | | |

BUILDING PERMIT REPORT

| DATE: 12 June 2001 ADDRESS: 53 CLIFT REASON FOR PERMIT: To CO25 Truct musico | on ST. CBL: 126- H- ØBY |
|---|--|
| REASON FOR PERMIT: To COSSTRUCT MUDIO | om |
| BUILDING OWNER: Ben Wa/Te- | |
| PERMIT APPLICANT: | CONTRACTOR Sean O'Riely |
| USE GROUP: 19-3 CONSTRUCTION TYPE: 5 3 CONSTR | RUCTION COST: //////////PERMIT FEES: 84.00 |
| | |

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: 41, 42 41, 43

1. Th

. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review Coordinater and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
 - 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
 - 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
 - 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
 - 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
 - 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
 - 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
 - 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

clu

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

 In the immediate vicinity of bedrooms
 In all bedrooms
 In each story within a dwelling unit, including basements

 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
 - 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
 - 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
 - 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.

29. All requirements must be met before a final Certificate of Occupancy is issued.

- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)

32. Please read and implement the attached Land Use Zoning report requirements.

33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.

34. Bridging shall comply with Section 2305.16.

4.35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

★ 36. All flashing shall comply with Section 1406.3.10.

| All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999). |
|--|
| |
| |
| |
| |
| |

Samuel Aloffses, Building Inspector Cc Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager

PSH 10/1/00

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00



CITY OF PORTLAND, MAINE

Department of Building Inspection

| 6 11 20 01 |
|--|
| Received from Ben Walter a fee |
| of eighty four 100 Dollars \$ 84 00 |
| for permit to alter Build 20 > 6 Addition |
| at 53 Cl 54 Est. Cost \$ 10,000 W |
| CBL# 126-H-OUY |
| Per Challenge Per Challenge Per Challenge Per Challenge Per Challenge Per Per Per Per Per Per Per Per Per Pe |

THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$5.00 or 10% whichever is greater.

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Auditors Copy