

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 67 Hersey Street XXXX		Owner: XXXX Lenny Cummings		Phone:		Permit No: 001286	
Owner Address: SAA		Lessee/Buyer's Name:		Phone:		BusinessName:	
Contractor Name: T.C. Renovations		Address: PO Box 7491 Portland ME 773-8335		Phone:		Permit Issued: 10/14	
Past Use: single family		Proposed Use: same		COST OF WORK: \$ 30,000		PERMIT FEE: \$ 204.00	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group <i>R3</i> Type: <i>5B</i> <i>POC 494</i>	
Proposed Project Description: 16x25 rear addition				Signature:		Signature:	
				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Zoning Approval: <i>OK with conditions</i>	
				Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/>		Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: MN		Date Applied For: Nov 6 2000					

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

** Call 831-3321*

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT _____ ADDRESS: _____ DATE: Nov 6 2000 K PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

Zoning Appeal

☐ Variance
☐ Miscellaneous
☐ Conditional Use
☐ Interpretation
☐ Approved
☐ Denied

Historic Preservation

☒ Not in District or Landmark
☐ Does Not Require Review
☐ Requires Review

Action:

☐ Approved
☐ Approved with Conditions
☐ Denied

Date: _____

PERMIT ISSUED
CEO DISTRICT
 WITH REQUIREMENTS 2

COMMENTS

11/21/00 On-Site with contractor Footing Forms & setbacks
OK wall to be pinned to existing structure space to
be vented (see)

1/22/01 Framing OK. Pb OK. Electric OK as per S. Bear. Allow

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

CALL CONTRACTOR 831-3321


THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Minor/Minor Site Review, Building or Use Permit Pre-Application
Detached Single Family Dwelling**

WHEN READY

In the interest of processing your application in the quickest possible manner, please complete the information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction:			
Total Square Footage of Proposed Structure 408 sq. ft.		Square Footage of Lot 5265 sq. ft.	
Tax Assessor's Chart, Block & Lot Number Chart# 128 Block# C Lot# 2		Owner:	Telephone#:
Lessee/Buyer's Name (If Applicable) Lenny Cummings		Owner's/Purchaser/Lessee Address: 67 Hersey Str.	Cost Of Work: \$ 30,000 Fee: \$ 204.00
Proposed Project Description: (Please be as specific as possible) Rear addition (see attached prints) 16x25-6' 10"			
Contractor's Name, Address & Telephone T.C. Renovations PO Box 7491 Portland, ME 207 773-8335		Rec'd By: 	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan (Sample Attached)

A "minor/minor" site plan review is required prior to permit issuance. The Site plan must be prepared and sealed by a registered land surveyor (2 copies are required) A complete plot plan (Site Plan) includes

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways.
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water
- Existing and proposed grade contours

4) Building Plans (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: 	Date: 11/6/00
---	----------------------

Site Review Fee: \$300.00/Building Permit Fee: \$25.00 for the 1st \$1000. cost plus \$5.00 per \$1,000.00 construction cost thereafter



BUILDING PERMIT REPORT

DATE: 7 NOV. 2000 ADDRESS: 67 Hersey Street CBL: 128-C-002

REASON FOR PERMIT: 16' x 25' rear addition

BUILDING OWNER: Lenny Cummings

PERMIT APPLICANT: CONTRACTOR T.C. Renovations

USE GROUP: R-3 CONSTRUCTION TYPE: 5 B CONSTRUCTION COST: \$30,000 PERMIT FEES: \$24.00

The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: *1, *2, *4, *5, *6, *9, *11, *13, *15, *19, *21, *26, *27, *28, *29, *32, *34, *36, *37

- *1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- *2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- *4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- *5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- *6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- *9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- *11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B, H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- *13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- *15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

11/6/00

- X19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
- In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- X26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- X27. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- X28. All requirements must be met before a final Certificate of Occupancy is issued.
- X29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements. *TO remain A Single family, This is No permission to increase the Number of*
- X32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. *dwel unit,*
33. Bridging shall comply with Section 2305.16.
- X34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).
- X36. All flashing shall comply with Section 1406.3.10.
- X37. The proposed front wall shall be secured to the original Foundation

[Signature]
 P. Samuel Hennes, Building Inspector
 Ce. M. McDougall, PFD
 Marge Schumuckal, Zoning Administrator


PSH 10/1/00

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00



RECORD OWNERS: LEONARD JR.
AND MAUREEN CUMMINGS

LEGEND

- REBAR FOUND
- PROPERTY LINE
- STREETLINE
- U— OVERHEAD UTILITY
- ABUTTER LINE
- UTILITY POLE
- (50.00) DEED DIST.

ZONE R-3 SETBACKS:
FRONT: 25'
REAR: 25'
SIDE: 8'

R-3

REAR: 25' req - 25' shown
FRONT: N/A
SIDE: 8' req - 8' shown


HERSEY STREET
TO OCEAN AVE. --->

PLAN REFERENCES


1. PARCEL SHOWN ON CITY OF PORTLAND ASSESSORS
MAP 128, BLOCK C AS LOT 2

I HEREBY CERTIFY THAT THE PROPOSED ADDITION
AS SHOWN IS IN COMPLIANCE WITH THE CURRENT
CITY OF PORTLAND ZONING SETBACK REQUIREMENTS
FOR ZONE R-3.

Robert T. Greenlaw
DATE: **SEPT. 6, 2000**
Robert T. Greenlaw, PLS #2303
President, Back Bay Boundary



THIS IS NOT A STANDARD BOUNDARY SURVEY



BACK BAY BOUNDARY, INC.
PROFESSIONAL LAND SURVEYING

65A NEWBURY STREET
PORTLAND, MAINE

PROPOSED ADDITION
67 HERSEY ST.

FOR:


**LEONARD AND MAUREEN
CUMMINGS**

JOB: 200022-P


SCALE: 1" = 20'

DATE: 7-12-2000

NOTES:
 PROPOSED ADDITION WILL
 CONSIST OF A FROST WALL AND
 FOOTING SET BELOW THE FROST LINE.
 AN APPROXIMATE 2' CRAWL SPACE
 WILL EXIST UNDER THE NEW ADDITION.



FIRST FLOOR PLAN



BACK BAY BOUNDARY, INC.
 PROFESSIONAL LAND SURVEYING

65A NEWBURY STREET
 PORTLAND, MAINE

PROPOSED FIRST FLOOR PLAN
 67 HERSEY STREET
 PORTLAND, MAINE



FOR:

LEONARD AND MAUREEN
 CUMMINGS

JOB: 200022P

SCALE: 1" = 10'

DATE: 9-5-2000



BACK BAY BOUNDARY, INC.
PROFESSIONAL LAND SURVEYING

65A NEWBURY STREET
PORTLAND, MAINE

PROPOSED FLOOR JOIST PLAN
67 HERSEY STREET
PORTLAND, MAINE


FOR:

LEONARD AND MAUREEN
CUMMINGS


JOB: 200022P

SCALE: 1" = 10'

DATE: 9-5-2000



STAIR
 sec. 1014.0
 Guardrail
 sec. 1022.0
 Handrails,
 sec. 1021.0
 access
 Vent. m.
 sec. 1210.0 & 1211.0



BACK BAY BOUNDARY, INC.
 PROFESSIONAL LAND SURVEYING

65A NEWBURY STREET
 PORTLAND, MAINE


PROPOSED ELEVATION PLAN
 67 HERSEY STREET
 PORTLAND, MAINE

LEONARD AND MAUREEN
 CUMMINGS


JOB: 200022P

SCALE: 1" = 10'

DATE: 9-5-2000



FOUNDATION PLAN



BACK BAY BOUNDARY, INC.
PROFESSIONAL LAND SURVEYING

65A NEWBURY STREET
PORTLAND, MAINE

PROPOSED FOUNDATION PLAN
67 HERSEY STREET
PORTLAND, MAINE

FOR:

LEONARD AND MAUREEN
CUMMINGS

JOB: 200022P

SCALE: 1" = 10'

DATE: 9-5-2000