



LEGEND:

- EXISTING WALL OR ITEM TO REMAIN
- NEW WALL
- EXISTING DEMISING WALL - 1'-0" CMU W/2X4 STUD WALL W/G.B. FINISH ON RESTAURANT SIDE - 3 HOUR FIRE RESISTANCE RATING. SEE KEYED NOTE 10 FOR ADD'L INFO.
- EXIT SIGN +
- EMERGENCY LIGHTING ⬆

- ③ EXISTING NON-ACTIVE CHIMNEY
- ④ EXISTING EXTERIOR LIGHT FIXTURES TO REMAIN - TYPICAL OF 8.
- ⑤ NEW RECESSED LIGHT FIXTURE INSTALLED IN EXISTING ROOF AT DOOR 1.
- ⑥ NEW SURFACE MOUNTED DOWN DIRECTED CAN-TYPE LIGHT FIXTURE INSTALLED AT DOOR 2.
- ⑦ NEW COLUMN & FOOTING - SEE STRUCTURAL DESIGN CONSULTING MEMO DATED 6/19/15.
- ⑧ NOT USED.
- ⑨ NOT USED.
- ⑩ NON-COMBUSTIBLE CONSTRUCTION THIS AREA - SEE DRAWING FS-12 FOOD SERVICE SPECIAL CONDITIONS PLAN DATED 9/11/15.
- ① TELEPHONE PANEL.
- ② WATER ENTRANCE.
- ③ ELECTRICAL PANEL.

KEYED NOTES:

- ① ENCLOSED AREA INDICATES AREA OF CONCENTRATED USE, WITHOUT FIXED SEATING. ONE OCCUPANT PER 1 SQUARE FEET.
- ② ENCLOSED AREA INDICATES AREA OF LESS CONCENTRATED USE, WITHOUT FIXED SEATING. ONE OCCUPANT PER 15 SQUARE FEET.

A-1

Drawing: **FLOOR PLAN**
 Project: **INTERIOR FIT-UP**
 660 FOREST AVENUE
 PORTLAND, MAINE

Date: 6/19/15
 Scale: 1/4" = 1'-0"
 Revisions:
 ① 10/9/15 - Kitchen and toilet room layouts changed.

Architect: **SHIELDS ARCHITECTURE**
 CUMBERLAND, MAINE
 (207) 776-8926

Builder: **HARDY POND CONSTRUCTION**
 7 TEE DRIVE
 PORTLAND, MAINE 04103

