



**LEGEND:**

EXISTING WALL OR ITEM TO REMAIN

NEW WALL

EXISTING DEMISING WALL - 1'-0" CMU W/2X4 STUD WALL W/G.B. FINISH ON RESTAURANT SIDE - 3 HOUR FIRE RESISTANCE RATING. SEE KEYED NOTE 10 FOR ADD'L INFO.  
EXIT SIGN  
EMERGENCY LIGHTING

- 3 EXISTING NON-ACTIVE CHIMNEY
- 4 EXISTING EXTERIOR LIGHT FIXTURES TO REMAIN - TYPICAL OF 2.
- 5 NEW RECESSED LIGHT FIXTURE INSTALLED IN EXISTING ROOF AT DOOR 1.
- 6 NEW SURFACE MOUNTED DOWN DIRECTED CAN-TYPE LIGHT FIXTURE INSTALLED AT DOOR 2.
- 7 NEW COLUMN & FOOTING - SEE STRUCTURAL DESIGN CONSULTING MEMO DATED 6/19/15.
- 8 NOT USED.
- 9 NOT USED.
- 10 NOT USED.
- 11 TELEPHONE PANEL.
- 12 WATER ENTRANCE.
- 13 ELECTRICAL PANEL.

**KEYED NOTES:**

- 1 ENCLOSED AREA INDICATES AREA OF CONCENTRATED USE, WITHOUT FIXED SEATING. ONE OCCUPANT PER 7 SQUARE FEET.
- 2 ENCLOSED AREA INDICATES AREA OF LESS CONCENTRATED USE, WITHOUT FIXED SEATING. ONE OCCUPANT PER 15 SQUARE FEET.

A-1	Drawing: <b>FLOOR PLAN</b>	Date: 6/19/15	Scale: 1/4" = 1'-0"	Architect: <b>SHIELDS ARCHITECTURE</b>	Builder: <b>HARDYPOND CONSTRUCTION</b>
	Project: <b>INTERIOR FIT-UP</b> 660 FOREST AVENUE PORTLAND, MAINE	Revisions: 1 10/9/15 - Kitchen and toilet room layouts changed. 2 10/26/15 - Amendment to BP#2015-01508, Kitchen and toilet room layouts changed.		CUMBERLAND, MAINE (207) 776-8926	7 TEE DRIVE PORTLAND, MAINE 04103

