### DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK





#### This is to certify that

AUCOIN JASON A & TOHO SOMA JTS/A Plus Party Rental

PERMIT ID: 2013-00770 ISSUE DATE: 06/12/2013 CBL: 129 C010001

has permission to Erect three (3) tents on July 12, 2013, 30' x 60', 20' x 20' and 10' x 10' For wedding - . Breakdown is on July 14, 2013.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED. A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Chris Pirone

/s/ Tammy Munson

Located at

74 OCEAN AVE

**Fire Official** 

**Building Official** 

#### THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

 Building Inspections
 Fire Department

 Use Group:
 Type:
 TENT

 Single Family Dwelling
 ENTIRE
 IBC 2009

# BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY) or email: buildinginspections@portlandmaine.gov

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

## **REQUIRED INSPECTIONS:**

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit					<b>Permit No:</b> 2013-00770	Date Applied For: 04/19/2013	CBL: 129 C010001
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874							129 C010001
Proposed Same: S	Use: Single Family		Er	ect th		ly 12, 2013, 30' x 6 down is on July 14,	0', 20' x 20' and 10' x 2013.
Dept:	Zoning	Status: Approved	Review	wer:	Marge Schmucka	1 Approval D	Date: 04/25/2013
Note:							Ok to Issue: 🗹
Conditions:							
Dept:	Building	Status: Approved w/Condition	s <b>Revie</b> v	wer:	Tammy Munson	Approval D	Date: 04/26/2013
Note:							Ok to Issue: 🗹
Conditions:							
1) This permit DOES NOT authorize any construction activities. The tent/stage must be removed at the end of the event.							
Dept:	Fire	Status: Approved w/Condition	s <b>Revie</b> v	wer:	Chris Pirone	Approval D	Date: 06/05/2013
Note:	notified applican	at per email to discuss NFPA condi	itions				Ok to Issue:
Conditions:							
<ol> <li>All tents shall meet the flame propagation performance criteria contained in NFPA 701. A certificate or other evidence of acceptance by an organization acceptable to the AHJ shall serve as evidence that the tent fabric materials have the required flame propagation performance.</li> </ol>							
2) The cooking equipment arrangement and type shall be evaluated at the inspection.							
3) The fire department shall inspect the premise prior to the event.							
4) Fire extinguishers will be required per NFPA 10.							
5) A minimum 1 radio equipped firefighter shall be hired.							
6) A minimum of trained crowd managers shall be provided and on duty inside of the occupied tents during the event.							
<ul> <li>7) Emergency lighting and approved illuminated EXIT signs are required for events held outside of day light hours. A back up generator with transfer switch shall meet this requirement if the following is met:</li> <li>a.All lighting is powered from the generator circuit.</li> <li>B.The lighting illuminates the face of the EXIT signs.</li> <li>C.An auto transfer and start shall be provided or dedicated staff shall be provided for that purpose.</li> </ul>							
8) Cooking within the tents has not been reviewed and approved.							
9) Fuel-fired heating equipment and propane tanks shall be installed outside of the tents and not with 5 feet of the tents or an exit discharge.							
10 If the sides of the tents are to be enclosed at least two remotely located and marked exits shall be provided.							
11 Tents shall have an approved fire resistant rating and maintain 10' between stake lines. No smoking or open flame allowed within 10'. Provide at least one 2A:10 BC fire extinguisher.							
<ul> <li>12 EXITs</li> <li>a. The main entrance shall have minimum clear width of 10 feet.</li> <li>B. The divider in the main tent shall maintain an exit opening of 6 feet.</li> <li>C. A main corridor for the main tent shall be maintained a minimum of 50 inches. Where a chair is placed between a table and the corridor the measurement shall be made from the table and add 19 inches for each chair (ie. Chair at both sides 38" + 50"= 88").</li> <li>D. An exit from the main tent to the outside directly across from the main entrance shall be provided. Minimum clear width shall be 6 feet.</li> <li>E. The auction tent shall have 2 exits perpendicular from the main tent. Minimum clear width shall be 36".</li> <li>F. The catering tent shall have one additional exit across from the main tent. Minimum clear width shall be 36".</li> </ul>							

**PERMIT ID:** 2013-00770