

# DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK CITY OF PORTLAND

Please Read  
Application And  
Notes, if Any,  
Attached


BUILDING DEPARTMENT

## PERMIT

Permit Number: 021149

This is to certify that Conifer Industries/Mason, Gordon  
has permission to Remove Solarium and Enclosure Area  
AT 699 Forest Ave City of Portland 129 F001001

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statutes of Maine and of the ordinances of the City of Portland regulating the construction, maintenance and use of buildings and structures, and of the application on file in this department.



Apply to Public Works for street line and grade if nature of work requires such information.

Notification of inspection must be given and work on permit must be begun before this building or part thereof is occupied or closed-in. **HEAR NOTICE IS REQUIRED.**

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

**OTHER REQUIRED APPROVALS**

Fire Dept. *GM*  
Health Dept. \_\_\_\_\_  
Appeal Board \_\_\_\_\_  
Other \_\_\_\_\_  
Department Name

*[Signature]*  
Director - Building & Inspection Services 10/23/82

**PENALTY FOR REMOVING THIS CARD**

**City of Portland, Maine - Building or Use Permit Application**

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 02-1149	Issue Date: OCT 24 2002	CBL: 129 F001001
-----------------------	----------------------------	---------------------

Location of Construction: 699 Forest Ave	Owner Name: Conifer Industries	Owner Address:	Phone: 926-4147
Business Name:	Contractor Name: Mason, Gordon	Contractor Address: 6 Orchard Road Cumberland	Phone: 2078296649
Lessee/Buyer's Name	Phone:	Permit Type: Alterations - Commercial	Zone: B2B

Past Use: Restaurant	Proposed Use: Restaurant	Permit Fee: \$359.00	Cost of Work: \$48,000.00	CEO District: 2
		FIRE DEPT: <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: AS Type: 5B 10/23/02	

Proposed Project Description: Remove Solarium and Enclose Area <i>on same footprint</i>	Signature: <i>[Signature]</i>	Signature: <i>[Signature]</i>
PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		
Action <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied		
Signature	Date	

Permit Taken By: gad	Date Applied For: 10/04/2002	<b>Zoning Approval</b>		
-------------------------	---------------------------------	------------------------	--	--

<p>1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules.</p> <p>2. Building permits do not include plumbing, septic or electrical work.</p> <p>3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..</p>	<p>Special Zone or Reviews</p> <p><input type="checkbox"/> Shoreland</p> <p><input type="checkbox"/> Wetland</p> <p><input type="checkbox"/> Flood Zone</p> <p><input type="checkbox"/> Subdivision</p> <p><input type="checkbox"/> Site Plan</p> <p>Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/></p> <p>Date: <i>9/10/17/02</i></p>	<p>Zoning Appeal</p> <p><input type="checkbox"/> Variance</p> <p><input type="checkbox"/> Miscellaneous</p> <p><input type="checkbox"/> Conditional Use</p> <p><input type="checkbox"/> Interpretation</p> <p><input type="checkbox"/> Approved</p> <p><input type="checkbox"/> Denied</p> <p>Date: <i>[Signature]</i></p>	<p>Historic Preservation</p> <p><input checked="" type="checkbox"/> Not in District or Landmark</p> <p><input type="checkbox"/> Does Not Require Review</p> <p><input type="checkbox"/> Requires Review</p> <p><input type="checkbox"/> Approved</p> <p><input type="checkbox"/> Approved w/Conditions</p> <p><input type="checkbox"/> Denied</p> <p>Date: <i>[Signature]</i></p>
---	---	--	---

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE		DATE	PHONE

11/13/02 framing inspection All set to close in subject to  
electrical inspection By m.c. JPK

232-5150

02-1149

# All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: <u>699 Forest Ave - Portland</u>		
Total Square Footage of Proposed Structure	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Chart# <u>129</u> Block# <u>F</u> Lot# <u>001</u>	Owner: <u>Conifer Industries</u>	Telephone: <u>926-4147</u>
Lessee/Buyer's Name (If Applicable)	Applicant name, address & telephone: <u>GORDON MASON</u> <u>6 Orchard Rd</u> <u>207-829-6649</u> <u>Cumberland, ME 232-5713</u>	Cost Of Work: \$ <u>48,000</u> Fee: \$ <u>359.00</u>
Current use: <u>FAST Food Restaurant</u>		
If the location is currently vacant, what was prior use: <u>—</u>		
Approximately how long has it been vacant: <u>—</u>		
Proposed use: <u>FAST food Service</u>		
Project description: <u>113" X 25"</u> <u>Remove Existing Solution and enclosure area, put new Awning</u>		
Contractor's name, address & telephone: <u>Gordon Mason</u> <u>829-6649</u> <u>CDL</u>		
Who should we contact when the permit is ready: <u>Kodiak Properties, Inc.</u>		
Mailing address: <u>6 Orchard Rd</u> <u>Cumberland, ME 04021</u>		
We will contact you by phone when the permit is ready. You must come in and pick up the permit and review the requirements before starting any work, with a Plan Reviewer. A stop work order will be issued and a \$100.00 fee if any work starts before the permit is picked up. PHONE: <u>829-6649</u> <u>232-5713 CDL</u>		

IF THE REQUIRED INFORMATION IS NOT INCLUDED IN THE SUBMISSIONS THE PERMIT WILL BE AUTOMATICALLY DENIED AT THE DISCRETION OF THE BUILDING/PLANNING DEPARTMENT, WE MAY REQUIRE ADDITIONAL INFORMATION IN ORDER TO APPROVE THIS PERMIT.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.



Signature of applicant: <u>Gordon Mason</u>	Date: <u>9-22-02</u>
---	----------------------

This is NOT a permit, you may not commence ANY work until the permit is issued. If you are in a Historic District you may be subject to additional permitting and fees with the Planning Department on the 4th floor of City Hall

Application ID Number: 2-1149

Delete Review Save Close

Department: Zoning Status: Approved with Conditions Reviewer: Marge Schmuckal

Comments: 699 Forest Ave Approval Date: 10/17/2002

699 Forest Ave

Given On Date: 10/11/2002

OK to Issue Permit Name: Marge Schmuckal Date: 10/17/2002 Date 2:


Conditions Section: Add New Condition From Default List Add New Condition Delete Condition

This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

It is understood that this addition is within the existing footprint. Any enlargements or expansions of this footprint shall require a separate review.

Create Date: 10/09/2002 By: gad Update Date: 10/17/2002 By: mes

VANNAH AVENUE



ADDITIONS & ALTERATIONS TO  
 KENTUCKY FRIED CHICKEN  
 699 FOREST AVENUE  
 PORTLAND MAINE

1/20" SITE PLAN

1.15.93

CITY OF PORTLAND  
 APPROVED SITE PLAN  
 SUBJECT TO DEPARTMENTAL  
 CONDITIONS  
 DATE OF APPROVAL 2/4/93

THIS ARCHITECT'S SEAL IS EVIDENCE THAT OWNER HAS SUBMITTED HIS TECHNICAL FOR CONSULTATION AND REVIEW ONLY ARCHITECT. THE ARCHITECT DID NOT IN DID NOT DIRECTLY SUPERVISE THE PREPARE THIS TECHNICAL SUBMISSION. THE ARCHITECT EXPRESSLY DENIES RESPONSIBILITY RELATED TO THE CONSTRUCTION AND USE OF THIS PROJECT. THIS SUBMITTAL MUST STILL BE APPROVED AND PERMITTED BY LOCAL CODE ENFORCEMENT OFFICER AND FIRE MARSHALL BEFORE CONSTRUCTION ALLOWED TO BEGIN.

11 = 20'

SOLARIUM ADDITION:

Size: 11'3½" x 25'11½"

Footings: 8" x 16"  
3000# Mix  
2ea. #4 Rebar


Frostwalls: 8" x 48"  
3000# Mix  
2ea. #4 Rebar  
12" Anchor Bolts 4' O.C.

Slab: 10'8" x 24'6" x 4"  
3000# Mix  
6" x 6" Reinforcing Wire  
6ml. Poly Vapor Barrier  
1" Styrofoam Insulation

Kneewall: 8" x 16" Concrete Block  
2" x 8" P. T. Plate  
¼" Foam Sill Seal  
Misc. Flashings

Finish: Reinforced Stucco

Color: Colonial Buff



ADDITIONS & ALTERATIONS TO  
KENTUCKY FRIED CHICKEN  
699 FOREST AVENUE  
PORTLAND MAINE

1/4 NORTH ELEVATION

THE ARCHITECT HAS BEEN ADVISED THAT THE  
 DRAWING WILL BE PRINTED AND REPRODUCED  
 IN THE CITY RECORDS AND SHALL BE THE  
 PROPERTY OF THE CITY OF PORTLAND AND  
 SHALL BE KEPT ON FILE IN THE OFFICE OF  
 THE CITY ENGINEER. THE ARCHITECT  
 AGREES TO WAIVE ALL RIGHTS OF COPYRIGHT  
 AND TO ASSIGN TO THE CITY OF PORTLAND  
 ALL RIGHTS OF COPYRIGHT AND TO WAIVE  
 ALL RIGHTS OF PATENT AND TO WAIVE  
 ALL RIGHTS OF INVENTION.




Job Title KENTUCKY FRIED CHICKEN

Job no. 852032

Client \_\_\_\_\_

By ACW Date 5/10/85 Sheet T of \_\_\_\_\_



NOTES: CONCRETE SHALL BE 4000 PSI STRENGTH AT 28 DAYS.  
REINFORCING SHALL BE ASTM A615, GRADE 60.  
CONTINUOUS FRENCH DRAIN SHALL RUN BEHIND WEEP HOLES  
AND SHALL CONSIST OF CRUSHED STONE, 1' DEEP BY 1'  
WIDE, RUNNING THE LENGTH OF THE WALL.  
BEAR FOOTING ON UNDISTURBED SOIL.

RECEIVED

JUN 26 1985

DEPT. OF BUILDING INSPECTIONS  
CITY OF PORTLAND

REFRIGERATION ENCLOSURE

Size: 12' x 29'10"

Footings: 8" x 16"  
3000# Mix  
2ea. #4 Rebar  
12" Anchors 4' O.C.

Frostwall: 8" x 48"  
3000# Mix  
2ea. #4 Rebar  
Anchors 4' O.C.

Slab: 11'4" x 28'6"  
3000# Mix  
6" x 6" Reinforcing Wire  
6ml. Poly Vapor Barrier


Walls: 8" x 16" Concrete Block  
Reinforcing Block Tie  
Anchor Bolts 4' O.C.

Roof: 2" x 8" P.T. Plate  
2" x 12" x 12' Rafters 12" O.C.  
3/4" T&G Plywood  
2" Thermax Insulation  
EPDM. Rubber roof system

Finish: Reinforced Stucco

Color: Colonial Buff

DEPT. OF PUBLIC WORKS  
CITY OF  
FEB 9 1955  
RECEIVED




ADDITIONS & ALTERATIONS TO  
 KENTUCKY FRIED CHICKEN  
 699 FOREST AVENUE  
 PORTLAND MAINE

1/20" SITE PLAN


1.15.93

THIS ARCHITECT'S SEAL IS EVIDENCE THAT THE  
 OWNER HAS SUBMITTED HIS TECHNICAL SUPPLI-  
 ER CONSULTATION AND REVIEW ONLY BY AN  
 ARCHITECT. THE ARCHITECT DID NOT PREPARE  
 DID NOT DIRECTLY SUPERVISE THE PREPARATION  
 THIS TECHNICAL SUBMISSION.  
 THE ARCHITECT EXPRESSLY DENIES RESPONSIBILITY  
 AND LIABILITY RELATED TO THE CONSTRUCTION  
 AND USE OF THIS PROJECT. THIS SUBMISSION  
 WAS APPROVED AND PERMITTED BY


EXISTING OCEAN AVENUE STORE




FRONT ELEVATION



RIGHT ELEVATION



LEFT ELEVATION




REAR ELEVATION


NOTE: MEASUREMENTS WERE DERIVED FROM VARIOUS SOURCES. VERIFY ALL DIMENSIONS IN THE FIELD.

THESE DOCUMENTS HAVE BEEN PREPARED BY AN ARCHITECTURAL DRAFTSMAN. THEY HAVE NOT BEEN REVIEWED BY AN ARCHITECT OR ENGINEER. THEREFORE, THE DRAFTSMAN ASSUMES NO RESPONSIBILITY FOR ANY DESIGN OR ENGINEERING. ALL DIMENSIONS, CODE COMPLIANCE AND SPECIFICATIONS SHOULD BE REVIEWED BY THE OWNER AND CONTRACTOR PRIOR TO ACTUAL CONSTRUCTION.


09/26/02  
 1/4"=1'  
 JCT  
 KFOPLND  
**HANCOCK LUMBER**  
 HANCOCK LUMBER DRAFTING SOLUTIONS  
 KENTUCKY FRIED CHICKEN  
 OCEAN AVENUE STORE, PORTLAND, MAINE  
 HANCOCK LUMBER DRAFTING SOLUTIONS  
 1/4"=1'  
 JCT  
 2/44



ELEVATION A  
SCALE 3/8" = 1'-0"



ELEVATION B  
SCALE 3/8" = 1'-0"




ELEVATION C  
SCALE 3/8" = 1'-0"




**GENERAL NOTES**  
 ALL COLORS, FINISHES AND ARCHITECTURAL TREATMENTS SHALL COMPLY TO THE SPECIFICATIONS UNLESS OTHERWISE NOTED OR APPROVED. REFER TO THE DESIGN REFERENCE MANUAL FOR APPLICABLE DESIGN SPECIFICATIONS, PERFORMANCE, DIMENSIONS, & OTHER TRADE ELEMENTS. THESE ITEMS SHALL BE CHECKED FOR COMPLIANCE WITH ALL STATE AND LOCAL CODES. FOR MORE DETAILS ON THE WORK TO BE DONE, SEE "SCOPE OF WORK", FURNISHED TO THE OWNER WITH THESE DRAWINGS.  
 THE GENERAL CONTRACTOR SHALL VERIFY ALL DIMENSIONS PRIOR TO STARTING CONSTRUCTION. IF ANY PROBLEMS DO OCCUR, THE CONTRACTOR SHALL IMMEDIATELY CONTACT THE ENGINEERING FIRM FOR FURTHER INFORMATION.

**CHAIN LINK FENCE NOTES**  
 FABRIC TO BE 5 GALV BLANK HIGH APPROXIMATELY 7' PROVIDE 2" BROWNS WITH PRIVACY STRIPS, INTERLOCKED WITH CHAIN LINK FABRIC. HEIGHT OF FENCE & GATES, FINISH OF SLATS SHALL BE GALV ENAMEL-COLOR TO MATCH BELMONT HOUSE SIGN SET (CLIP TO THE BATH) POSTS TOP & BOTTOM SLATS OF FENCE & GATES SHALL BE 1" B.D. GALV. PIPE W/ 1/2" WALL THICKNESS & LOCKING DEVICE FOR GATE.  
 FOR DUMPSTER LOCATE, SEE SITE PLAN. SUPPLY SHOP AND A 30% ALLOWANCE WITH PUBLICITY CAPABILITY IS PAVED GATES.


**LANDSCAPED NOTES**  
 AREAS DESIGNATED "LANDSCAPED" SHALL NOT BE BACKFILLED WITH OTHER THAN CLEAN SURFACE, FREE OF BUILDING DEBRIS, CRUSHED ROCK, MORTAR, ETC.  
 AREAS DESIGNATED "LANDSCAPED" SHALL BE FILLED WITH NOT LESS THAN FOUR INCHES OF TOPSOIL CONTAINING SLACK WHICH SHALL BE BROUGHT TO A HEIGHT OF TWO INCHES B.O. CURB/BLK. SUCH TOPSOIL SHALL BE ESSENTIALLY FREE / WEEDS AND E.D. GRASSES AND SHALL MEET THE APPROVAL OF THE JIC CONSTRUCTION SUPERVISOR. WHERE POSSIBLE TOPSOIL SHALL BE PLANTERED.  
 IN AREAS WHERE PRIOR BUILDINGS OR BATHS HAVE EXISTED (EACH AS REMOVED) OR REMAIN UNITS, ALL AREAS DESIGNATED "LANDSCAPED" FORMED BY CURBING AND OVER BUCKETS OR COMPACTED STONE FROM THE PREVIOUS STRUCTURE SHALL BE FULLY EXCAVATED BY ALL SIZE BASE MATERIALS TO NATURAL SURFACE LEVEL. ALL FILL AND TOPSOIL SHALL NOT BE PLACED OVER CONCRETE, ASPHALT, OR COMPACTED SOIL.  
 IN AREAS ADJACENT TO "LANDSCAPED" AREAS, ALL ALONG SIDE-WALLS, FOUNDATION WALLS, AND CURBING, UNDER-PIN FROM CONC. FORMS SHALL BE REMOVED AWAY AT THE TIME THAT CONC. FORMS ARE REMOVED.  
 WHEREVER POSSIBLE BACKFILLING WITH 1" SOIL SHALL BE AVOIDED IN AREAS DESIGNATED "LANDSCAPED". SUCH CONDITIONS PRODUCE A HARD, NON-ADAPTIVE AND NON-BREATHING SOIL COND. HARMFUL TO PLANT MATERIALS AS A RESULT OF OVER-COMPACTING.  
 DUMPING OF WASTE CLEANING FLUIDS SUCH AS OILS LEAKS TO CLEAN FACE BACK OF FROM CONCRETE FORMS, C. SHALL NOT OCCUR IN THE AREAS DESIGNATED "LANDSCAPED".  
 ALL UNDERGROUND WATER LINES, VALVE BLUES, ACCESS PLATES, ETC. SHALL BE CLEARLY MARKED BY A 1/2" DIA. AND RED BUBBLE BY THE GENERAL CONTRACTOR PRIOR TO THE STARTING OF FINISH GRADING BY THE LANDSCAPE CONTRACTOR.




DUMPSTER PAD PLAN




FLOOR PLAN



**MENU BOARD/SPEAKER LAYOUT**  
 1. RELATIONSHIP BETWEEN AUTO, MENU SPEAKER AND RADIIUS POINT BEHIND THE SIDE OF CURVE OR STRAIGHT AWAY.  
 2. MINIMUM DRIVE-THRU CURVE SHOULD BE 15' BROAD.  
 3. ALWAYS TRY TO ALLOW 80' FROM CENTER LINE OF DRIVE-THRU BUBBLE TO CENTER LINE OF SPEAKER OR CURVE RADIUS INCLUDING SPACE BETWEEN.



DUMPSTER GATE ELEVATION



NO.	REVISION	DATE



**SUNSHINE ROOMS**  
SOLARIUM SYSTEMS

3333 N. MEAD  
WICHITA, KS 67219  
(316) 838-0033  
FAX (316) 838-0839

PROJECT NAME  
**K.F.C. OF PORTLAND**  
CUSTOMER  
**PORTLAND GLSS/WESTBROOK**

REVISIONS:  
  
NOTES:  
SOME SITE FABRICATION REQUIRED  
ROOF RIBS TO HAVE INSERTS  
INSTALLED AT FACTORY.

MODEL NO. J-1103 KW @ BAY






**GLASS SPECIFICATIONS:**




DUAL GLAZED	<input checked="" type="checkbox"/>	SINGLE GLAZED	<input type="checkbox"/>
ROOF	<input checked="" type="checkbox"/>	BRONZE/CLEAR LAMINATED	<input type="checkbox"/>
CURVE	<input checked="" type="checkbox"/>	BRONZE/CLEAR	<input type="checkbox"/>
FRONTWALL	<input checked="" type="checkbox"/>	BRONZE/CLEAR	<input type="checkbox"/>
LEFT ENDWALL	<input checked="" type="checkbox"/>	BRONZE/CLEAR	<input type="checkbox"/>
RIGHT ENDWALL	<input checked="" type="checkbox"/>	BRONZE/CLEAR	<input type="checkbox"/>
OVERHANG FILL	<input type="checkbox"/>	N/A	<input type="checkbox"/>

**FRAME COLOR**  
BRONZE  WHITE  OTHER   
WOODBOROUGH  N/A UNFINISHED SPECIES  FINISHED

**GENERAL NOTES:**

- 1) INSTALLER TO SUPPLY ALL CUSTOM FLASHING UNLESS NOTED OTHERWISE
- 2) ALL CUSTOM GLASS NOTED WITH (C)
- 3) ALL ELEVATIONS SHOWN ARE FROM OUTSIDE LOOKING IN.
- 4) DESIGN LIVE LOADS TO BE RESPONSIBILITY OF INSTALLER TO MEET LOCAL CODES AND CONDITIONS.
- 5) FOUNDATION DESIGN TO BE BY LICENSED ENGINEER TO MEET STATE AND LOCAL CODES.
- 6) STRUCTURAL ENGINEER'S SEAL ON EACH PLAN DOES NOT PROVIDE FOR CONSTRUCTION INSPECTIONS OR UNRELATED WORK, ONLY FOR STRUCTURAL DESIGN OF SOLARIUMS.
- 7) ALL DIMENSIONS GIVEN ARE METAL TO METAL UNLESS SPECIFIED OTHERWISE
- 8) WRITTEN DIMENSIONS SUPERSEDE SCALE DIMENSIONS; DO NOT SCALE FROM DRAWINGS.
- 9) ATTACHMENTS TO SURROUNDING CONSTRUCTION TO BE RESPONSIBILITY OF INSTALLER. DETAILS SHOWN ARE TYPICALS AND COULD CHANGE WITH EACH CONDITION.
- 10) ALL SURFACES THAT SOLARIUM ATTACHES TO MUST BE PLUM, LEVEL, AND SQUARE.
- 11) TEMPORARY BRACING AND SHORING AGAINST WIND AND DURING ERECTION TO BE RESPONSIBILITY OF THE GC. NO AREA OF STRUCTURE SHALL BE LOADED WITH CONSTRUCTION OR MATERIALS OR EQUIPMENTS THAT EXCEED FINAL DESIGN CRITERIA.
- 12) HEIGHT OF KNEEWALL PROVIDED BY INSTALLER IS FROM FINISHED FLOOR TO TOP OF SUBSILL (NOT SUPPLIED)





NOTE: EXTERIOR SHEATHING 5/8" PT PLYWOOD;  
FINISH TO MATCH EXISTING  
INSTALL OVER TYPAR  
ROOF SHEATHING 3/4" PT PLYWOOD.

THESE DOCUMENTS HAVE BEEN PREPARED BY AN ARCHITECTURAL DRAFTSMAN. THEY HAVE NOT BEEN REVIEWED BY AN ARCHITECT OR ENGINEER. THEREFORE, THE DRAFTSMAN ASSUMES NO RESPONSIBILITY FOR ANY DESIGN OR ENGINEERING ALL DIMENSIONS, CODE COMPLIANCE AND SPECIFICATIONS SHOULD BE REVIEWED BY THE OWNER AND CONTRACTOR PRIOR TO ACTUAL CONSTRUCTION.



# CITY OF PORTLAND, MAINE

## Department of Building Inspections

Oct. 4 2002

Received from Madan W. Nason

Location of Work 699 Forest

Cost of Construction \$                     

Permit Fee \$ 359.00

Building (IL)  Plumbing (IS)  Electrical (I2)  Site Plan (U2)

Other                                      

CBL: 129 F001

Check #: 068 Total Collected \$ 359.00

### THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$10.00 or 10% whichever is greater.

WHITE - Applicant's Copy  
YELLOW - Office Copy  
PINK - Permit Copy

*Trap*