

COMMUNICATIONS SERVICES

INSTALL BACK FLOW REENTERS ON BOTH THE SANITARY SEWER . INTERNAL PLUMBING SHOWN SCHEMATICALLY, FINAL DESIGN TO COMPLY WITH MAINE STATE PLUMBING CODE.

- BECAUSE OF THE ELEVATION OF THE SEWER MAIN IN HERSEY STREET, DRAINAGE FROM BASEMENT BATHROOMS WILL NEED TO BE PUMPED (INTERNALLY WITHIN THE BUILDING) UP TO THE 6" GRAVITY SEWER SERVICE.

UG ELEC SERVICE TO BLDG

SEPARATE VALVES INSTALLED IN ESPLANADE AREA (1' FROM SIDEWALK) AS SHOWN FOR INDEPENDENT OPERATION OF 4" FIRE PROTECTION SERVICE AND 2" DOMESTIC WATER SERVICE.

4" LINE SHALL BE DUCTILE IRON AND 2" COPPER. ALL WORK SHALL BE IN ACCORDANCE WITH PORTLAND WATER DISTRICT STANDARDS

S 80°58'42" E

EXISTING GUY POLE

SIDEWALK GUY POST IN L.A.

NEW GUY WIRE

NEW GUY POLE #15

APPLICANT TO WORK WITH CMP TO HAVE EXISTING POLE AND GUY REMOVED IF FEASIBLE. IF IT IS NOT FEASIBLE TO REMOVE EXISTING POLE, OWNER TO WORK WITH CMP TO INSTALL A SIDEWALK GUY TO MINIMIZE PEDESTRIAN IMPACTS.

NOTE ORIGINAL NOTE RE: GUY POLE

NEW 4" DUCTILE IRON WATER SERVICE TAPPED FROM 8" HERSEY STREET WATERMAIN PER PWD STANDARDS (8" x 4" TAPPING SLEEVE AND GATE VALVE)

OVERHEAD SERVICE TO NEW POLE #15

EXISTING POLE #1 TO REMAIN

SAW CUT AND TACK COAT EXISTING PAVEMENT, TYP

POWER AND COMMUNICATIONS UTILITIES TO DROP FROM EXISING UTILITY POLE AND RUN UNDERGROUND BENEATH HERSEY STREET TO SERVICE NEW BUILDING

POLE #1, NYNEX 1, WITH TRANSFORMER & STREET LIGHT

# REVISED ELECTRICAL SERVICE

DATE: 10.31.17 BY: CARROLL ASSOCIATES