City of Portland, M	Iaine - Buil	ding or Use l	Permit Applicati	on Per	rmit No: ERMIJsu	ISSUED	CBL:	
389 Congress Street, (04101 Tel: (3	207) 874-8703	, Fax: (207) 874-8°	716	01-1136		130 F02	20001
Location of Construction:		Owner Name:			r Address:	1 2001	Phone:	
205 Woodford St		Cadorette Rick			Woodford St		207-874-9	018
Business Name:		Contractor Name			actor Address - P	ORTLAN	Phone	
n/a		Dave Keeney	Builders Inc.		ildridge Rd. Standis	sh	20764229	06
Lessee/Buyer's Name		Phone:			t Type:			Zone:
n/a		n/a		Add	litions - Dwellings			15-7 D
Past Use:		Proposed Use:		Perm	it Fee: Cost of	of Work:	CEO District:] / -
			Amend Permit # 011004 to Replacing Existing Chimney			\$3,000.00	3	<u> </u>
				FIRE DEPT: Approved Denied		Use GREAT ISSUED WITH REQUIREMENTS		
Amend Permit # 01100	4 to Include R	eplacing Existin	g Chimney	Signat		Signa	Comes!	Mas
				PEDE	STRIAN ACTIVITIE	S DISTRICA	P.A.D.)	
				Action		Approved w	//Conditions	Denied
D 1.00 1 D	<u> </u>			Signa	ture:		Date:	
Permit Taken By: cih		plied For: 5/2001			Zoning App	roval		
		· · · · · · · · · · · · · · · · · · ·	Special Zone or Re	views	Zoning App	eal	Historic Prese	ervation
1. This permit application Applicant(s) from a Federal Rules.			Shoreland		☐ Variance		Not in Distric	
2. Building permits do septic or electrical		olumbing,	☐ Wetland		Miscellaneous		Does Not Require Review	
3. Building permits ar within six (6) mont			Flood Zone		Conditional Use		Requires Revi	iew
False information repermit and stop all		a building	Subdivision	n Di	Interpretation		Approved	
			Site Plan	ndux	Approved		Approved w/C	Conditions
			Maj Minor M	M	Denied		Denied	
			Date: 0		Date:	Г	Date:	
			9	000		PERM WITH RE	IIT ISSUED EQUIREMENT	S
I hereby certify that I am I have been authorized b jurisdiction. In addition.	y the owner to	make this appli	cation as his authoriz	the prop	t and I agree to con	form to all a	pplicable laws of	of this
shall have the authority to such permit.	to enter all area	as covered by su	ich permit at any reas	onable h	nour to enforce the	provision of	f the code(s) app	olicable to
SIGNATURE OF APPLICAN	·							

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 205	Wordfo	rds St.			
Total Square Footage of Proposed Structu	re	Square Footage of Lot			
Tax Assessor's Chart, Block & Lot Chart# 130 Block# P Lot#20 205		ick of Meegan Cade Stords St.	prette	Telephone: 874-9019	
Lessee/Buyer's Name (If Applicable)	Applicant telephone	name, address &	Wo	ost Of ork: \$ 3000.00 + 30.00 e: \$ 110.00	
Current use:					
If the location is currently vacant, what wo	as prior use:			_	
Approximately how long has it been vaca Proposed use: Project description: Amend Permit Flu 8/2 x 13 Block			of exis	sting Chimney	
Contractor's name, address & telephone: Who should we contact when the permit Mailing address:	Dave Ken 9 Wilde		c L;ME	04884	
			Ph	one: 692-2904	
IF THE REQUIRED INFORMATION IS NOT INCL DENIED AT THE DISCRETION OF THE BUILDING INFORMATION IN ORDER TO APROVE THIS PE I hereby certify that I am the Owner of record of the n have been authorized by the owner to make this app jurisdiction. In addition, if a permit for work described is shall have the authority to enter all areas covered by to this permit.	F/PLANNING ERMIT. named property lication as his/r in this application	or that the owner of record the rest authorized agent. I agree ton is issued, I certify that the	MIT WILL B / REQUIRE d authorizes e to confort Code Offic	E AUTOMATICALLY E ADDITIONAL If the proposed work and that I are to all applicable laws of this ial's authorized representative	

This is not a permit, you may not commence ANY work until the permit is issued

Signature of applicant:

Date: 9/12/01

BUILDING PERMIT REPORT
DATE: 17 September 20 Lace Chingey REASON FOR PERMIT: Replace Chingey
REASON FOR PERMIT: Replace Chimney
BUILDING OWNER: RICK V. Cadorelle
PERMIT APPLICANT: /CONTRACTOR Dave Keeney
USE GROUP:CONSTRUCTION TYPE:CONSTRUCTION COST: 43000.00 PERMIT FEES: 30.00
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions shall be met: * 1 * 9 * 5 * 5 * 5 * 5 * 5 * 5 * 5 * 5 * 5
1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A

24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2

Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17

Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211

10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.

11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) R-3 (ONE & TWO FAMILY DWELLINGS) GUARD HEIGHT IS 36" MINIMUM.

12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- , 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
 - 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
 - 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
 - 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
 - 29. All requirements must be met before a final Certificate of Occupancy is issued.
 - 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)

 32. Please read and implement the attached Land Use Zoning report requirements. + oot print when returned in 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 34. Bridging shall comply with Section 2305.16.
- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

36. All flashing shall comply with Section 1406.3.10.

37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

			,		· · · · · · · · · · · · · · · · · · ·	

					,	
		•		 		
$\overline{}$	01/					
	1///		4.724			

Modses, Building Inspector

A. McDougall, PFD

Marge Schmuckal, Zoning Administrator Michael Nagent, Inspection Service Manager

PSH 10/1/00 - 1/2 - 1/2 - 1/2

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00

STATE OF MAINE CHIMNEY OR FIREPLACE DISCLOSURE

Dear Consumer: State law, specifically 32 M.R.S.A., Chapter 33, requires chimney or fireplace installers, as of January 1, 1992, to provide you with this <u>Disclosure</u> prior to the installation work being done on your chimney or fireplace. The purpose of this Disclosure is to help you, as a consumer, make an informed decision as to the abilities of the installer and under what requirements the installation must comply. It is important to note that the State of Maine does not require registration or licensure of chimney or fireplace installers; however, it is just as important to realize that many fires are caused each year by improperly constructed fireplaces and chimneys. For further information about this law, call the Division of Licensing & Registration at 624-8629 or write to the Division at #35 State House Station, Augusta, Maine 04333.

INSTALLER INFORMATION

Name of Installer		
D.B.A.		
Name of Installer (if incorporated)_		
Legal Address		
	(Street and No.)	(City or Town)
(State)	(County)	(Zip Code)
Home Telephone/	/ Business Telephone	<i>!</i>
Years of experience doing fireplace	or chimney installations CONSUMER IDENTIFICATION	I
Consumer's Name		
Mailing Address		
	(Street and No.)	(City or Town)
(State)	(County)	(Zip Code)
Home Telephone/	/ Business Telephone	//
Installer, please give a brief descripti		
I,true to the best of my knowledge. I a shall be subject to penalties as outling	, the installer, hereby atterals ounderstand that if I fail to conform with ed under Title 32, Chapter 33, Oil and Solid	est that the preceding information provided is the standards as outlined in NFPA 211 that I Fuel Board.
Signature		Date

1946 1985 - 21 (NJPA *31

		INSTALLATION STANDARDS	
Pleas	e check the type of unit(s) that will	il be installed:	
0	Factory-Built Chimney and Chim	nney Units.	
	•	ney units shall be listed and shall be installed in accordance w	•
		nurer's instructions and all requirements of NFPA 221 for chir	imieys, mepiaces,
ACTITS	and solid fuel appliances.		
0.48	中心一下了一个人的人的一个一个一个		
U ·	Masonry Chimney.		
Ply-	Apple of the second		7.0115
		gned, anchored, supported and re-enforced as required by NF	PA 211 for
Chimi	neys, fireplaces, vents and solid fuel	appuances.	-
			aking Livering
О.,	Metal Chimney.		A STATE
A.,	Acres and the second second second second		772-744-75
7 2		cted in accordance with NFPA 211, and shall apply good eng	meering practices
#2 Dec	cessary for:		
25.7	1 Comments to analyst theme		
	1. Strength to resist stress	:	
-	2. Adequate anchoring and braci	mg ·	
- 4	3. Durability	China Say Bridge	
-	4. Security against leakage		
	5. Allowances for thermal expan	SION	
	42		
	Factory Built Fireplace.	Service Teacher Control	FV2.88
-	P#12-15#		** * * * **
		isted and shall be installed in accordance with the terms of its	s listing and all
abbitc	able sections of NFPA 211.	The second secon	
	Masomy Fireplace.		
	Masonry fireplaces shall meet the	e requirements of NFPA 211, Chapter 7 and all other pertiner	nt sections.
		The second secon	
	Other		
		aper if making repairs of pre-existing chimneys, such as repair	r or replacement of
chimn	ey liners, etc.	A STANDED TO SEL	

CONSUMER CHECKLIST

- Have you asked for references to be provided by the installer?
- 2. Is the installer familiar with the NFPA 211 codes and does the installer carry a code book?
- 3. If the installation is a pre-fabricated or fireplace, is its manufacturer registered with the Maine Oil & Solid Fuel Bd.
- 4. Does the installer provide any type of written guarantee for the product installation being proposed?
- 5. Has the installer provided you with a written contract? 10 M.R.S.A. Chapter 219-A requires written contracts for any home remodeling or construction with an estimated cost in excess of \$1,400.
- 6. Have you asked the local fire department or code enforcement officials to inspect the installation during and after completion?

City of Portland, Maine	- Building or Use	Permit Applicati	on Per	rmit No: Issue Date:	CBL:
389 Congress Street, 04101	Tel: (207) 874-8703	, Fax: (207) 874-87	716	01-1004	130 F020001
Location of Construction:	Owner Name:		Owne	r Address:	Phone:
205 Woodford St	Cadorette Rich	« V &	205	Woodford St	207-874-9018
Business Name:	Contractor Name	:	Contr	actor Address:	Phone
n/a	Dave Keeney 1	Builders Inc.	9 W	ildridge Rd. Standish	2076422906
Lessee/Buyer's Name	Phone:		Permi	it Type:	Zone:
n/a	n/a		Alte	erations - Dwellings	B-1
Past Use:	Proposed Use:	·	Perm	it Fee: Cost of Work	:: 7 CEO District: 2-5
Single Family	Same: Interior	Rehab. See Narrativ	e.	\$30.00 \$1,00	0.00
			FIRE	DEPT: Approved Denied	INSPECTION: Use Group: R - 3 Type: 52 BOCA BOOK TOO TOO
Proposed Project Description:					200 HIM
Interior Rehab. Per Plans.			Signa	ture:	Samuel Aller
			PEDE	STRIAN ACTIVITIES DIST	RICT (P.A.D.)
			Actio	n: Approved Appr	roved w/Conditions Denied
			Signa	iture:	Date:
Permit Taken By:	Date Applied For:			Zoning Approva	l
cih	08/14/2001	G 117 P	•		
 This permit application d Applicant(s) from meetin Federal Rules. 		Special Zone or Re Shoreland	views	Zoning Appeal Variance	Historic Preservation Not in District or Landma
2. Building permits do not i septic or electrical work.	nclude plumbing,	☐ Wetland ☐ Miscellaneous		Does Not Require Review	
3. Building permits are void within six (6) months of t		☐ Flood Zone		Conditional Use	Requires Review
False information may in permit and stop all work.		Subdivision		Interpretation	Approved
		Site Plan		Approved	Approved w/Conditions
		Maj Minor M	M []	Denied	Denied
		Date:	17/01	Date:	Date:
			• ; • (PERMIT ISSUED WITH REQUIREMENTS
		CERTIFICAT	ΓΙΟΝ		
I have been authorized by the c jurisdiction. In addition, if a p	owner to make this appli ermit for work described	ication as his authorized in the application is	ed agen	it and I agree to conform t I certify that the code offi	by the owner of record and that o all applicable laws of this icial's authorized representative sion of the code(s) applicable to
	1771				
SIGNATURE OF APPLICANT		ADDRI	ESS	DATE	PHONE

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 205 Wood	Hords St.	
Total Square Footage of Proposed Structure	Square Footage of	Lot
Tax Assessor's Chart, Block & Lot Chart# 130 Block# F Lot#20	ner: Mecgan + Rick Code	Telephone: 874 - 9018
200000,20,0,0,0	plicant name, address & phone:	Cost Of Work: \$ 1000.
Current use: 5 F If the location is currently vacant, what was price	or use:	
Approximately how long has it been vacant:	Alterations	- See Narration
Approximately how long has it been vacant:	Altrations	- See Narration
Proposed use: Mim interior	e Kenney Builder Inc	

This is not a permit, you may not commence ANY work until the permit is issued

House Items to be Completed

Rick + Meagen Caderelle

Kitchen

Gut, insulate and sheetrock walls

Gut and sheetrock ceiling

Install new sink and disposal – plumbing for disposal, dish washer and frig icemaker

Install new cabinets, countertops and tile backsplash Check Quate Need ele, pormil.

Install additional outlets and increase lighting / TV cable outlet

Install and finish new hardwood floor

Paint radiator, walls and trim

Find and repair leak

(Appliances)

(Area rugs)

Haliway

Gut and sheetrock walls

Gut and sheetrock ceiling (head space on stairs)

Install outlets (if needed)

Finish trim around cellar door

Refinish stair treads and upstairs hall (living room floor)

Install and finish new hardwood floor in downstairs hall

Replace railing and spindles

Replace front door with wooden door and two sidelights

Paint radiator, walls, trim and stair risers

Install new hallway light fixtures

go w/wwdon door

Downstairs' bath

Gut, insulate and sheetrock walls (insulate hot water pipes?)

Gut and sheetrock ceiling

Replace sink and toilet

Move closet/bath wall and replace doors on bath and closet with wooden doors

Install medicine cabinet

Install outlets and light fixture

Find and repair leak

Upstairs' bath

Gut, insulate and sheetrock walls (insulate hot water pipes?)

Gut and sheetrock ceiling (if needed)

Replace sink and toilet

Install new vanity and wall cabinets

Remove old tub and install new tub (and enclosure)

Install new ceiling vent and heater unit

Remove window

Install new floor

Find and repair leak-(re-flash, seal chimney?)

-(Bath Towels) ---

BUILDING: 1945 200 (ADDRESS: 20) RMIT: InTerior Fer	PERMIT REPORT Wood Ford Street CBL: 130-F-626
OWNER: RICK V. Cadore	Te.
✓IIT APPLICANT:	CONTRACTOR Dave Keene y Blog. Inc
USE GROUP: R · 3 CONSTRUCTION TYPE: 53	CONSTRUCTION COST: 1,000.00 PERMIT FEES: 30.00
The City's Adopted Building Code (The BOCA National Building Code (The City's Adopted Mechanical Code (The BOCA National Building Code (The BOCA National Mechanical Code (The BOCA	Code/1999 with City Amendments)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions shall be met: **

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- Foundations anchors shall be a minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17

Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the

proper setbacks are maintained.

8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)

9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211

10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.

11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) R-3 (ONE & TWO FAMILY DWELLINGS) GUARD HEIGHT IS 36" MINIMUM.

12. Headr∞m in habitable space is a minimum of 7.6'. (Section 1204.0)

13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, T' maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria widder section 1011.3 but not less then 36.
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

- 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms

• In each story within a dwelling unit, including basements

A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)

The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.

The Sprinkler System shall be installed and maintained to NFPA #13 Standard.

All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)

Section 25 – 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.

Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).

All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.

All requirements must be met before a final Certificate of Occupancy is issued.

All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).

Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)

Please read and implement the attached Land Use Zoning report requirements.

Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. Bridging shall comply with Section 2305.16.

Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

All flashing shall comply with Section 1406.3.10.

All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

Lt. McDougall, PFD


Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager

H IO/I/00

This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE VORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER HALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

***ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 14.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.



DUPLICATE

OITV	GENERAL RECE		A A INIT
CIIY	OF PORTLA	NU, I	
RECEIVED FI	AR Kenney	1911	13/0/
406	s woodle	id	
UNIT	ITEM	REVENUE	DOLLAR AMOUNT
DY Lus	Dacomond	1004	1
(%-	2 channe		3004
☐ CASH	☐ CHECK ☐ OTHER	TOTAL	3000
RECEIVED B GBF INI Comm	FORMATION SYSTEMS Box 878, Portland, ME 04:10 mercial Printing * Business Forms * Acvertising Spe	i4 (207) 774-1482 cialties ● Labela	200747-BP

DUPLICATE

CITY OF PORTLAND, MAINE

DEPAR	RTMENT	DATE	5/11/15
RECEI	VED FROM		olidipt
	Dave Ke	enne-	,
ADDRE	ess and s	-1-	
	<u> </u>	Day	
			
UNIT	ITEM	REVENUE CODE	DOLLAR AMOUNT
	Permit App		30 W
	•		
			:
	:	 	
			!
	CBI #		
	130-F-620		
D CAS	SH CHECK OTHER	TOTAL	30 W
	00. 11		
RECEIV	GREINEOPHATION SYSTEMS OF STREET	-	