R5 RESIDENCE ZONA APPLICATION FOR PERMIT



Class of Building or Type of Structure

Portland, Maine,

Third Class

August 21, 1970

PERMIT ISSUED

CITY of runilmin

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for in accordance with the Laws of the State of	r a permit to erect alter of Maine, the Buildin	repair demolish install the f g Code and Zoning Ordina	ollowing building structure equipment ncc of the City of Portland, plans and
specifications, if any, submitted herewith a	and the following spec	ifications:	
Location 124 Glenwood Ave.	agentida de que de de lorda esta distanta estabalha de establica de es		nits? Dist. No
a con John V	Inrdual 1 . 124 Ol	enwood Ave.	Telephone 772-0545
Lessee's name and address	en a roman a roman de la region	The content of the co	Telephone
Lessee's name and address Contractor's name and address Architect	owner	· broker gradegen od ner 4 · brok · Mendo · 4 · brokk v Million blade	Telephone
Architect	Spec	ifications	yes No. of sheets 2
Proposed use of building	partment_Buildi	ng	No families 3
Last nea	* '0 (3) (4) (b)	in the second se	No. families 3
Last use Material frame No. stories	Heat	Style of roof	Roofing
Other buildings on same lot			and the second s
Estimated cost \$ 300.00	PL WHAT HAVE A CONTRACTOR OF THE PARTY OF TH	, , , , , , , , , , , , , , , , , , , ,	Fee \$ 3.00
	Canaral Dagorinti	on of New Work	The state of the s
•	General Descripti	OI OI 146H WOLK	
To demolish existing 2-stor	w frame shed ar	opres. 10' x 12' on	rear of building.
To construct 12' x 16' oper	n sun deck on re	at of building, same	location.
to double that the last open			
	1797		
	5 - 14 \$4.5 \$ 1		
		•	
It is understood that this permit does not	include installation o	f heating apparatus which a	is to be taken out separately by and in
the name of the heating contractor. PERI	MIT TO BE ISSU	ED TO owner	i
	Details of	New Work	•.
	그 그 그 그 얼마 학생들은 나를		olved in this work?
Is connection to be made to public servi	0 + >	If not, what is proposed	for sewage?
Has septic tank notice been sent? Height average grade to top of plate	1	Form notice sent?	
Height average grade to top of plate	81	ight average grade to high	est point of roof. 1031
Size, front 121 depth 161 Material of foundation 61 apart Kind of roof none Rise p	No. stories	solid or filled land?BC	olid earth or rock? earth
Material of foundationAl_apart	es-at least 4' l	oelow grade top bottom	cellar
Kind of roof none Rise r	er foot	Roof covering	ng properties and statement and statement of the statemen
Ma of alitumous Materia	l of oblimation	Allining reconstruction of	ind of hore
Framing Lumber-Kind henlook : D	ressed or full size?	dressed Corner post	s Ially Sills Ax4
Size Girder Columns t	ander girders	Size	Max on centers
Studs (outside walls and carrying parti	tions) 2x4-16" O. C.	Bridging in every floor at	nd flat roof span over 8 feet.
Joists and rafters: 1st floor	2x8 2nc	1	roof none
			consumeration roof and an area and an area and an area and area area.
			management, roof management
If one story building with masonry wal			
If one story building was masonly was		-	
a a a a a a a a a a a a a a a a a a a			the state of the second
No. cars now accommodated on same lo			
Will automobile repairing be done other	than minor repairs	to cars habitually stored in	the proposed building?
DDOLLED.		Misce	llaneous
PROVED:	Will w	ork require disturbing of a	any tree on a public street?no

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are

APPLICATION FOR PERMIT

Class of Building or Type of Structure

, Jan. 31, 1972

FEB 8143 CITY of FURTLAND

PERMIT ISSUED

	F BUILDINGS, PORTLAND	, MAINE		
Location 124 Olenward	hereby applies for a permit to aws of the State of Maine, the willed herewith and the followood Ava. css John G. Wardwoll,	ing specifications:	ung Oramance of	the City of Portland, pla
Owner's name and addr	css John G. Wardwell,	121 Olanuad 1	hin Fire Limits?	Dist. No.
Lessee's name and addre	nas	a programme of the second programme to the programme of the second second	und dieres communications and designation of	Telephone (12)
Contractor's name and	ess owner	and obligation of the code model all model days block observe being	.Grd Skielijo kiji SCP i Padjarja dana lipid jiraja da maling esassi	Telephone.
Architect	ATTITUDE AS THE AS STREET, HE WAS ASSESSED.	erromanana e e e em totamo por maio astano	idean regular anadorerad, area in administrativa and amount	Telephone
Proposed use of hullding		···· •·· prestreater (III 5 sir.	amana Tans	No. of sheets
Last use apt.	atorina 23 H	eleboratelle graphiques est entfrancemplant à ellevation	mercent interest includes and the firest begins arranged	No. familles
Material Wood No	o stories 23 Heat	odal observanda rekregi dada i terbasi ke sebias omasi ke ga g 	usakérnal tuju Hrandrásy, podužinką glamus "dysgos	No. families
Other buildings on same	lot	and second of the of tool	4.469. 4rgin: 41802 \$114 15.15 #1744862401.20	Roofing
Estimated cost \$ 30	0	Mademateratus period estimando <mark>s podegrapesto megra des p</mark> 1900 - 1900	Salar siden er ers hijistelle svende – erddys fræter sales	and another metal property of the section of the se
* .4				Fee \$ 3.00
		scription of New '		
To demolish exist:	ing porch on front of	house and repl	ace landing a	nd stairs to
approx. same size				
7.0				
		불명하고 보다		
•				₩
**;	Detail	4 of Man Titanto	Owner	
Is any plumbing involved i	in this work?	Is any electrical	WOLK HISTORY OF IN A	his made à
Is any plumbing involved its connection to be made t	in this work?	Is any electrical If not, what is p	work involved in t roposed for sewar	his work?
Has septic tank notice bee	in this work?	It not, what is p	roposed for sewag	c?
Has septic tank notice bee	in this work?	Form notice ser	roposed for sewag	65
Has septic tank notice bee	in this work?	Form notice ser	roposed for sewag	65
Has septic tank notice bee Height average grade to to Size, front X 4 dept Material of foundation	o public sewer? n sent? p of plate No. storior	Form notice ser Helght average grad solid or filled land	roposed for sewag nt? e to highest point 1?	of roof.
Has septic tank notice bee Height average grade to to Size, front dept Material of foundation	o public sewer? n sent? po of plate No. storior British	Form notice ser Helght average grad solid or filled land ness, top bot	roposed for sewag to highest point tomcella	of roof.
Has septic tank notice bee Height average grade to to Size, front dept Material of foundation	o public sewer? n sent? po of plate No. storior British	Form notice ser Helght average grad solid or filled land ness, top bot	roposed for sewag to highest point tomcella	of roof.
Has septic tank notice bee Helght average grade to to Size, front dept Material of foundation Kind of roof Mo. of chimneys Framing Lumber-Kind.	o public sewer? o public sewer? op of plate h No. storior Rise per foot Majorial of chimneya Dressed or full si	Form notice ser Height average grad solid or filled lane ness, top bot Roof covering of lining	roposed for sewag to highest point tomcella Kind of hea	of roof earth or rock?
Has septic tank notice bee Helght average grade to to Size, front. A dept Material of foundation Kind of roof Mo. of chimneys. Framing Lumber-Kind.	o public sewer? o public sewer? o po of plate No. storior Rise per foot Majorial of chimneya Columns under girders	Form notice ser Height average grad solid or filled land ness, top bot Roof covering of lining Ze?. Cor	roposed for sewag to highest point tom	of roof earth or rock?
Has septic tank notice bee Height average grade to to Size, front	o public sewer? o public sewer? op of plate No. storior Thick Rise per foot Dressed or full si Columns under girders arrying partitions) 2x4-16" Co	Form notice ser Form notice ser Height average grad solid or filled land ness, top bot Roof covering of lining of lining Cor Size C. C. Bridging in every	tom cella Kind of hea Kind of hea Kind of hea Kind of hea	of roof. earth or rock? r t Sifts on centers
Has septic tank notice bee Helght average grade to to Size, front dept Material of foundation Kind of roof No. of chimneys Framing Lumber-Kind. Size Girder Studs (outside walls and ca Joists and rafters:	n this work? o public sewer? n sent? po of plate No. storior Thick Rise per foot Material of chimneya Columns under girders arrying partitions) 2x4-16" O 1st floor	Form notice ser Form notice ser Height average grad solid or filled land ness, top bot Roof covering of lining ze?	roposed for sewag to lighest point tom	of roof. earth or rock? t Sills on centers f span over 8 feet.
Has septic tank notice bee Height average grade to to Size, front. A dept Material of foundation A Kind of roof A No. of chimneys Framing Lumber—Kind. Size Girder Studs (outside walls and ca Joists and rafters: On centers:	n this work? o public sewer? n sent? po of plate No. storior Phick Rise per foot Majorial of chimneya Columns under girders rrying partitions) 2x4-16" O 1st floor 1st floor	Form notice ser Form notice ser Height average grad solid or filled lane ness, top bot Roof covering of lining for Size C. Bridging in every 2nd	tom cella Kind of hea icr posts Max. floor and flat roo 3rd	of roof. earth or rock? t Sifts on centers f span over 8 feet.
Has septic tank notice bee Height average grade to to Size, front A dept Material of foundation A Kind of roof A No. of chimnoys Framing Lumber-Kind Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span:	n this work? o public sewer? n sent? op of plate h No. storior Thick Rise per foot Majorial of chimneya Columns under girders rrying partitions) 2x4-16" O 1st floor 1st floor	Form notice ser Form notice ser Height average grad solid or filled land ness, top bot Roof covering of lining zer Cor Size C. Bridging in every , 2nd 2nd	roposed for sewagent? e to highest point itom	of roof. earth or rock? t Sins on centers i span over 8 feet. roof.
Has septic tank notice bee Height average grade to to Size, front A dept Material of foundation A Kind of roof A No. of chimnoys Framing Lumber-Kind Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span:	n this work? o public sewer? n sent? op of plate h No. storior Thick Rise per foot Majorial of chimneya Columns under girders rrying partitions) 2x4-16" O 1st floor 1st floor	Form notice ser Form notice ser Height average grad solid or filled land ness, top bot Roof covering of lining zer Cor Size C. Bridging in every , 2nd 2nd	roposed for sewagent? e to highest point itom	of roof. earth or rock? t Sins on centers i span over 8 feet. roof.
Has septic tank notice bee Height average grade to to Size, front. A dept Material of foundation A Kind of roof A No. of chimneys Framing Lumber—Kind. Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with m	n this work? o public sewer? n sent? po of plate No. storior Thick Rise per foot Material of chimneya Columns under girders rrying partitions) 2x4-16" O 1st floor 1st floor 1st floor 1st floor 1st floor 1st floor	Form notice ser Form notice ser Height average grad solid or filled lane ness, top bot Roof covering of lining cor Size C. Bridging in every 2nd 2nd 2nd Caller	roposed for sewagent? e to highest point itom	of roof earth or rock? t Sifts on centers f span over 8 feet. roof roof height?
Has septic tank notice bee Helght average grade to to Size, front A dept Material of foundation A Kind of roof A No. of chimneys Framing Lumber-Kind Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with m No. cars now accommodated	n sent? op of plate h No. storior Thick Rise per foot Dressed or full si Columns under girders rrying partitions) 2x4-16" Columns lat floor lat floor lat floor lat floor lat floor thick Is floor Thick Thick	Form notice ser Form notice ser Height average grad solid or filled lane ness, top bot Roof covering of lining for Size C. Bridging in every 2nd 2nd 2nd a Garage	tom cella Kind of hea IC Max. Iloor and flat roo 3rd 3rd	of roof. earth or rock? t yel sins on centers f span over 8 feet. roof roof height?
Has septic tank notice bee Height average grade to to Size, front A dept Material of foundation A Kind of roof A No. of chimneys Framing Lumber—Kind. Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with m No. cars now accommodated	n sent? op of plate h No. storior Thick Rise per foot Dressed or full si Columns under girders rrying partitions) 2x4-16" Columns lat floor lat floor lat floor lat floor lat floor thick Is floor Thick Thick	Form notice ser Form notice ser Height average grad solid or filled lane ness, top bot Roof covering of lining for Size C. Bridging in every 2nd 2nd 2nd a Garage	tom cella Kind of hea IC Max. Iloor and flat roo 3rd 3rd	of roof. earth or rock? t sins on centers f span over 8 feet. roof roof height?
Has septic tank notice bee Height average grade to to Size, front dept Material of foundation dept Mind of roof No. of chimneys Framing Lumber-Kind. Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with m No. cars now accommodated Will automobile repairing be	n this work? o public sewer? n sent? po of plate No. storior Thick Rise per foot Material of chimneya Columns under girders rrying partitions) 2x4-16" O 1st floor 1st floor 1st floor 1st floor 1st floor 1st floor	Form notice ser Form notice ser Height average grad solid or filled lane ness, top bot Roof covering of lining for Size C. Bridging in every 2nd 2nd 2nd a Garage	roposed for sewagent? e to highest point it tom cella Kind of hea ner posts Max. floor and flat roo 3rd 3rd 3rd r commercial cars	of roof. earth or rock? t sins on centers f span over 8 feet. roof roof height?
Has septic tank notice bee Height average grade to to Size, front A dept Material of foundation A Kind of roof A No. of chimneys Framing Lumber—Kind. Size Girder Studs (outside walls and ca Joists and rafters: On centers: Maximum span: If one story building with m No. cars now accommodated	n this work? o public sewer? n sent? po of plate No. storior Thick Rise per foot Material of chimneya Columns under girders arrying partitions) 2x4-16" O 1st floor 1st floor 1st floor 1st floor asonry walls, thickness of w	Form notice ser Form notice ser Height average grad solid or filled lane ness, top bot Roof covering of lining ze? Cor Size O. C. Bridging in every 2nd	roposed for sewagent? e to highest point itom	of roof. earth or rock? t sins on centers f span over 8 feet. roof roof height?

see that the State and City requirements pertaining thereto are

City of Portland, Maine — Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-

MANAGERS	White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector	
CEO DISTRICT	RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE	RESPONSIBLE
	等一个一个一个一个一个一个大概是一个大概是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	
· ·	FAPPLICANI Charlie Kandali ADDRESS: DATE: 1996 PHONE.	SIGNATURE OF APPLICANT
Datte:	if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such certify at any resconsible hour to enforce the manifesture of the code(s) are for such certify in the authority to enter all areas covered by such certify at any resconsible hour to enforce the manifesture of the code(s) are for such certify in the authority to enter all	if a permit for
Approved with Conditions Denied	Thereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized accurated by the owner to make this application as his authorized accurated by the owner to make this application as his authorized accurated by the owner to make this application as his authorized accurated by the owner to make this application as his authorized accurated by the owner to make this application as his authorized accurated by the owner to make this application as his authorized accurated by the proposed work is authorized by the owner of record and that I have been	I hereby earlify authorized by t
D Appointed	CERTIFICATION :	
ACTION AND AND AND AND AND AND AND AND AND AN		
EL Dock Not Fequito Review D. Requires Review		
Historic Preservation		
□ Approved □ Denied	ton may invalidate a building permit and stop all work.	Don may i
□ Conditional Use □ Interpretation	Building permits do not include plumbing, septic or electrical work. Building permits are void if work is, not started within six (6) months of the Cate of Issuance. False informa-	2 Buiding p 3. Building p
□ Variance □ Miscelaneous	This permit application doesn't precinde the Applicant(s) from meeting applicable State and Federal rules.	1. This permi
LI Stie Pan mai Dindox Limin Li	Mary Cresik Date Applied For 29 Mr.	Pemit Taken By:
Li Subdivision	Signature: Date:	
☐ Shor and ☐ Wetland	Denied	
Special Zone of Reviews:	Action: Approved Actions (Approved Actions (Approved Actions (Approved Actions (Approved Actions (Approved Approved Actions (Approved Approved Actions (Approved Approved Approved Approved Actions (Approved Approved Appr	
Zonina Arzanyak //	Signature ARGE Signa	Smarked Project Description:
Zone: CBL:	Domed	\ \ \
CITY OF PORTLAND	FIRE DEFT. WApproved INSP	
AN SOLUTION	Proposed Use: COST OF WORK: PERN	Past Use:
Permit issued:	Charlie's Carpentry Address 146 Ferroncill St	Contractor Name
ERM	Leasee/Buyer's Name: Phone: BusinessName:	Owner Address
Perceit No. 9 C 0 4 7 8	Onstruction: Owner: Georgan, Jointee: Phone:	Location of Construction:
	,他们是这个人的,我们就是一个人的,我们就是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	The second secon