65 Barkley St	Owner:	in a second	Phone:	828-1750	Permit No. 60647
Owner Address:  SAA Ptld, MR 04103	Leasee/Buyer's Name:	Phone:	BusinessN	Jame:	PERMIT ISSUED
Contractor Name:	Address:	Phone:	J		Permit Issued:
Past Use:	Proposed Use:	COST OF WORK	:	PERMIT FEE:	JUL - 9 1996
l-fam w/sarage	l-iam w/family room	FIRE DEPT. □ A	enied	NSPECTION: Use Group: 133 Type 5 (	CITY OF PORTLAND  Zone: CBL: 131-3-901
Proposed Project Description:		Signature: PEDESTRIAN AC		DISTRICT (PWW)	Zoning Approval:
		Action: A	pproved	th Conditions:	☐ Shoreland
nake garage Into fami	lyroom	Signature:		Date:	☐ Subdivision
Permit Taken By:	Date Applied For:	July 1996			☐ Site Plan maj ☐ minor ☐ mm ☐  Zoning Appeal
2. Building permits do not include plumbi	started within six (6) months of the date of i			TOWN ISSUED TO THE PROPERTY OF	☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
		bigger Apper			Historic Preservation  ☐ Not in District or Landmark ☐ Does Not Require Review
		TO THE WAY TO SEE THE	とし.		☐ Requires Review
	CINDAMA ATTION		an E		Action:
I hereby certify that I am the owner of record authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonation.	ation as his authorized agent and I agree to ation issued, I certify that the code official's	conform to all applicable authorized representative	laws of this e shall have	jurisdiction. In addition	Action:  Approved Approved with Conditions Denied
authorized by the owner to make this application if a permit for work described in the application.	of the named property, or that the proposed ation as his authorized agent and I agree to ation issued, I certify that the code official's	conform to all applicable authorized representative	laws of this e shall have	jurisdiction. In addition	Action:  Approved Approved with Conditions Denied
authorized by the owner to make this application if a permit for work described in the application.	I of the named property, or that the proposed ation as his authorized agent and I agree to ation issued, I certify that the code official's able hour to enforce the provisions of the co	conform to all applicable s authorized representative de(s) applicable to such p	laws of this e shall have permit	jurisdiction. In addition	Action:  Approved Approved with Conditions Denied

CO	7	TA	1	U	M	TS-	
	I₩	TIL	ИI.	Ľ	ΙV	130	Ŕ,

9-10-91 Stance is been che estable
Thurdows are fring put in. Many worky being its
maso in gray pur in sury wing very de
10-24-96 Famly loon is all framed up. Oleaky to by
will
2-15-99 Ilml is all finely 1
- 12 ( v 2 v · c os erg fyrmen g
·
·
Inspection Record
Type Date
Foundation: Framing:
Plumbing:
Final:
Other:

## LAND USE - ZONING REPORT

10 200 X 2 (10) St 3/9/9/
ADDRESS: 65 Berkeley 8t DATE: 7/8/96
REASON FOR PERMIT: Change GAYAGE uto Family Room
BUILDING OWNER: Joanne Anania C-B-L: 131-J-00
PERMIT APPLICANT: Owner
APPROVED: With Condition DENIED:
. #5
CONDITION(S) OF APPROVAL
During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained.
2. The footprint of the existing shall not be increased during maintenance
reconstruction.
3. All the conditions placed on the original, previously approved, permit issued on
are still in effect for this amendment.  4. Your present structure is legally nonconforming as to rear and side setbacks. If you were
4. Your present structure is legally nonconforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will <u>not</u> be able to maintain these same
setbacks. Instead you would need to meet the zoning setbacks set forth in today's
ordinances. In order to preserve these legally non-conforming setbacks, you may only
rebuild the garage in place and in phases.
5. This property shall remain a single family dwelling. Any change of use shall require a
separate permit application for review and approval.
6. Our records indicate that this property has a legal use of units. Any change
in this approved use shall require a separate permit application for review and approval.
7. Separate permits shall be required for any signage.
8. Separate permits shall be required for future decks and/or garage.
9. Other requirements of condition
Marge Schmuckal, Zoning Administrator,
Asst Chief of Code Enforcement

## BUILDING PERMIT REPORT

	DOTIDING THEFT THE OIL
DATE	: 9/July/96 ADDRESS: 65 Borkley S),
REAS	ON FOR PERMIT: Change of USP-Convortgarage To family Rose.
BUIL	DING WHER: OGUTTIE OF WHITE
CONT	RACTOR: $//$ APPROVED: $\times // \times $
PERM	IT APPLICANT: 11 // DENTED: X20
	CONDITION OF APPROVAL OR DENTAL
1.	Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
2.	Precaution must be taken to protect concrete from freezing.
	The advantage of the constant of process control and support these all
3.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
4.	All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with selfclosers.
5.	Each apartment shall have access to two(2) separate, remote and
<b>J</b> •	approved means of egress. A single exit is acceptable when it exits
	approved hearts of egress. A strigte exit is deceptable made to the building exterior with no
	directly from the apartment to the building exterior with no
	communications to other apartment units.
6.	The boiler shall be protected by enclosing with one(1) hour fire-rated
	construction including fire doors and ceiling, or by providing
	automatic extinguishment. Sprinkler piping serving not more than six
	anticle exchigationated to deposit a union supply having a
	sprinklers may be connected to a domestic water supply having a
	capacity sufficient to provide 0.15 gallons per minute, per square foot
	of floor throughout the entire area. An INDICATING shut-off valve
	shall be installed in an accessible location between the sprinkler and
	the connection to the domestic water supply. Minimum pipe size shall
	be 3/4 inch copper or 1 inch steel. Maximum coverage area of a
	be 3/4 mich copper of 1 mich steer. Parimon coverage area of a
_	residential sprinkler is 144 sq. feet per sprinkler.
7.	Every sleeping room below the fourth story in buildings of Use Groups R
	and I-1 shall have at least one operable window or exterior door
	approved for emergency egress or rescue. The units must be operable
	from the inside without the use of special knowledge or
	separate tools. Where windows are provided as means of egress or
	rescue, they shall have a sill height not more than 44 inches (1118mm)
	above the floor. All egress or rescue windows from sleeping rooms
	shall have a minimum net clear opening height dimension of 24 inches
	sharr have a minimum net creat opening neight dimension of 21 222200
	(610mm). The minimum net clear opening width dimension shall be 20
	inches (508 mm), and a minimum net clear opening of 5.7 sq. feet.
8.	A portable fire extinguisher shall be located as per NFPA #10. They
	shall bear the label of an approved agency and be of an approved type.
9.	All single and multiple station smoke detectors shall be of an approved
	type and shall be installed in accordance with the provisions of the
	City's building code Chapter 9, section 19, 919.3.2(BOCA National
	Building Code/1993), and NFPA 101 Chapter 18 & 19. (Smoke detectors
	princing code, 1999), and were for the fellenge fourte acceptors.
	shall be installed and maintained at the following locations):

- 1. In the immediate vicinity of bedrooms
- 2. In all bedrooms

3. In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted.

10. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage (Chapter 4 section 407.0 of the BOCA/1993)

Guardrail & Handrails-A quardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open quards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.

12. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10, section & subsections 1023. & 1024. of the City's building code. (The BOCA National Building Code/1993)

- Stair construction in Use Group R-3 & R-4 is a minimum of 9" tread and 8-1/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum
- Headroom in habitable space is a minimum of 7'6".
- The minimum headroom in all parts of a stairway shall not be less than 80 inches.
- 16. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
- Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 MRSA refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

This pennit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's Office.

Samuel Hoffses, Chief of Inspection Services

/el 3/16/95

20, This STructure is To remain a one Family direlling.





.