

ERENCES:

PORTLAND PUBLIC LIBR BURBANK BRANCH

PORTLAND, MAINE on + Renovation for rbank Branch Library

CITY Ad The

BASEMENT

PLUMBING

SPECIFICATION

GENERAL

- a. All work shall meet the State of Maine Plumbing Code.
- b. Furnish all materials, equipment, transportation and labor and perform all operations required to install plumbing system complete.
- c. Provide and file all plans and pay requisite fees and secure all permits.
- d. This contractor shall guarantee all work and materials for no less than one (1) year from date of final acceptance.


2. DOMESTIC WATER SYSTEM

- a. Piping shall FlowGuard Gold CPVC piping and Fittings or copper type "L" above slab and type "K' below, with Copper fittings. Joints soldered.
- b. Any exposed uninsulated piping such as under fixtures shall be chrome plated brass or copper.


- Shutoff valves shall be bronze ball valves rated 400# WOG, equal to Nibco. Provide valve tags of different shape than Heating tags.
- Insulation shall be 1/2" Armafelx or fiberglass with all service jacket. Every 10 ft, neatly stencil jacket with "Dom. Cold", (or use pipe markers).
- Hangers shall be especially manufactured for this purpose, equal to Carpenter & Patterson. Do not support piping from piping of other trades. Provide insulation shields on cold water piping.

3. SANITARY WASTE AND VENT SYSTEM

Piping to be schedule 40 PVC with DWV fittings unless indicated otherwise. Joints carefully cemented.









PLAN NUMBER

PLAN