

**City of Portland, Maine – Building or Use Permit Application** 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 84 Best St		Owner: Webster, David/Leivian, Marilyn		Phone: 774-3668		Permit No: <b>960977</b> <b>PERMIT ISSUED</b> OCT - 4 1996 CITY OF PORTLAND
Owner Address:		Leasee/Buyer's Name:		BusinessName:		
Contractor Name: Sewall Associates		Address:		Phone:		Permit Issued: OCT - 4 1996 CITY OF PORTLAND
Past Use: Condo/Single Family		Proposed Use: Same w/addition		COST OF WORK: \$ 12,000.00 PERMIT FEE: \$ 80.00 FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied INSPECTION: Use Group: <i>13</i> Type: <i>5B</i> <i>DOCA 96</i> Signature: <i>[Signature]</i>		
Proposed Project Description: Construct addition Entry 93 Sq Ft Outdoor storage 60 Sq Ft Detached trellesed fence				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/> Signature: _____ Date: _____		Zone: <i>R-5</i> EBL: 134-D-009 Zoning Approval: <i>[Signature]</i> Special Zone or Reviews: <input type="checkbox"/> Shoreland <i>10/3/96</i> <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan <input checked="" type="checkbox"/> major <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/> <i>8' reg to side line</i> Zoning Appeal <i>8' shown</i> <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied
Permit Taken By: Mary Gresik		Date Applied For: 01 October 1996				

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Call Marilyn for P/U 774-3668

**PERMIT ISSUED WITH REQUIREMENTS**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

*Marilyn B. Leivian*  
 SIGNATURE OF APPLICANT Marilyn Leivian ADDRESS: \_\_\_\_\_ DATE: 01 October 1996 PHONE: \_\_\_\_\_

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE \_\_\_\_\_ PHONE: \_\_\_\_\_

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

**Action:**  
 Approved  
 Approved with Conditions  
 Denied  
 Date: *10/3/96*  
*D. Audunson*  
 CEO DISTRICT **4**  
*A. Powers*

**City of Portland, Maine – Building or Use Permit Application** 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 84 Beal St		Owner: Webster, David/Leivian, Marilyn		Phone: 774-3668		Permit No: <b>960977</b>			
Owner Address:		Leasee/Buyer's Name:		Phone:		BusinessName:			
Contractor Name: Sewall Associates		Address:		Phone:		<div style="border: 1px solid black; padding: 5px; text-align: center;"> <b>PERMIT ISSUED</b>                  OCT - 4 1996  <b>CITY OF PORTLAND</b> </div>			
Past Use: Condo/Single Family		Proposed Use: Same w/addition		COST OF WORK: \$ 12,000.00 FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied Signature:		PERMIT FEE: \$ 80.00 INSPECTION: Use Group: A3 Type: 5P 120CA93 Signature: <i>[Signature]</i>			
Proposed Project Description: Construct addition Entry 93 Sq Ft Outdoor storage 60 Sq Ft Detached trelleseed fence				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/> Signature: _____ Date: _____				Zoning: CBL: 134-D-009 Zoning Approval: Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: Mary Grezik		Date Applied For: 01 October 1996							

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

**Zoning Appeal**

Variance

Miscellaneous

Conditional Use

Interpretation

Approved

Denied

**Historic Preservation**

Not in District or Landmark

Does Not Require Review

Requires Review

**Action:**

Approved

Approved with Conditions

Denied

Date: 10/3/96

PERMIT ISSUED WITH REQUIREMENTS

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

*Marilyn Leivian*  
SIGNATURE OF APPLICANT Marilyn Leivian ADDRESS: \_\_\_\_\_ DATE: 01 October 1996 PHONE: \_\_\_\_\_

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE \_\_\_\_\_ PHONE: \_\_\_\_\_

**CEO DISTRICT** 4

COMMENTS

10/8/96 Sonar tube location and depth inspection. OK to pour sonar tubes  
Contractor has installed rebar in each sonar tube, anchored  
in the footing which is continuous. Owner uncertain about  
the addition of the dormer on the rear of entry.

10-17-96 Framing Inspection - ok  
~~Foot Fall~~ on roof - ok

Building wrap applied to exterior sheathing

11-21-96 Contractor has finished w/Trusses, roof sheathing and  
shingling roof. Soffit vents provided. No electrical green tag  
yet. Owners have not added rear dormer. They are completing  
insulating & sheetrocking themselves. Area entry not ~~fratched under~~,  
however insulated. Using type X sheetrock @ common wall. Ridge vent  
on roof. Also ~~is~~ using 5/8 type X between overhead storage and entry.  
Have covered up one column and used only one on left.

8/29/97 Entry completed. Don't know if interior finishes have been applied yet.



Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

## BUILDING PERMIT REPORT

DATE: 3 OCT 96 ADDRESS: 84 Best St

REASON FOR PERMIT: Construct Addition

BUILDING OWNER: Webster-Lewian

CONTRACTOR: Sewall Assoc

PERMIT APPLICANT: \_\_\_\_\_ APPROVAL: \*-1  
~~DEED~~: \_\_\_\_\_

### CONDITION OF APPROVAL OR DENIAL

- X 1. Before concrete for foundation is placed, approvals from ~~the Development Review coordinator and~~ Inspection Services must be obtained. (A24 hour notice is required prior to inspection)
2. Precaution must be taken to protect concrete from freezing.
3. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
4. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BOCA/1996)
5. Guardrail & Handrails-A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
6. Headroom in habitable space is a minimum of 7'6".
7. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise.
8. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
9. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue, they shall

have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. feet.

10. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
  11. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with selfclosers.
  12. The boiler shall be protected by enclosing with one (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
  13. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's building code Chapter 9, Section 19, 919.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
    1. In the immediate vicinity of bedrooms
    2. In all bedrooms
    3. In each story within a dwelling unit, including basements
- In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)
14. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
  15. The Fire Alarm System shall be maintained to NFPA #72 Standard.
  16. The Sprinkler System shall be maintained to NFPA #13 Standard.
  17. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. of the City's building code. (The BOCA National Building Code/1996)
  18. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
  19. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
  20. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 MRSA refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
  21. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's Office.

LAND USE - ZONING REPORT

ADDRESS: 84 Best St DATE: 10/3/96

REASON FOR PERMIT: New Entry way and Storage -

BUILDING OWNER: DAVID Webster / Marilyn C-B-L: 134-D-009  
LEIVIAN

PERMIT APPLICANT: owner

APPROVED: with conditions DENIED: \_\_\_\_\_  
#9

CONDITION(S) OF APPROVAL

1. During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained.
2. The footprint of the existing \_\_\_\_\_ shall not be increased during maintenance reconstruction.
3. All the conditions placed on the original, previously approved, permit issued on \_\_\_\_\_ are still in effect for this amendment.
4. Your present structure is legally nonconforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will not be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the garage in place and in phases.
5. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.
6. Our records indicate that this property has a legal use of \_\_\_\_\_ units. Any change in this approved use shall require a separate permit application for review and approval.
7. Separate permits shall be required for any signage.
8. Separate permits shall be required for future decks and/or garage.
9. Other requirements of condition The Fenced Area shall be separate

from the structures and have NO "structural"  
flooring - fencing only which would not have  
to meet setback requirements

Marge Schmuckal

Marge Schmuckal, Zoning Administrator,  
Asst. Chief of Code Enforcement