City of Portla	and, Maine – Building	g or Use Permit Application	n 389 Congress Stre	et, 04101, Tel: (207) 8'	74-8703, FAX: 874-8716
Location of Constru	uction: 535 Stevens Ave	Owner:	Pho	879-9240	Permit No: 9 7 0 1 0 1
Owner Address:	535 Stevene Ave Ptld	Lessee/Buyer's Name:	Phone: Bus	sinessName:	PERMITISSUED
Contractor Name:		Address:	Phone:		Permit Isstied
Past Use:		Proposed Use:	COST OF WORK: \$ 3,050.00	PERMIT FEE: \$ 35.00	FEB - 7 1997
	and the second s	Same	FIRE DEPT. □ Approx □ Denied	Use Group: Type:	Zone: CBL: 135-A-002
Proposed Project D	Description:		Signature: PEDESTRIAN ACTIV	Signature: ITIES DISTRICT (P.A.D.)	Zoning Approval:
Make Interior Renovations			Action: Approv Approv Denied	Special Zone or Reviews: Shoreland Wetland Flood Zone	
Permit Taken By:		Date Applied For:	Signature:	Date:	☐ Subdivision☐ Site Plan maj ☐minor ☐mm ☐
 This permit a Building permit a Building permit a may invariant 	Zoning Appeal Variance Miscellaneous Conditional Use Interpretation Approved Denied Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action:				
I hereby certify th authorized by the if a permit for wo areas covered by	, │ □ Denied				
and the state of t			07 February 1997		
SIGNATURE OF A	APPLICANT KEEL SHELL	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PI	ERSON IN CHARGE OF WORK	X, TITLE		PHONE:	CEO DISTRICT
	White-Pe	mit Desk Green–Assessor's Ca	nary–D.P.W. Pink–Public F	ile Ivory Card–Inspector	Firther Land

The state of the s		MMENTS 		,
4-30-97 Fla Lungaren III Ly dan with 5-26-97 The	grung to all compositions to all compositions	Aleted.	Perky Kary	Hbe HG
1				
			Inspection Record	Date
		Plumbing: Final:		

		g or Use Permit Applicatio	-	Phone:		Permit N © 7 () 1 0 1
		Small, Karl	l l		879-9240	10111
Owner Address:	535 Stevens Ave Pt1d	Lessee/Buyer's Name: , ME 04103	Phone:	Business	sName:	PERMIT ISSUED
Contractor Name:		Address:	Phon	ne:		Permit Issued:
Destillan	Owner	Duamagad Hagi	COST OF WOR	PK.	PERMIT FEE:	FEB - 7 1997
Past Use:		Proposed Use:	\$ 3,050.0		\$ 35.00	To company to the company of the com
	1-fam	Same	FIRE DEPT. □		INSPECTION:	CITY OF PORTLAN
				Denied	Use Group: Type:	Zone: CBL:
			Signature:	- Alleway - Vision	Signature:	7aning Approval: 4
				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Zoning Approval:
				Approved □ Approved with Conditions: □		
Make Interior Renovations				Denied	□ □ Wetland O Yemain	
	1		Signature:		Date:	☐ Flood Zone Single rang
Permit Taken By:		Date Applied For:			Date.	☐ Site Plan maj ☐minor ☐mm □
	Mary Gresik		07 February 199	7		Zoning Appeal
1. This permit a	pplication does not preclude the A	Applicant(s) from meeting applicable S	State and Federal rules.			□ Variance
2. Building peri	☐ Miscellaneous ☐ Conditional Use					
0.1	☐ Interpretation					
- L	alidate a building permit and stop	within six (6) months of the date of is all work	buttilee, I tillee miletime			□Approved
						□ Denied
						☐ Not in District or Landmark ☐ Does Not Require Review
				PE	RMIT ISSUED	□ Requires Review
				AAII H	REQUIREMENTS	Action:
	□ Approved en □ Approved with Conditions					
		named property, or that the proposed s his authorized agent and I agree to c				
if a permit for wo	rk described in the application is	issued, I certify that the code official's ur to enforce the provisions of the cod	authorized representa	itive shall hav	ve the authority to enter	Date: 7/Feb/97
Ki	AN NI		07 February	y 1997	DUONE	_
SIGNATURE OF A	APPLICANT Karl Small	ADDRESS:	DATE:		PHONE:	
RESPONSIBLE P	ERSON IN CHARGE OF WORK	K, TITLE			PHONE:	- CEO DISTRICT
		rmit Desk Green–Assessor's Ca	nary_D PW Pink_P	ublic File I	vory Card-Inspector	CEO DISTRICT S
	AAIIIG-F GI	min bear Green-Maaeaaora Gar	inary wires i iiin-i		, sara moposion	Will Lean "

BUILDING PERMIT REPORT

DATE: Feb. 7 96	ADDRE	ss: <u>53</u>	5 ST	evens Ave	2
REASON FOR PERMIT: 70	MAKe	MTer	or r	enovations	
BUILDING OWNER: Karl	Small			and the state of t	
CONTRACTOR: Owner		n ye li sal e		्रा स्टार्वि श्वास्त्रात्र्यः । स्टार्वाच्येत्रः स्टार्विश्वरंगः	one of the state o
PERMIT APPLICANT:				VAL: *25-4	26 2
			2 - 17: 7 - 07) :	9 (S. 1871) (S. 1871)

CONDITION OF APPROVAL OR DEPIAL

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

2. Before concrete for foundation is placed, approvals from the Development Review coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)

3. Precaution must be taken to protect concrete from freezing.

4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is

done to verify that the proper setbacks are maintained.

5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)

6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA

National Mechanical Code/1993) UL 103.

7. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.

8. Headroom in habitable space is a minimum of 76".

9. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.

10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.

11. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.

12. Each apartment shall have access to two (20 separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.

- 13. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
- 14. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's building code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and

I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

16. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.

17. The Fire Alarm System shall be maintained to NFPA #72 Standard.

18. The Sprinkler System shall maintained to NFPA #13 Standard.

19. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)

20. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.

21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

23. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.

24. Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code.

25. Plumbing & ChecThical Must be obtained if warranted

26. Care Must be Taken in replacing The bearing wall.
27. This permit is being issued with the understanding That The

P. Samuel Hoffses, Chief of Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal Karl Small 207 State Street Portland, ME 04101

REQUEST FOR BUILDING PERMIT

The following permit request pertains to structure located at 535 Stevens Avenue, Portland, ME 04103

1. Expand bathroom #1, first floor. There are no bearing walls. Remove existing 2"x3" walls. Expand back wall approximately three feet into kitchen area to allow relocation of fixtures and installation of 48" shower. All framing will be standard 2"x4" construction, 16" on center. New pocket door will have 2"x6" header. (SEE ATTACHED)

Total cost (labor and materials) = \$2,200


2. Replace structurally inferior bearing wall between living room and dining room. This is an original wall of 2"x4" construction, with studs spaced at various widths. The wall has a 60" opening, with no header - as a result, has sagged considerably. The replacement bearing structure will consist of two combined 2"x12" microlam beams, supported by no less than one 4"x4" post equivalent on each end of the beams. These postings in turn will be supported by two steel columns in the basement below.

18/201


Total cost (labor and materials) = \$850


Total cost of changes = \$3,050

(Note: this structure is currently undergoing plumbing and electrical updates. Permits for this work pulled by Brett McMillan, The Brownrigg Company, and Tom Campbell, Campbell's Electric)




EXISTING





- 30'8 ----



PROPOSED