Location of Construction:	Owner:	t 50 / 3 2 2	Phone:	150 E 1 3	Permit 10:0 0 10 3
502 Stevens Ave		A Alaberty Sp		-7611	
Owner Address: *\$02 Stevens Ave Ptld 04103	Lessee/Buyer's Name:	Phone:	BusinessNar	ne:	PERMIT ISSUED
Contractor Name:	Address:	Phon	ie:		Permit Issued:
Past Use: Single Family	Proposed Use: Same w/antlque/gift Shop	COST OF WOR	RK: PE	RMIT FEE: 25.00	MAR - 2 1999
			Denied Us	SPECTION: se Group: R3/gype: 5 so G 96 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CITY OF PORTLAND Zone: CBL: 135-2-009
Proposed Project Description:			S18	ISTRICT (P.A.D.)	Zoning Approval:
Change of Use from 1-fam	to l-fam with	Action:	Approved Approved with Denied	Conditions:	Special Zone or Reviews: Shoreland Wetland Flood Zone
		Signature:		Date:	☐ Subdivision
Permit Taken By:	Date Applied For:				☐ Site Plan maj ☐minor ☐mm □
MG		February 22			Zoning Appeal
 This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. Building permits do not include plumbing, septic or electrical work. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work 					☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
					Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review
					Action:
	CERTIFICATION				□Appoved
I hereby certify that I am the owner of record of the authorized by the owner to make this application	e named property, or that the proposed was his authorized agent and I agree to co	nform to all applicable	le laws of this ju	risdiction. In addition	n, □ Approved with Conditions □ Denied
if a permit for work described in the application is areas covered by such permit at any reasonable he				e authority to enter a	Date:
		February 2	3 1890		998
SIGNATURE OF APPLICANT	ADDRESS:	DATE:		ONE:	
RESPONSIBLE PERSON IN CHARGE OF WOR	K. TITLE		РН	ONE:	CEO DISTRICT

COMMENTS *

a Tarana da Arana da		
Feb. 18 Stoped By with 1 Ext. are in place Ext door	Marland met the owner . 31	noke alarm + fire
Fit with in some Fit days	is installed (TR)	
ENI, all place, Ext door	is instance.	
Y		
		000000 0000000000000000000000000000000
		, , , , , , , , , , , , , , , , , , , ,
	Inspection Reco	rd
	Type	Date
	Foundation:	
	Framing:	
	Plumbing:	
	Final:	
	Other:	



CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

LOCATION

502 Stevens Ave 135-E-009

Issued to

William Jr. & Kimberly aproull

Date of Issue March 3, 1999

This is to certify that the building, premises, or part thereof, at the above location, built — altered — changed as to use under Building Permit No. 970959, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Front Room 1st F1

l-Family/Antique/Gigt Shop

Limiting Conditions:

This certificate supersedes certificate issued

Approved:

(Date)

Inspector

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.

BUILDING PERMIT REPORT

DAT	E: 2 March 1999 ADDRESS: 502 STEVENS AUR. CBL 135- E-609
REA	SON FOR PERMIT: Change of use from I family dwelling To I family w/gift sho
BUII	LDING OWNER: Sproul
CON	TRACTOR: Owners
PER	MIT APPLICANT:
USE	GROUP $R-3/M$ BOCA 1996 CONSTRUCTION TYPE $5/B$
	CONDITION(S) OF APPROVAL
This	Permit is being issued with the understanding that the following conditions are met:
Аррі	roved with the following conditions: */, *8 × 9 × 19 17, *24 × 26, *30 × 31
$\sqrt{\frac{1}{1}}$	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2.	Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour potice is required prior to inspection)
2.5	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside
	edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the
	floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with
	an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be
	higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6"
	of the same material. Section 1813.5.2
2.6	Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of
	foundation and a maximum 6 'o.c. between bolts. (Section 2305.17)
3.	Precaution must be taken to protect concrete from freezing. Section 1908.0
4.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to
5	verify that the proper setbacks are maintained. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from
5.	adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour life lesisting
	private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior
	spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board
	- the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National
•	Mechanical Code/1993). Chapter 12 & NFPA 211
7.	Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's
	building code. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking
[8.	gurfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Whilming
	1 :- 1 1. The Crowns 42" except Use Group R which is 36". In occupancies in Use Group A. B. H-4, I-1, I-2 M and R and
	Lie and one parlying structures, one guards shall have balusters or be of solid material such that a spitele with a
	y and the same through any opening. Guards shall not have an ornamental pattern that Would provide a ladder eneog
	Granderile shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30, but not more than 38".
	Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4° and not greater than 2. (Sections
	1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
9.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0) Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum
(10.	Stair construction in Use Group K-3 & K-4 is a minimum of 10 dead and 7 5/4 maganantiss.
1.1	11" tread. 7" maximum rise. (Section 1014.0) The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
11.	The himming head out it in parts of a star way share see a s

Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special

12.

knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it 13. exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1

All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self 14. closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0

The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing

automatic extinguishment. Table 302.1.1

- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the 16. provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms

15.

In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2

A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. Section 921.0

The Fire Alarm System shall be maintained to NFPA #72 Standard. 18.

The Sprinkler System shall maintained to NFPA #13 Standard. 19.

All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 20. 1024. Of the City's building code. (The BOCA National Building Code/1996)

Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate 21.

or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a 22. certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)

All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.

All requirements must be met before a final Certificate of Occupancy is issued.

All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National <u>L</u> 26. Building Code/1996).

Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National 27. Mechanical Code/1993). (Chapter M-16)

Please read and implement the attached Land Use-Zoning report requirements. 28.

Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building 29. code.

Glass and glazing shall meet the requirements of Chapter 24 of the building code. A fire resistance rating of (2) Two hours is required between a single family and a mercantile use-

32.

33.

Sffses Building Inspector

Marge Schmuckal, Zoning Administrator

PSH 8-1-98

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Total Square Footage of Proposed Structure		P.,
	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# 3 5 Block# Lot# 9	owner: J.William Sr. + Kimberly Spro	1 Telephone#:
Owner's Address: 502 Stevens Ruemue 04/03	Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee \$ 25 -
Proposed Project Description: (Please be as specific as possible) Monge of USC From 51V 100M on FIYST Floor For	igle family to single for ontique/giftshop	mily with one
Contractor's Name, Address & Telephone		Rec'd By
Current Use: SNAR FORMILY	Proposed Use: 5') ngli f mm	ily in antique lait
 HVAC(Heating, Ventililation and Air Condi 		nded by Section 6-Art III.
You must Include the following with you application 1) ACopy of Y 2) A Copy of Minor or Major site plan review will be required for checklist outlines the minimum standards for a site p Unless exempted by State Law, construct A complete set of construction drawings showing all	Tour Deed or Purchase and Sale Agreement f your Construction Contract, if available 3) A Plot Plan/Site Plan the above proposed projects. The attached plan. 4) Building Plans etion documents must be designed by a regist	P93 BOCA Mechanical Code. PET. OF BUILDING INSPECTION CITY OF PORTLAND, ME FEB 2 2 1999 Pered design professional

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum


application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to

Date:

enforce the provisions of the codes applicable to this permit.

Signature of applicant:

Kim Sproull 502 Stevens Avenue



STEVENS AVENUE