

9 | UNIT 108 KITCHEN ELEVATION
1/2" = 1'-0"



8 | UNIT 108
1/4" = 1'-0"

1 BED - ANSI 117.1 TYPE B
AUDIO/VISUAL ACCESSIBLE
GENERAL STORAGE = 159.6 CU.FT



6 | UNIT 107
1/4" = 1'-0"

1 BED - ANSI 117.1 TYPE B
GENERAL STORAGE = 104.5 CU.FT



3 | UNIT 106
1/4" = 1'-0"

1 BED - ANSI 117.1 TYPE B
GENERAL STORAGE = 123.6 CU.FT.



1 | UNIT 105
1/4" = 1'-0"

1 BED - ANSI 117.1 TYPE B
GENERAL STORAGE = 134.3 CU.FT.

TYPICAL UNIT STORAGE & BATHROOM ACCESSORIES LEGEND

1. TYPICAL UNIT BEDROOM CLOSET
2'-0" DEEP x 5'-0" WIDE BY 8'-0" HIGH

1A. EFFICIENCY UNIT BEDROOM CLOSET
2'0" DEEP X 3'-0" WIDE BY 8'-0" HIGH

2. LINEN STORAGE CLOSET
TYPE B UNITS = 1'-6" DEEP X 1'-8"(MIN) WIDE.
ACCESSIBLE UNITS = 1'-8" DEEP X 1'-8"(MIN) WIDE.
PROVIDE WITH (4) SHELVES SPACED AS SHOWN ON DTL 1/A6.30. YIELDS 10 SF MINIMUM OF SHELVING AREA.

3. COAT CLOSET
(1) 2'-0" DEEP X 2'-0" DEEP BY 8'-0" HIGH.

4. GENERAL STORAGE
TYPICAL FINISHED CEILING HEIGHT IS 8'-0". EACH LINEAR FOOT OF GENERAL STORAGE CLOSET YIELDS 16 CUBIC FEET OF STORAGE. TOTAL CUBIC FEET HAS BEEN INDICATED ON EACH UNIT AS MEETING OR EXCEEDING 100 CUBIC FEET FOR 1 BEDROOM UNITS, 50 CUBIC FEET FOR EFFICIENCIES. SEE CLOSET AREA. SHOWN IN LIGHT GREY.

5. SURFACE MOUNTED MEDICINE CABINET
REFER TO SPECIFICATIONS

6. NOT USED

7. NOT USED

8. 24" TOWEL BAR

9. 18" TOWEL BAR

10. TAYMOR 01-9404 TOWEL RING

11. TOILET PAPER HOLDER

= WALL WHERE SHOWER CONTROLS & SHOWER HEAD MUST BE LOCATED

NOTE: VANITY CABINET WIDTHS ARE LISTED - VANITY TOPS MUST BE 1" WIDER TO OVERHANG 1/2" EACH SIDE



7 | UNIT 107 KITCHEN ELEVATION
1/2" = 1'-0"



5 | UNIT 106 KITCHEN ELEVATION
1/2" = 1'-0"



2 | UNIT 105 KITCHEN ELEVATION
1/2" = 1'-0"

LICENSED ARCHITECT
DAVID LLOYD
NO. 936
STATE OF MAINE

Prepared For:
MOTHERHOUSE LLC

Consultant:

Architect:
ARCHETYPE architects
48 Union Wharf Portland, Maine 04101
(207) 772-6022 ARCHETYPE@ARCHETYPEPA.COM

Project:
MOTHERHOUSE SENIOR HOUSING
605 STEVENS AVENUE
PORTLAND, MAINE 04103

Revisions:

Scale: As indicated

Date: 15 FEB 2016

UNIT PLANS
(105, 106, 107, 108)

A6.02