

UNIT DOOR SCHEDULE

DOOR No.	SIZE			DOOR				FRAME		LABEL	REMARKS
	WIDTH	HEIGHT	THICKNES S	TYPE	MATERIAL	FINISH	THRESH	MATERIAL	Finish		
U1	3'-0"	7'-0"	1 3/4"	A	BIRCH VENEER	CLEAR COAT	ALUM	HM	PTD	20 MIN.	SMOKESEAL & CLOSER, MORTISED BOTTOM SWEEP, ENTRY FUNCTION
U2	3'-0"	6'-8"	1 3/8"	B	S.C. MOLDED	PTD		WOOD	PTD		PRIVACY FUNCTION
U5	2'-0"	6'-8"	1 3/8"	B	S.C. MOLDED	PTD		WOOD	PTD		PASSAGE FUNCTION
U6	4'-0"	7'-0"	1 3/8"	C	S.C. MOLDED	PTD		WOOD	PTD		DOUBLE BIFOLD
U7	6'-0"	6'-8"	1 3/8"	C	S.C. MOLDED	PTD		WOOD	PTD		DOUBLE BIFOLD
U8	5'-0"	6'-8"	1 3/8"	C	S.C. MOLDED	PTD		WOOD	PTD		DOUBLE BIFOLD
U9	4'-0"	6'-8"	1 3/8"	C	S.C. MOLDED	PTD		WOOD	PTD		DOUBLE BIFOLD
U10	3'-0"	6'-8"	1 3/8"	D	S.C. MOLDED	PTD		WOOD	PTD		BIFOLD
U11	2'-6"	6'-8"	1 3/8"	D	S.C. MOLDED	PTD		WOOD	PTD		BIFOLD
U12	2'-0"	6'-8"	1 3/8"	D	S.C. MOLDED	PTD		WOOD	PTD		BIFOLD
U13	3'-0"	7'-0"	1 3/4"	EXISTING	EXISTING	EXISTING		EXISTING	EXISTING		PRIVACY FUNCTION
U14	3'-0"	7'-0"	1 3/4"	EXISTING	EXISTING	EXISTING		EXISTING	EXISTING		EXISTING HARDWARE TO REMAIN

DOOR SCHEDULE

DOOR No.	LOCATION	DOOR			TYPE	MAT'L	FINISH	FRAME			LABEL	OPER.	SWEE P	CL.	REMARKS
		W	H	THCK				THRESHOLD	MAT'L	FINISH					
FIRST FLOOR															
101	SPRK.	2'-6"	7'-0"	1 3/4"	1	HM	PTD	ALUM	EXG	PTD	20 MIN.	STOR	Yes	Yes	PROVIDE SMOKE SEALS
102	JAN.	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	20 MIN.	STOR	Yes	Yes	PROVIDE SMOKE SEALS
103	STAIR C	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
104	ERV	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	20 MIN.	STOR	Yes	Yes	PROVIDE SMOKE SEALS
105	LAUNDRY	5'-0"	7'-0"	1 3/4"	2	HM	PTD	ALUM	HM	PTD	45 MIN.	PASS	Yes	Yes	PROVIDE MAGNETIC HOLD OPEN AND SMOKE SEALS
106	ELEV. MACH. RM	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	45 MIN.	STOR	Yes	Yes	PROVIDE SMOKE SEALS
107	MECHANICAL	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	90 MIN.	COMM	Yes	Yes	PROVIDE SMOKE SEALS
108	STAIR F	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
109	STAIR D	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
110	STAIR E	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
111	STAIR F	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
112	ELEC.	3'-0"	7'-0"	1 3/4"	EXIST						-	STOR	Yes	Yes	PROVIDE WEATHERSTRIPPING
113	ELEC.	2'-6"	7'-0"	1 3/4"	EXIST						20 MIN.(E)	STOR	Yes	Yes	PROVIDE SMOKE SEALS
114	STAIR G	3'-0"	7'-0"	1 3/4"	EXIST						45 MIN.(E)	PASS	Yes	Yes	PROVIDE SMOKE SEALS
115	ELEC. METERS	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	45 MIN.	STOR	Yes	Yes	PROVIDE SMOKE SEALS
116	OFFICE	3'-0"	7'-0"	1 3/4"	EXIST						20 MIN.(E)	OFCE	Yes	Yes	PROVIDE SMOKE SEALS
117	BIKES	3'-0"	7'-0"	1 3/4"	EXIST						-	STOR	Yes	Yes	PROVIDE WEATHERSTRIPPING
118	ELEV. MACH.	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	90 MIN.	STOR	Yes	Yes	PROVIDE SMOKE SEALS
119	LOBBY	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM	EXG	PTD	-	ENTR	Yes	Yes	PROVIDE WEATHERSTRIPPING
120	STAIR E	3'-0"	7'-0"	1 3/4"	EXIST						-	EXIT	Yes	Yes	PROVIDE WEATHERSTRIPPING
121	LOBBY	6'-0"	7'-0"	1 3/4"	5	WD	CLEAR COAT	ALUM	WD	PTD	-	ENTR	Yes	Yes	PROVIDE WEATHERSTRIPPING
122	CORR.	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
123	STAIR A	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
124	STAIR B	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
125	LOBBY	3'-0"	7'-0"	1 3/4"	EXIST						-	-			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
127	TEL/MED	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM		PTD	20 MIN.	OFCE	Yes	Yes	PROVIDE SMOKE SEALS
128	TOILET	3'-0"	6'-8"	1 3/8"	B	SC	PTD				-	PVCY			
129	LOBBY	3'-6"	7'-0"	1 3/4"	EXISTING						-	ENTR			
130	MECHANICAL	2'-8"	7'-0"	1 3/4"	EXISTING						45 MIN.(E)	STOR	Yes	Yes	
SECOND FLOOR															
201	STAIR F	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
202	STAIR E	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
203	STAIR D	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
204	CORR.	6'-0"	7'-0"	1 3/4"	EXIST						-	-			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
205	ERV	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	20 MIN.	STOR	Yes	Yes	PROVIDE SMOKE SEALS
206	LOBBY	6'-0"	7'-0"	1 3/4"	4	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
207	LOBBY	6'-0"	7'-0"	1 3/4"	4	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
208	ERV	3'-0"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	90 MIN.	STOR	Yes	Yes	PROVIDE SMOKE SEALS
209	LOBBY	7'-0"	7'-0"	1 3/4"	EXIST						-	-			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
210	CORR.	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
211	STAIR F	5'-0"	7'-0"	1 3/4"	4	HM	PTD	ALUM	HM	PTD	90 MIN.	COMM	Yes	Yes	PROVIDE SMOKE SEALS
212	LOBBY	4'-0"	7'-0"	1 3/4"	EXIST						-	STOR			
213	CORR.	6'-0"	7'-0"	1 3/4"	EXIST						-	-			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
214	CABINETS	3'-0"	7'-0"	1 3/4"	EXIST						-	STOR			
215	STAIR B	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
216	CORR.	6'-0"	7'-0"	1 3/4"	EXIST						-	-			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
217	CORR.	6'-0"	7'-0"	1 3/4"	EXIST						-	-			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
218	STAIR A	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
219	CORR.	3'-0"	7'-0"	1 3/4"	EXIST						-	COMM	Yes	Yes	PROVIDE WEATHERSTRIPPING
220	CORR.	5'-0"	7'-0"	1 3/4"	EXIST						-	-			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
221	STAIR G	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	45 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
222	STAIR D	3'-0"	7'-0"	1 3/4"	EXIST						-	EXIT			PROVIDE WEATHERSTRIPPING
223	LOBBY	6'-0"	7'-0"	1 3/4"	2						-	EXIT			PROVIDE WEATHERSTRIPPING
225	STAIR G	3'-0"	7'-0"	1 3/4"	6						-	EXIT	Yes	Yes	REPLICATE EXISTING DOOR, PROVIDE WEATHERSTRIPPING
226	STAIR B	3'-0"	7'-0"	1 3/4"	6						-	EXIT	Yes	Yes	REPLICATE EXISTING DOOR, PROVIDE WEATHERSTRIPPING
515	STUDIO	6'-0"	7'-0"	1 3/4"	EXIST						-	-			
516	1 BED	1'-3"	8'-0"	1 3/8"	173						-	-			
517	1 BED	1'-3"	8'-0"	1 3/8"	173						-	-			
THIRD FLOOR															
301	STAIR F	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
303	STAIR E	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
304	STAIR D	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
305	CORR.	0"	0"		135						-	-			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
306	ERV	2'-6"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	20 MIN.	STOR	Yes	Yes	PROVIDE SMOKE SEALS
307	LOBBY	6'-0"	7'-0"	1 3/4"	4	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
308	LOBBY	6'-0"	7'-0"	1 3/4"	EXIST						-	-			REMOVE AND REINSTALL DOOR & FRAME WITH DOOR SWING REVERSED
309	LOBBY	6'-0"	7'-0"	1 3/4"	4	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
310	VEST.	6'-0"	7'-0"	1 3/4"	2	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE MAGNETIC HOLD OPEN AND SMOKE SEALS
311	ERV	2'-6"	7'-0"	1 3/4"	1	HM	PTD	ALUM	HM	PTD	20 MIN.	STOR	Yes	Yes	PROVIDE SMOKE SEALS
312	CORR.	6'-0"	7'-0"	1 3/4"	EXIST						-	-			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
313	STAIR B	6'-0"	7'-0"	1 3/4"	4	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
315	STAIR A	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
316	COMMON PORCH	3'-3"	7'-0"	1 3/4"	EXIST						-	PASS			
317	CORR.	5'-0"	7'-0"	1 3/4"	EXIST						-	-			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
318	COMMON PORCH	3'-0"	7'-0"	1 3/4"	EXIST						-	STOR			PROVIDE BRASS HOOK & EYE TO HOLD DOORS OPEN
322	CHAPEL	6'-0"	7'-0"	1 3/4"	2	HM	PTD	ALUM	HM	PTD	20 MIN.	PASS	Yes	Yes	PROVIDE SMOKE SEALS
518	1 BED	3'-0"	6'-8"	1 3/4"	169						-	-			
519	1 BED	3'-0"	6'-8"	1 3/4"	169						-	-			
520	SACRISTY	0"	0"		120						-	-			
FOURTH FLOOR															
401	STAIR E	3'-0"	7'-0"	1 3/4"	3	HM	PTD	ALUM	HM	PTD	90 MIN.	PASS	Yes	Yes	EXISTING???
402	STAIR D														