

SPECIAL BAR JOIST NOTES:

- ALL JOIST DEFLECTION SHALL BE LIMITED TO $L/240$ OF THE SPAN LENGTH.
- ALL JOIST DEFLECTION SHALL BE LIMITED TO $L/240$ OF THE SPAN LENGTH.
- UNIFORM TOP CHORD LOAD SHALL BE AS INDICATED BY THE ARROWS. CONCURRENT BOTTOM CHORD LIVE LOADS:
- P1 INDICATES TYPICAL POINT LOADS APPLIED ANYWHERE AS SHOWN.
 - P2 INDICATES THREE (3) 100 LB POINT LOADS APPLIED ANYWHERE AS SHOWN.
 - P3 INDICATES THREE (3) 100 LB POINT LOADS APPLIED ANYWHERE AS SHOWN.
- INDICATES REQUIRED WEB OPENING TO ACCOMMODATE DUCT RUN

REV.	DESCRIPTION	DATE
0		00/00/00

PERMIT APPLICATION SUBMISSION 3-18-09

CURRENT ISSUE STATUS: 03/18/09

WBRC ARCHITECTS & ENGINEERS
 1000 WASHINGTON STREET
 PORTLAND, ME 04101-3000

OCEAN AVENUE ELEMENTARY SCHOOL
 PORTLAND, ME

SPECIAL JOIST LOADING DIAGRAMS

SHEET TITLE: 331610-S-203
 PROJECT NO.: 331610
 DRAWING SCALE: 1" = 16'-0"
 AS NOTED
 PROJECT MANAGER: M.E.J.
 DRAWN BY: B.A.B.
 CHECKED BY: J.P.P.

