City of Portland, Maine – Building	g or Use Permit Application	389 Congres	s Street, (04101, Tel: (207) 87	4-8703, FAX: 874-8716
		Phone: 797-0	321	Permit No: 9 7 0 9 0 8	
Owner Address: 14 Tarbell Ave., Portland 04103	Lessee/Buyer's Name:	Phone:	Business		PERMIT ISSUED
Contractor Name:	Address:	Phor	ne:		Permit Issued: AUG 2 0 1997
Past Use:	Proposed Use:	\$20,000.00	RK:	PERMIT FEE: \$120.00	NA CONTRACTOR OF THE CONTRACTO
Retail	Same w/interior reno	FIRE DEPT. □	Approved Denied	INSPECTION: Use Group: M Type: 3B OCA 96 Signature: 74 ffee	CITY OF PORTLAND Zone: CBL: 37-C-9
Proposed Project Description: PEDESTRIAN ACTIVITIES DI Action: Approved Approved with G Denied Signature:			S DISTRICT (P.A.D.)	Special Zone of Reviews: Shoreland Wetland Flood Zone Subdivision	
Permit Taken By: Vicki Dover	Date Applied For: 8/18				☐ Site Plan maj ☐minor ☑mm ☐
 This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. Building permits do not include plumbing, septic or electrical work. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work. 					Zoning Appeal Variance Miscellaneous Conditional Use Interpretation Approved Denied
Mail to owner 30-3685/15691				Historic Preservation Not in District or Landmark Does Not Require Review Requires Review	
I hereby certify that I am the owner of record of the authorized by the owner to make this application a if a permit for work described in the application is areas covered by such permit at any reasonable ho	s his authorized agent and I agree to consissued, I certify that the code official's autroenforce the provisions of the code	nform to all applicab authorized representa	le laws of th tive shall hav	is jurisdiction. In addition,	Action: Approved Approved with Conditions Denied Date: 8 18 97
RESPONSIBLE PERSON IN CHARGE OF WORK	K, TITLE			PHONE:	CEO DISTRICT
White-Per	rmit Desk Green-Assessor's Cana	ry-D.P.W. Pink-P	ublic File I	vory Card-Inspector	M

COMMENTS	
9-18-97 Thundows Rany been wetalled. Culing.	hary
been put up + plumbur, & heating left to be du	
10-9-9 This is all completed	
Inspection Record	
Туре	Date
Foundation:	-
Framing: Plumbing:	
Final:	
Other:	

BUILDING PERMIT REPORT

DATE: 19 AUGUST 97 ADDRESS: 845 ForesTAVE	
REASON FOR PERMIT: To MAKE Interior renovations	
BUILDING OWNER: Danie/ Walker	
CONTRACTOR: Owner	
PERMIT APPLICANT: APPROVAL: \$\frac{\times 1 \times 8 \times 10 \frac{\times 17\forall 8\times 20}{17\forall 8\times 20}	NIED

CONDITION(S) OF APPROVAL

A. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)

3. Precaution must be taken to protect concrete from freezing.

4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.

- 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
- 7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
- S. Guardrail & Handrails Λ guardrail system is a system of building components located near the open sides of clevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group Λ, Β, 11-4, 1-1, 1-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
 - 9. Headroom in habitable space is a minimum of 7'6".
- X 10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
 - 11. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
 - 12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
 - 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
 - 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
 - All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NIPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements


In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and

I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

A17.	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an
v/ . =	approved type.
×18.	The Pire Alarm System shall be maintained to NFPA #72 Standard.
19.	The Sprinkler System shall maintained to NFPA #13 Standard.
≯20.	All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
21.	No construction or demolition work shall begin until you have obtained permits for dumpsters or containers. A work
	Stop Order shall be issued if this requirement is not met.
22.	Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
23.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
24.	This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
25,	Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code.
26.	All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.
. 27.	All requirements must be met before a finial Certificate of Occupancy is issued.
0.0	
28.	<u> </u>
29.	

P. Samuel Holliscs, Chief of Code Enforcement

cc: Li. McDougall, PFD Marge Schmuckal



Downeast Applience 845 FOREST Aug Port. 797-0321 Daniel Walker

TotAL 1600 Sg FT