



GENERAL NOTES

1. PROVIDE A FENCE OR WALL ENCLOSURE AROUND ENTIRE POOL AREA. BARRIERS SHALL BE 4 FEET IN HEIGHT ALONG THE EXTERIOR SIDE SPACES FROM THE POOL AREA. ALL GATES AND DOORS TO POOL AREA SHALL OPEN AWAY FROM POOL AREA.
2. ALL GATES WHICH PROVIDE ACCESS TO POOL AREA MUST HAVE SELF-CLOSING/SELF-LATCHING DEVICE. DRIVEWAY LATCHES AT THE EXTERIOR OF THE ENCLOSURE MUST BE LOCATED AT LEAST 5 FEET FROM THE POOL AREA. THE MECHANISM OF SELF-LATCHING DEVICE SHALL BE LOCATED ON THE POOL SIDE AT LEAST 3 FEET BELOW TOP OF GATE. THE GATE AND BARRIERS SHALL NOT HAVE AN OPENING GREATER THAN 1/2 INCH WITHIN 18 INCHES OF THE RELEASE MECHANISM. ALL GATES AND DOORS TO POOL AREA SHALL OPEN AWAY FROM POOL AREA.
3. POOL DOORS FROM THE DWELLING UNIT THAT PROVIDE DIRECT ACCESS TO POOL AREA SHALL BE SELF-CLOSING AND SELF-LATCHING. THE MECHANISM OF SELF-LATCHING DEVICE SHALL BE LOCATED ON THE POOL SIDE AT LEAST 3 FEET BELOW TOP OF GATE. THE GATE AND BARRIERS SHALL NOT HAVE AN OPENING GREATER THAN 1/2 INCH WITHIN 18 INCHES OF THE RELEASE MECHANISM. ALL GATES AND DOORS TO POOL AREA SHALL OPEN AWAY FROM POOL AREA.
4. SWIMMING POOL AREA AND ENCLOSURE SHALL BE CONSTRUCTED IN COMPLIANCE WITH SECTION OF MOST RECENT EDITION OF THE BOCA NATIONAL BUILDING CODE ENTITLED SWIMMING POOLS WHICH SHALL SUPERSEDE ALL OTHER EDITIONS.

AN OPENING GREATER THAN 1/2 INCH WITHIN 18 INCHES OF THE RELEASE MECHANISM. ALL GATES AND DOORS TO POOL AREA SHALL OPEN AWAY FROM POOL AREA.

POOL DOORS FROM THE DWELLING UNIT THAT PROVIDE DIRECT ACCESS TO POOL AREA SHALL BE SELF-CLOSING AND SELF-LATCHING. THE MECHANISM OF SELF-LATCHING DEVICE SHALL BE LOCATED ON THE POOL SIDE AT LEAST 3 FEET BELOW TOP OF GATE. THE GATE AND BARRIERS SHALL NOT HAVE AN OPENING GREATER THAN 1/2 INCH WITHIN 18 INCHES OF THE RELEASE MECHANISM. ALL GATES AND DOORS TO POOL AREA SHALL OPEN AWAY FROM POOL AREA.

Scale: 3/16" = 1'-0"

North

Sheet No: 2

The: LAYOUT AND LIGHTING PLAN

Date: OCTOBER 24, 2003

Revisions:

JOHN R. GENDRON RESIDENCE

450 Baxter Boulevard Portland, Maine

39K 13

Prepared For: JOHN R. GENDRON
450 Baxter Boulevard
Portland, Maine 04103

Prepared By: MITCHELL & ASSOCIATES
Landscape Architects
The Staples School
Portland, Maine 04101
Tel: (207) 774-4427