



□	WOOD POST
○	STEEL COLUMN
(X)	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMN ABOVE THIS LEVEL
C	COLUMN CONTINUOUS THROUGH THIS LEVEL
— —	JOIST BEARING
— — —	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
— — — —	FLUSH FRAMED JOIST BEARING WITH HANGER
— — — — —	WOOD STUD BEARING WALL BELOW
— — — — — —	OVER FRAMING BY OTHERS -TYP
X-T	NUMBER OF TRIM STUDS UNDER HEADER
X-K	NUMBER OF KING STUDS ADJACENT TO HEADER

2ND FLOOR FRAMING PLAN
 NOTES:
 1. SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES
 2. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4 UNLESS NOTED OTHERWISE ON PLANS
 3. ALL BEAMS ARE DROPPED, UNO
 4. ALL HEADERS IN 2x6 BEARING WALLS ARE (2) 2x6 NO.1 GRADE SPF MIN, UNO
 5. ALL HEADERS IN 2x4 BEARING WALLS ARE (2) 2x6 NO.1 GRADE SPF MIN, UNO
 6. ALL FLOOR SHEATHING TO BE 5/8", SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP

Structural Integrity
 Consulting Engineers, Inc.
 BUILD WITH CONFIDENCE
 77 Oak Street
 Portland, ME, 04101
 p. 207-774-4614
 f. 866-793-7835
 www.structuralinteg.com
 SI # 15-0042

Bild Architecture
 PO Box 8235
 Portland, ME
 04104
 207.408.0168
 evan@bildarchitecture.com

STATE OF MAINE
 AARON C. JONES
 No. 10966
 LICENSED PROFESSIONAL ENGINEER
 Mar 11th, 2015

PROJECT NO. 15002
 PROJECT NAME 15 WALTON STREET
 PORTLAND, ME

FOR PERMIT SET
 REVISIONS
 1 -
 2 -
 3 -
 4 -
 5 -

DRAWN BY MKL
 SHEET TITLE 2nd Framing Plan

ISSUE DATE 3/11/15
 SHEET SCALE 1/4" = 1'-0"

S
S1.3