

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 28 George St		Owner: Field, Nancy		Phone:		Permit No: 970708	
Owner Address:		Lessee/Buyer's Name:		Phone:		Business Name:	
Contractor Name: Raymond Marquis		Address: 6 Whitebirch Ln Apt 2 Ptld, ME 04103		Phone: 797-7044		Permit Issued: JUL - 3 1997	
Past Use: 1-fam		Proposed Use: Same w/deck		COST OF WORK: \$ 15,000.00		PERMIT FEE: \$ 95.00	
Proposed Project Description: Construct Deck Make Interior Renovations (2nd fl bathroom)		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: <i>BB</i> Type: <i>5B</i> <i>DOC A 95</i>		Zone: <i>R-3</i> CBL: 140-E-006	
		Signature:		Signature: <i>[Signature]</i>		Zoning Approval: <i>to remain family</i>	
Permit Taken By: Mary Gresik		Date Applied For: 30 June 1997		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/>		Special Zone or Reviews: <input type="checkbox"/> Shoreland <i>ok 8/1</i> <input type="checkbox"/> Wetland <i>7/2/97</i> <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: *Raymond Marquis* ADDRESS: _____ DATE: 30 June 1997 PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

- Zoning Appeal**
- Variance
 - Miscellaneous
 - Conditional Use
 - Interpretation
 - Approved
 - Denied

- Historic Preservation**
- Not in District or Landmark
 - Does Not Require Review
 - Requires Review

- Action:**
- Approved
 - Approved with Conditions
 - Denied

Date: KT
6/30/97

CEO DISTRICT 6
M. Leary

970708

Location of Construction: 28 George St		Owner: Nancy		Phone:		Permit No: 970708			
Owner Address:		Lessee/Buyer's Name:		Phone:		Business Name:			
Contractor Name: Raymond Marquis		Address: 6 White Birch Ln Apt 2 Portland, ME 04103		Phone: 797-7044		<div style="border: 2px solid black; padding: 5px; text-align: center;"> PERMIT ISSUED Permit Issued: JUL - 3 1997 CITY OF PORTLAND </div>			
Past Use: 1-122		Proposed Use: Same w/deck		COST OF WORK: \$ 15,000.00 FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied Signature:				PERMIT FEE: \$ 95.00 INSPECTION: Use Group: Type: Signature:	
Proposed Project Description: Construct Deck Make Interior Renovations (2nd fl bathroom)				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied Signature: Date:				Zoning Approval: Zone: CBL: 140-E-006 Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan <input type="checkbox"/> major <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: Mary Gresik		Date Applied For: 30 June 1997							

- This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: Raymond Marquis ADDRESS: DATE: 30 June 1997 PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: _____

CEO DISTRICT

COMMENTS

7-8-97 Enlargement bathroom. Deck work basins & skylights /
7-17-97 Sawn tubes are placed the deck is 3/4 finished
8-28-97 That wall completed

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

7

BUILDING PERMIT REPORT

DATE: 3 July 97 ADDRESS: 28 George ST-
REASON FOR PERMIT: To Construct deck / make minor alter, 2nd bath-
BUILDING OWNER: Field, Nancy
CONTRACTOR: Raymond Marquis
PERMIT APPLICANT: ↑ APPROVAL: *1, *2, *8*10 *16 **DENIED**

CONDITION(S) OF APPROVAL

- ✓1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- ✓2. Before concrete for foundation is placed, approvals ~~from the Development Review Coordinator and Inspection Services~~ must be obtained. (A 24 hour notice is required prior to inspection)
3. Precaution must be taken to protect concrete from freezing.
4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
- ✓8. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
9. Headroom in habitable space is a minimum of 7'6".
- ✓10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise.
11. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.
15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- ✓16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basementsIn addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and


I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
19. The Sprinkler System shall maintained to NFPA #13 Standard.
20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
21. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
22. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
23. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
24. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
25. Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code.
26. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.


27. _____

28. _____

29. _____


P. Samuel Housley, Chief of Code Enforcement

cc: Lt. McDougall, PFD
Marge Schmuckal



MORTGAGE LOAN INSPECTION PLAN



The dwelling does conform to local zoning building setbacks at the time of construction.
 The building and improvements are not in a special flood zone as defined by flood insurance rate map Z30051-0007B dated 7-15-1992.

THIS IS NOT A STANDARD BOUNDARY SURVEY. Information shown on this plan is for mortgage purposes only. Property lines shown on this plan are based on lines of occupation, current deed information (referenced below), and local tax map information. A **STANDARD BOUNDARY SURVEY IS SUGGESTED TO CONFIRM THE LOCATION OF ALL BOUNDARY LINES SHOWN ON THIS PLAN.** This plan may not be recorded or used for any land divisions. The property shown on this plan may be subject to easements, covenants, and restrictions of record which may not be shown on this plan.

This inspection conforms to the standards of the Maine Board of Licensure for Professional Land Surveyors: standards of practice for a Mortgage Inspection.

PROPERTY INFORMATION
 Street: 28 GEORGE STREET Town: PORTLAND County: CUMBERLAND , Maine
 Owner: DIANNE C. POST
 Buyer: SHERRY A. DUNKIN & NANCY J. FIELD
 Deed Reference: Book Page
 Plan Reference: Book Page Lot
 Tax Map # 140 Block # Lot #
 Lending Institution: PEOPLES HERITAGE BANK
 Scale: 1 inch = 30 Feet Date: JUNE 12, 1997

Atlantic Title Company
 76 Atlantic Place
 South Portland, Maine 04106
 Telephone (207) 774-4400



 William O. Austin
 State of Maine
 Professional Land Surveyor #2174

MAC

Applicant: Raymond Marquis

Date: 7/2/97

Address: 28 George St

C-B-L: 140-E-6

CHECK-LIST AGAINST ZONING ORDINANCE

Date - Existing

Zone Location - R-3

Interior or corner lot -

Proposed Use/Work -

Sewage Disposal -

Lot Street Frontage -

Front Yard -

Rear Yard - 25' req — 35' shown

Side Yard - 8' req — 30' shown

Projections -

Width of Lot -

Height -

Lot Area -

9,900[±]

Lot Coverage/ Impervious Surface - 25% —

Area per Family -


Off-street Parking -

Loading Bays -

Site Plan -

Shoreland Zoning/ Stream Protection -


Flood Plains -




Delete window

Delete wall in upstairs bath
Delete door

BATHROOM PLAN - SCHEME C
1/2" SCALE



all framing
16 on center



BASIC GUIDELINES FOR DECK PERMITS

Materials needed to apply for permit:

- 1) Plot Plan - A Bird's eye view of your property showing where all your buildings are located in relationship to the lot lines and each other. You need to show those distances (the front, rear and sides) in feet.
- 2) Construction Plan - Cross Section. What dimensional lumber/materials are being used and what is their make-up?
- 3) Fee - Based on cost of work labor/materials. 25.00 1st 1,000 worth of work, 5.00 each additional 1,000.

The following check-off sheet can be used in most circumstances:

<u>Foundation</u>	<input type="checkbox"/>	Frost wall, min 4' below grade
	<input checked="" type="checkbox"/>	Sone tubes, min 4' below grade, 6" min on footing, hard pan or bedrock
	<input type="checkbox"/>	Other
<u>Sill</u>	<input type="checkbox"/>	Distance between foundation supports
<u>Joist Size</u>	<input type="checkbox"/>	2x6
	<input checked="" type="checkbox"/>	2x8
	<input type="checkbox"/>	2x10
<u>Joist span</u>	<input checked="" type="checkbox"/>	14'
<u>Distance Between Joists</u>	<input checked="" type="checkbox"/>	16"oc
	<input type="checkbox"/>	24"oc
	<input type="checkbox"/>	other
<u>Decking</u>	<input checked="" type="checkbox"/>	5/4
	<input type="checkbox"/>	other/explain
<u>Stair Construction</u>	<input checked="" type="checkbox"/>	10" min tread
	<input type="checkbox"/>	7 3/4" max riser
<u>Guard Height</u>	<input checked="" type="checkbox"/>	36"
	<input type="checkbox"/>	42"

Guards shall be located along open-sided walking surfaces located 15 1/2" above the floor or below grade. Single family - min 36", all others 42", measured vertically above the leading edge of the tread or adjacent walking surface. BOCA 1005.5/1021.2

Balusters /under 4"

Open guards shall have balusters or be of a solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.