DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK





This is to certify that

DIMILLO JANET E

Located at

78 READ ST

PERMIT ID: 2017-00699

ISSUE DATE: 05/18/2017

CBL: 141 F033001

has permission to **Installing 18 ft above ground pool in backyard.**

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

N/A

/s/ Michael Russell, MS, Director

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY
THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Building Inspections

Fire Department

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703

or email: buildinginspections@portlandmaine.gov

Check the Status of Permit or Schedule an Inspection at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that are attached to this permit.
- Permits expire in 6 months if the project is not started or ceases for 6 months.
- If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.

REQUIRED INSPECTIONS:

Setbacks and Footings Prior to Pouring Electrical Only Final Inspection Final - Electric

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

PERMIT ID: 2017-00699 **Located at:** 78 READ ST **CBL:** 141 F033001

enty of 1 of thanks, whather building of else 1 crimit			i l			
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716			2017-00699	05/10/2017	141 F033001	
Proposed Use:		Proposed 1	Proposed Project Description:			
Two family			Installing 18 ft above ground pool in backyard.			
Dept: Fast Track	Status: Approved w/Conditions	Reviewer:	Keri Ouellette	Approval Da	te: 05/17/2017	

Permit No:

Date Applied For:

CBL:

Ok to Issue:

Conditions:

Note:

1) An outdoor swimming pool, including an in-ground, aboveground or on-ground pool, hot tub or spa shall be provided with a barrier which shall comply with the following:

The top of the barrier shall be at least 48 inches above grade measured on the side of the barrier which faces away from the swimming pool. The maximum vertical clearance between grade and the bottom of the barrier shall be 2 inches on the side of the barrier which faces away from the swimming pool. Where the top of the pool structure is above grade, such as an aboveground pool, the barrier may be at ground level, such as the pool structure, or mounted on top of the pool structure. Where the barrier is mounted on top of the pool structure, the maximum vertical clearance between the top of the pool structure and the bottom of the barrier shall be 4 inches.

Openings in the barrier shall not allow passage of a 4-inch-diameter sphere.

City of Portland Maine - Ruilding or Use Permit

Self-latching access gates shall comply with the standards in Section 6-24 of the City of Portland Buildings and Building Regulations, and shall be equipped to accommodate a locking device.

Pool electrical requirements shall comply with Article 680 of the NEC, 2014; a separate electrical permit is required.

- 2) The review of this permit did not include a review or confirmation of the zoning legal use. It is only approving the specific work described in the plans and forms submitted. The current use of the property may be found to be unlawful.
- 3) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems, fire suppression and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 4) This is being issued with the understanding that as a fast track, the owner is responsible for scheduling inspections for the work being done and the inspector may require modifications to the work that has been completed if it does not meet code.
- 5) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.

PERMIT ID: 2017-00699 **Located at:** 78 READ ST **CBL:** 141 F033001