

| NFPA 101 2009 CODE DATA | |
|---|--------------|
| NUMBER OF STORIES | 1 |
| TYPE OF CONSTRUCTION - NFPA 220 | V-000 |
| SPRINKLER SYSTEM | NO |
| OCCUPANCY CLASSIFICATION - SECTION 3.3.178 | BUSINESS |
| AREA PER OCCUPANCY | 2,700 SF |
| OCCUPANT LOAD - TABLE 7.3.1.2 | 27 |
| COMMON PATH OF TRAVEL DISTANCE | 75 FEET |
| MAX. EXIT TRAVEL DISTANCE | 200 FEET |
| DEAD END CORRIDORS | 20 FEET |
| FIRE ALARM | NOT REQUIRED |
| MINIMUM NUMBER OF EXITS - SECTION 7.4.1.1 | 1 |
| FIRE RESISTANT CONSTRUCTION (ALL OCCUPANCIES) | |
| EXTERIOR BEARING WALLS | 0 HR |
| INTERIOR BEARING WALLS | 0 HR |
| COLUMNS | 0 HR |
| BEAMS, GIRDERS, TRUSSES, AND ARCHES | 0 HR |
| FLOOR CONSTRUCTION | 0 HR |
| ROOF CONSTRUCTION | 0 HR |
| EXTERIOR NONBEARING WALLS | 0 HR |
| STAIR ENCLOSURES AND ELEVATOR SHAFTS | 0 HR |
| FIRE EXTINGUISHERS | AS SHOWN |
| NOTES | |

LS3

Title: NFPA 101 Life Safety Code Table
 Scale: No Scale
 Date: 6/17/14
 Project: 905 Forest Avenue Renovations



Michael Charek Architects
 25 Hartley Street
 Portland, Maine 04103
 (207) 761-0556