

COPYRIGHT 2014 REUSE OR REPRODUCTION OF THE CONTENTS OF THIS DOCUMENT IS NOT PERMITTED WITHOUT WRITTEN PERMISSION OF FORESIDE ARCHITECTS

GENERAL NOTES:

1. REPORT AN DISCREPANCIES TO THE DESIGNER OF RECORD. CONTRACTOR SHALL PROCEED WITH WORK ONLY AFTER DISCREPANCIES HAVE BEEN RESOLVED BY THE DESIGNER OF RECORD.

2 .EXISTING BUILDING COMPONENTS AND WORK CURRENTLY COMPLETED AND IN PLACE DURING CONSTRUCTION WHICH IS AFFECTED BY NEW WORK AND DEMOLITION, OR WHICH MAY BE DAMAGED BY THE CONTRACTOR OR ANY SUBCONTRACTOR,

SHALL BE REPLACED OR RESTORED TO THE ORIGINAL CONDITION

AND COLOR AS APPROVED BY THE DESIGNER OF RECORD. 3. THE BUILDING SHALL BE CONSTRUCTED TO CONFORM W/ ALL GOVERNING CODES INCLUDING 2009 IBC, NFPA 101 2009 AND NFPA 150 PERFORMANCE BASED CRITERIA SHOWN HEREIN, ICC PLUMBING CODE, NEC 2005, AND ANSI.

4. ALL EXISTING CONDITIONS ARE TO BE FIELD VERIFIED BY THE CONTRACTOR PRIOR TO FABRICATION, THIS INCLUDES

DELIVERY PROCEDURES, DIMENSIONS AND MATERIALS. 5. DRAWINGS ARE NOT TO BE SCALED. CONTRACTOR SHALL VERIFY DIMENSIONS AND CONDITIONS. APPARENT DISCREPANCIES

REQUIRING CLARIFICATION SHALL BE DIRECTED TO THE DESIGNER OF RECORD PRIOR TO COMMENCEMENT OF THE WORK IN QUESTION. 6. DEMOLITION MAY REQUIRE SELECTIVE REMOVAL OF EXISTING MATERIALS, TEMPORARY BRACING AND STRUCTURAL SHORING.

REGULATIONS. 7. THIS PROJECT SHALL NOT CONTAIN HAZARDOUS MATERIALS OF ANY OF TYPE, INCLUDING BUT NOT LIMITED TO ASBESTOS.

REMOVAL OF ALL MATERIALS DISMANTLED NOT INTENDED

FOR RE-USE SHALL BE DISPOSED OF IN COMPLIANCE WITH LOCAL

8. THE CONTRACTOR SHALL OBTAIN ALL REQUIRED PERMITS FROM THE APPROPRIATE OFFICIALS PRIOR TO COMMENCING THE WORK AND INSPECTIONS AND APPROVALS UPON COMPLETION OF THE WORK, 9. WHERE ONLY A SINGLE PRODUCT OR MANUFACTURER IS NAMED, PROVIDE THE PRODUCT INDICATED.

THROUGH WRITTEN DIRECTIVE. 10. THE LOCATION OF ALL DOOR FRAMES NOT DIMENSIONED SHALL BE 4" FROM ADJACENT WALLS UNLESS OTHERWISE

SUBSTITUTIONS SHALL BE PERMITTED ONLY WHEN APPROVED

BY THE OWNER OR THE OWNER'S AUTHORIZED REPRESENTATIVE

11. ALL PARTITIONS SHALL EXTEND FROM FLOOR TO

UNDERSIDE OF SUPPORTING STRUCTURE ABOVE UNLESS OTHERWISE NOTED. 12. INSTALL BLOCKING BEHIND ALL SURFACE APPLIED

FIXTURES, TRIM, GRAB BARS, SHELVES, CHAIR RAILS, PICTURE RAILS AND BASE MOLDINGS. 13. AT PROJECT CLOSEOUT, SUBMIT SPECIFIC WARRANTEES,

WORKMANSHIP BONDS, MAINTENANCE AGREEMENTS, FINAL CERTIFICATIONS AND SIMILAR DOCUMENTS. 14. COMPLETE FINAL CLEANUP AT PROJECT CLOSEOUT.

TOUCH-UP, REPAIR AND RESTORE ALL MARRED EXPOSED

15. IF TWO CONFLICTING CONDITIONS OR DETAILS EXIST IN THIS DRAWING SET OR ASSOCIATED SPECIFICATIONS THE SUBCONTRACTOR SHALL MAKE THEM KNOWN TO THE GENERAL CONTRACTOR AND DESIGNER OF RECOR IT SHALL BE THE DESIGNER OF RECORD'S CHOICE TO DECIDE WHICH CONDITION OR DETAIL APPLIES, AT NO ADDITIONAL COST.

REVISIONS:




5 FUNDY ROAD FALMOUTH, ME 04105

Phone: 207-781-3344 Fax: 207-699-5564 Online @ foresidearchitects.com

Project Status:

PERMIT AND REVIEW DRAWINGS

Project Number: SW120714



SAGE WELLNESS, LLC 978 - 980 FOREST AVENUE PORTLAND, ME 04103

Drawing Name:

ABBREV & FLOOR / ROOF ASSEMBLIES

Scale: N.T.S.

Date:

AUGUST 18, 2014

SHEET

G2

ARCHITECTURAL ABBREVIATIONS