

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 716 Stevens Ave		Owner: Westbrook College		Phone:		Permit No: 970613	
Owner Address:		Lessee/Buyer's Name: University of New England		Phone:		BusinessName:	
Contractor Name: Keeley Construction Co.		Address: P.O. Box 1074 Portland, ME 04104		Phone: 773-8499		<div style="border: 2px solid black; padding: 5px; text-align: center;"> PERMIT ISSUED JUN 18 1997 CITY OF PORTLAND </div>	
Past Use: College		Proposed Use: Same		COST OF WORK: \$ 180,000.00		PERMIT FEE: \$ 520.00	
				FIRE DEPT. <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: B Type: 11	
Proposed Project Description: Make Interior Renovations - Proctor Hall				Signature: <i>[Signature]</i>		Signature: <i>[Signature]</i>	
PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/>				Signature: _____ Date: _____		Zoning Approval: Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: Mary Gresik		Date Applied For: 16 June 1997				Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied	

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

16 June 1997

SIGNATURE OF APPLICANT *[Signature]* Ken Sanvoss ADDRESS: _____ DATE: _____ PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT 4

COMMENTS

7-16-97 Rough Plumbing Inspection - Bemt. Level.

7-21-97 Copper Test Lines - Bemt.

8-4-97 General inspection of Bemt. area for pre occupancy of Student Services (Registration) Room. Have discussed the need to barricade areas off so the public can't access areas of work. Emergency lighting and Alarm system tested - 8/5/97. OK. w/ St. MacDougal. Windows to be replaced (broken) and glazing being replaced through entire bldg.

8-12-97 College not blocked off from construction site. Called St. MacDougal called have agreed to section exits) of and follow one singular exiting plan. Keelley Crest. And Theodore Lopez & sons told to get their safety program in order. Also Theriault from UN'E also @ meeting.

Never notified for final inspection

Inspection Record

Type	Date
Foundation:	_____
Framing:	_____
Plumbing: Bemt (Rough-In) 7-16-97	_____
Final:	_____
Other:	_____

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716


Location of Construction: 716 Stevens Ave		Owner: Westbrook College		Phone:		Permit No: 970613 PERMIT ISSUED
Owner Address:		Lessee/Buyer's Name: University of New England		Phone:		
Contractor Name: Keeley Construction Co.		Address: P.O. Box 1074 Ptd, ME 04104		Phone: 773-8499		Zone: CBL: RS 145-A-003 Zoning Approval: OK 6/17/97 Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>
Past Use: College		Proposed Use: Same		COST OF WORK: \$ 100,000.00		
Proposed Project Description: Make Interior Renovations - Proctor Hall		FIRE DEPT. <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: B Type: 3B		Signature: _____ Date: _____
		Signature: _____		Signature: _____		
Permit Taken By: Mary Gresik		Date Applied For: 16 June 1997		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/>		Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT:  Ken Sanvoss ADDRESS: _____ DATE: 16 June 1997 PHONE: _____


RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____


White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

Historic Preservation
 Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:
 Approved
 Approved with Conditions
 Denied

Date: 6/17/97



CEO DISTRICT 
A. Powers


BUILDING PERMIT REPORT

DATE: 6/18/97 ADDRESS: 716 Stevens Ave
REASON FOR PERMIT: renovation
BUILDING OWNER: Wentworth College
CONTRACTOR: Kreley Const.
PERMIT APPLICANT: Ken Sadows APPROVAL: X/16/17/18/19/20 **DENIED**
X/25/26

CONDITION(S) OF APPROVAL

- X/1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 3. Precaution must be taken to protect concrete from freezing.
 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
 7. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
 8. Headroom in habitable space is a minimum of 7'6".
 9. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise.
 10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
 11. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
 12. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 13. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.
 14. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
 15. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

16. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
17. The Fire Alarm System shall be maintained to NFPA #72 Standard.
18. The Sprinkler System shall maintained to NFPA #13 Standard.
19. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
20. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
23. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
24. Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code.
25. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.
26. This permit requires State Fire Marshall approval.
27. _____
28. _____


P. Samuel Hoopes, Chief of Code Enforcement

cc: Lt. McDougall, PFD
Marge Schmuckal

W. S. W. D. G.

June 16, 1997

City of Portland
P.O. Box 544
Portland, ME 04104


Re: University of New England
Proctor Hall - Barrier Free Restrooms
Portland, Maine

Dear Sir,

Keeley Construction Company, Inc. request the issuance of a building permit for renovations to existing bath rooms in accordance with the attached plans.

The value for the above work is \$100,000.00.

Very truly yours,



James F. Keeley, Jr.
President

JFK/sds

enclosure

ELECTRICAL PERMIT

City of Portland, Me.



To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations
 in accordance with the laws of Maine, the City of Portland Electrical Ordinance,
 National Electrical Code and the following specifications:

Date 30 May 1997

LOCATION: 716 Stevens Ave

Permit # 14935

OWNER Westbrook College/University of N. ME ADDRESS _____

145-A-903

								TOTAL EACH FEE		
OUTLETS	Telephone		Data		CATV			.20		
	Receptacles	35	Switches	12	Smoke Detector		47	.20	9.40	
FIBER OPTICS								15.00		
FIXTURES	incandescent	15	fluorescent	12			27	.20	5.40	
	fluorescent strip							.20		
SERVICES	Overhead				TTL AMPS TO	800		15.00		
	Underground					800		15.00		
Temporary Service	Overhead				AMPS OVER	800		25.00		
	Underground					800		25.00		
METERS	(number of)							1.00		
MOTORS	(number of)							2.00		
RESID/COM	Electric units							1.00		
HEATING	oil/gas units		Interior		Exterior			5.00		
APPLIANCES	Ranges		Cook Tops		Wall Ovens			2.00		
	Insta-Hot		Water heaters		Fans			2.00		
	Disposals		Dishwasher		Compactors			2.00		
MISC. (number of)	Air Cond/win							3.00		
	Air Cond/cent							10.00		
	HVAC		EMS		Pools			5.00		
	Signs				Thermostat			10.00		
	Alarms/res							5.00		
	Alarms/com							15.00		
	Heavy Duty(CRKT)							2.00		
	Circus/Carnv							25.00		
	Alterations							5.00		
	Fire Repairs							15.00		
	E Lights							1.00		
	E Generators							20.00		
	PANELS	Service	1	Remote	1	Main		2	4.00	8.00
TRANSFORMER								5.00		
	0-25 Kva							8.00		
	25-200 Kva							10.00		
	Over 200 Kva									
TOTAL AMOUNT DUE										
MINIMUM FEE/COMMERCIAL 35.00								MINIMUM FEE	25.00	35.00

INSPECTION: Will be ready _____ or will call _____

CONTRACTORS NAME M.L. Electric MASTER LIC. # _____
 ADDRESS 18 Goff Brook Ln Arundel LIMITED LIC. # _____
 TELEPHONE 967-1259

SIGNATURE OF CONTRACTOR *[Signature]*

ELECTRICAL PERMIT

City of Portland, Me.



To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations
 in accordance with the laws of Maine, the City of Portland Electrical Ordinance,
 National Electrical Code and the following specifications:

Date 13 June 1997LOCATION: 716 Stevens AvePermit # 13205OWNER Westbrook College ADDRESS _____

							TOTAL EACH FEE	
OUTLETS	Telephone		Data		CATV		.20	
	Receptacles		Switches		Smoke Detector	30	.20	6.00
FIBER OPTICS							15.00	
FIXTURES	incandescent		fluorescent				.20	
	fluorescent strip						.20	
SERVICES	Overhead				TTL AMPS TO	800	15.00	
	Underground					800	15.00	
Temporary Service	Overhead				AMPS OVER	800	25.00	
	Underground					800	25.00	
METERS	(number of)						1.00	
MOTORS	(number of)						2.00	
RESID/COM	Electric units						1.00	
HEATING	oil/gas units		Interior		Exterior		5.00	
APPLIANCES	Ranges		Cook Tops		Wall Ovens		2.00	
Insta-Hot	Water heaters		Fans		Dryers		2.00	
Disposals	Dishwasher		Compactors		Others (denote)		2.00	
MISC. (number of)	Air Cond/win						3.00	
	Air Cond/cent				Pools		10.00	
	HVAC		EMS		Thermostat		5.00	
	Signs						10.00	
	Alarms/res						5.00	
	Alarms/com						15.00	
	Heavy Duty(CRKT)						2.00	
	Circus/Carnv						25.00	
	Alterations					XX	5.00	5.00
	Fire Repairs						15.00	
	E Lights						1.00	
	E Generators						20.00	
PANELS	Service		Remote	X	Main	1	4.00	4.00
TRANSFORMER	0-25 Kva						5.00	
	25-200 Kva						8.00	
	Over 200 Kva						10.00	
					TOTAL AMOUNT DUE			
					MINIMUM FEE/COMMERCIAL 35.00			
					MINIMUM FEE	25.00		35.00

INSPECTION: Will be ready 6/16 Mon or will call _____

CONTRACTORS NAME Lamb Electric MASTER LIC. # 13205
 ADDRESS P.O. Box 1811 Biddeford, ME LIMITED LIC. # _____
 TELEPHONE 283-0245

SIGNATURE OF CONTRACTOR

James R Lamb

