
DETAIL OF LOW PRESSURE DUAL STEAM TRAP NOT TO SCALE

NOTE: LOW PRESSURE TRAP DISCHARGE MUST FLOW BY GRAVITY. DO NOT LIFT.




NOTE: LOW PRESSURE TRAP DISCHARGE MUST FLOW BY GRAVITY. DO NOT LIFT.


DETAIL OF LOW PRESSURE STEAM TRAP NOT TO SCALE

24

ᄼ




STEAM TO STEAM HUMIDIFIER DETAIL (H-1 ALTERNATE) NOT TO SCALE



STEAM HEATING COIL PIPING


NOT TO SCALE




HIGH OR MEDIUM PRESSURE STEAM **END OF MAIN DRIP**

NOT TO SCALE

NOT TO SCALE




TYPICAL HOT WATER REHEAT COIL PIPING DETAIL (DOWNFEED)



SINGLE STAGE STEAM PRESSURE REDUCING STATION WITH PRESSURE RELIEF VALVE


NOT TO SCALE



END SUCTION PUMP PIPING DETAIL FOR HW & CHW VARIABLE SPEED, ISOLATED BASE NOT TO SCALE



BID SET - NOT FOR CONSTRUCTION DWM/FBH



ARCHITECTURE

65 NEWBURY STREET PORTLAND, ME 04101 207.761.9000 fax: 207.761.2010 lita@portcityarch.com

VANZELM HEYWOOD & SHADFORD, INC PROJECT NO.: 2007120.00

SYTDesign

BECKER structural engineers, inc.

ALLIED/COOK CONSTRUCTION

■ Favreau

Titan Mechanical, Inc. Design Build Engineering - Mechanical Contracting

UNIVERSITY OF NEW ENGLAND

COLLEGE OF PHARMACY

716 STEVENS AVENUE, PORTLAND, ME

DATE DESCRIPTION BID SET Date Issued 02/08/08

SHEET NAME

MECHANICAL DETAILS

Project Number 06506

COPYRIGHT: Reuse or reproduction of the contents of this document is not permitted without written permission of PORT CITY ARCHITECTURE PA