



1 FIRST FLOOR TECHNOLOGY PLAN
 ET101/SCALE: 1/8"=1'-0"

- DRAWING KEYNOTES**
- ▲ INSTALL SALVAGED COMMUNICATIONS RACK, FIBER PATCH PANEL AND PRIMARY PROTECTION. COORDINATE WITH UTE IT PERSONNEL. FOR FINAL CONNECTIONS.
 - ▲ PROVIDE 25-PAIR COPPER AND FIBER OPTIC CABLING FROM HAND HOLE TO IDF. PROVIDE SPLICES IN HANDHOLE. REFER TO DRAWING CU101 FOR EXACT CONDUIT AND HANDHOLE LOCATIONS.
 - ▲ PROVIDE ANALOG TELEPHONE CONNECTION FOR ELEVATOR. COORDINATE FINAL LOCATION AND CONNECTION REQUIREMENTS.
 - ▲ PROVIDE ANALOG TELEPHONE CONNECTION FOR FIRE ALARM SYSTEM. COORDINATE FINAL LOCATION AND CONNECTION REQUIREMENTS.
 - ▲ PROVIDE ANALOG TELEPHONE CONNECTION TO CALL BOX. FIELD COORDINATE FINAL LOCATION. CONDUIT SHALL BE CONCEALED.
 - ▲ PROVIDE ABOVE CEILING PULL BOX.
 - ▲ 2" EMT CONDUIT SLEEVES WITH BUSHINGS ABOVE CEILING FOR FUTURE USE BY SIMULATION CONSULTANT.
 - ▲ (2) 4" EMT CONDUIT SLEEVES WITH BUSHINGS ABOVE CEILING FOR FUTURE USE BY SIMULATION CONSULTANT.
 - ▲ FOR LCD SCREEN.
 - ▲ 18"W X 4"D CABLE TRAY ABOVE DATA RACKS.
 - ▲ 4" EMT CONDUIT SLEEVE WITH BUSHINGS ABOVE CEILING FOR SECOND FLOOR FLOOR MOUNTED DATA JACKS.
 - ▲ 2" EMT CONDUIT SLEEVE WITH BUSHINGS ABOVE CEILING FOR SECOND FLOOR FLOOR MOUNTED DATA JACKS.
 - ▲ (2) 4" EMT CONDUIT SLEEVES WITH BUSHINGS TO ROOM 220.

SIMULATION SYMBOLS LEGEND

	CAMERA PTZ = PAN, TILT, ZOOM CEILING MOUNT DOME W = WIDE ANGLE WITH ZOOM
	CEILING SPEAKER
	WALL MOUNT SPEAKER
	MICROPHONE C = CEILING MOUNT W = WALL MOUNT

1. DEVICES AND WIRING PROVIDED BY OWNERS CONSULTANT. PROVIDE BOX IN WALL AND CONDUIT, WITH PULL STRING, TO ABOVE CEILING.
 2. CONFIRM DEVICE LOCATIONS PRIOR TO ROUGH-IN.

- DRAWING NOTES**
1. CAT 6 CABLING FOR FIRST FLOOR DATA JACKS IN MEDICAL SUITE SIMULATION AREA, INNOVATION HUB AND TELEPRESENCE SHALL BE RUN IN CRAWL SPACE USING J-HOOKS. CAT6 CABLING SHALL BE RUN ABOVE CEILINGS USING J-HOOKS IN OTHER AREAS OF THE BUILDING. PROVIDE J-HOOKS AS REQUIRED.
 2. REFER TO CIVIL DRAWING CS101 FOR EXACT LOCATIONS OF UNDERGROUND CONDUITS AND HAND HOLES.

