#### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No: 9 8 0 5 798 Stevens Ave Griffin, Diane M. 797-8118/878-2566 Lessee/Buyer's Name: PERMIT ISSUED Owner Address: Phone: BusinessName: SAA Ptld, ME 04103 Permit Issued: Contractor Name: Address: Phone: MAY 2 0 1998 Namco **COST OF WORK:** PERMIT FEE: Past Use: Proposed Use: 6,000.00 50.00 **CITY OF PORTLAN** 1-fam FIRE DEPT. □ Approved INSPECTION Use Group: Paype: 513 ☐ Denied CBL: BOCA 96 Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT ( Min of & To side Action: Approved Special Zone or Reviews Approved with Conditions: ☐ Shoreland Putting in a 24' A/G pool and approx 10x20 deck attached Denied ☐ Wetland ☐ Flood Zone Signature: Date: □ Subdivision Permit Taken By: Date Applied For: ☐ Site Plan maj ☐minor ☐mm ☐ 15 May 1998 **Zoning Appeal** □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous 2. Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use 3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation tion may invalidate a building permit and stop all work.. □ Approved ☐ Denied Historic Preservation □ Not in District or Landmark Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Approved with Conditions □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 18 May 1998 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

White Permit Deck Green-Assessor's Canary-D.P.W. Pink-Public File Ivery Card-Inspector

PHONE:

**CEO DISTRICT** 

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

COMMENTS

11			
16/19 Deit around good, 400 of Conder beliesters.	Parea .	loss then 4' >	te
Inn y pull y	11 /-		
to food, t	Sonne	in fewery +	
Ander Colusters			
Catch on gate No	+ his &	emant & Not 1	motecto
		1	
		Maw Jon 1	1
			18
		Inspection Record	
		ype	Date
	Otner:		

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

## Building or Use Permit Application Additions/Alterations/Accessory Structures

To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Tax Assessor's Chart, Block & Lot Number  Chart# 145 Block# Chart#	ODD DIATE M. GRIFFIN	Telephone#: 207-97-8112(W) 279-2544(H)
Owner's Address-W 09 798 Stevens die, fo. Me.	103 Lessee/Buyer's Name (If Applicable)	Cost Of Work: \$600.00
Proposed Project Description: (Please be as specific as Putting in a 24 fool an	s possible) d apx 10x20 - Deck Attack	hed
Contractor's Name, Address of Telephone	James installas!	
	for Internal & External Plumbing, HV	
	compliance with the 1996 B.O.C.A. Buildin	
	e conducted in compliance with the State of	
	omply with the 1996 National Electrical Cod ir Conditioning) installation must comply w	
You must Include the following with		COECTION I
1) A Conv	of Your Deed or Purchase and Sale	Agreement AND ME Available 15 1998
1) A Copy	of four beed of Furchase and sale	A XI
2) A CO	py of your Construction Contract, if	available 5 1998    1   Lee "5
	3) A Plot Plan (Sample Attached)	
	e, a complete plot plan (Site Plan) musi	include:
	ot, all existing buildings (if any), the proposed s	
	decks porches, a bow windows cantilever section	ons and roof overhangs, as well as, sheds,
pools, garages and any other acce	-	
Scale and required zoning district	SCIUACKS	
	4) Ruilding Plans (Sample Attached	)

#### 4) Building Plans (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
  equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

#### Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Dane Malle Malle	Date: 5-15-48
Site Review Fee: \$150,00/Building Permit Fee \$25,00 for the 1st \$1000	cost plus \$5.00 per \$1.000.00 construction cost thereafter

### BUILDING PERMIT REPORT

	DATE: 18 MAY 98 ADDRESS: 798 STEVENS AVE 145-B-622			
	REASON FOR PERMIT: TO INSTALL pool & deck			
	BUILDING OWNER: DIGN & M. GUFFIN			
CONTRACTOR:				
	PERMIT APPLICANT:			
	USE GROUP 19-3 (U) BOCA 1996 CONSTRUCTION TYPE 513			
	CONDITION(S) OF APPROVAL			
	This Permit is being issued with the understanding that the following conditions are met:			
	Approved with the following conditions: X/ X8 × 10 × 24 ×26, ×29.			
4	<ol> <li>This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.</li> <li>Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be</li> </ol>			
	obtained. (A 24 hour notice is required prior to inspection)			
	3. Precaution must be taken to protect concrete from freezing.			
	4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to			
	verify that the proper setbacks are maintained.			
	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)			
	6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993).			
	<ol> <li>Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.</li> </ol>			
×	8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2".			
	Headroom in habitable space is a minimum of 7'6".  Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum.			
Δ.	11" tread. 7" maximum rise.			
	11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8")			
	12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or			
	exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.			
	Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it			
	exits directly from the apartment to the building exterior with no communications to other apartment units.  All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self			
	closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.)  The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing			

All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the

16.

automatic extinguishment.

provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code.
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
- 25. All requirements must be met before a final Certificate of Occupancy is issued.
- All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
  - 27 Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).

	1. Total and the court is the c
23.	Please read and implement the attached Land Use-Zoning report requirements.
×29.	Please read and implement the attached Land Use-Zoning report requirements.  Rease send and implement The attached Swimming fool require -
	Ments.
30.	
31.	
32.	·

cc: Lt. McDougall, PFD Marge Schmuckal

e Enforcement

BK 12298PG 194

WARRANTY DEED (Maine Statutory Short Form)

01262

KNOW ALL MEN BY THESE PRESENTS,

That I Thelma A. Sager, of 798 Stevens Avenue. Portland, ME D4102, for consideration paid, grant(s) to Diane M. Griffin, whose mailing address is \$4 Salem Street, Portland. ME D4102, Individually with WARRANTY COVENANTS, the land in Portland, County of Cumberland, State of Maine, described as follows:

See Altached Schodule A

WITNESS my hand(s) and seal(s) this 3rd day of January, 1996.

Thelma G. Sager

Carole B. Nelson under P/0/a
Carole B. Nelson under POA dated June 22, 1990

STATE OF MAINE COUNTY OF CUMBERLAND, SS

On January 3, 1993, personally appeared the above-named Carole B. Nelson, who signed the foregoing instrument as the attorney of the above-named Thelma A. Sæger and acknowledged the foregoing instrument to be her free act and deed.

Beforb me,

Notary Public Maine Attorey-at-Law

Printed Name:

MACCALLY PARTY OF THE STATE OF

## BK 1229 8 PG 195

a certain lot or partel of land, with the buildings thereon, situated on Stevens Avanue, in the City of Portland, County of Curberland and State of Maine, bounded and described as follows:

Beginning at 4 point on the westerly side line of Stovens Avenue at the northesaterly corner of land of the Stevens Avenue Congregational Church; thence North 60° Most by eald Church property and property formerly of the fortiend Street Railwa/ Company, two hundred sixty and four tenths (250.4) feet to a post; thence North 60° Most by said Fortiend Street Railwa/ Company land ninoty-two (92) feet to a post; thence South 59° 19' East by the fence one hundred twelve and forty-seven hundredth [12:47] feet to a post; thence South 61° 35' East one hundred forty-six and twenty-four bundredths (140.21) feet to the westerly side of Stovens Avenue; thence South 20° 15' West fifty-eight and fifty-five hundredths (55.55) feet by said vesterly side line of Stovens Avenue to the point of beginning.

Being the same premises conveyed to the mortgagors herein by deed of even date to be recorded in the Cumberland County Registry of Deeds.

> RECEIVED RECGROED REGISTRY OF DEEDS 96 JAN -5 ANTI: 59 CUMBERLAND COUNTY John B OBrin

ŧ,

## BK 12298PG 195


a contain lot or percei of land, with the ... buildings thereon, situated on Stevens Avenue, in the City of Portland, County of Cumberland and State of Haine, bounded and described as follows:

Beginning at a point on the vesterly side line of Stevens Averme at the northeasterly corner of land of the Stevens Avenue Congregational Church; thence North 68° West by said Church property and property formerly of the Portland Street Railway Company, two hundred sixty and four tenths (250,4) feet to a post; thence North 2)°, 36' East by said Portland Street Bailway Company land ninety-two (92) feet to a post; thence South 59° 19' East by the fence one hundred twelve and forty-seven hundredths (112.47) feet to a post; thence South 61° 35' East one hundred forty-six and twenty-four hundredths (146.24) feet to the westerly side of Stevens Avenue; thence South 20° 45' West of Stevens Avenue to the point of beginning.

Being the same premises conveyed to the mortgagors herein by deed of even date to be recorded in the Cumberland County Registry of Deeds.

RECEIVED
RECORDED REGISTRY OF CEEDS
96 JAN -5 AHII: 59
CUMBERLAND COUNTY
John B OBin

Pameco
Tool.
Alluminum extruded pool
INSTAILER USING CINDER BLOCKS
UNDER EACH POST as PER. Manufacturers
recome NDATIONS.




Frame - 10'X2'X8" - 10' squ

Stringers-10'X2'X6" - 2' on center

Suport - 12'X4'X6"


Centerto
Facting - 5' on conter=0

Deck - 12'X2'X6"



10/2/18. 0 -5-0-5 0 suport 3'store Wall
10/2/18. 5 10/2/16. 0 suport Orallus of Wall
5 10/2/16. 10/2/16. Wall
Carage Workshop

Carage



32 O 48" Railing Around DECK 1111 4' Railing Around Pool 5' High Exper DECK Level to Pool STOURS >30'← 2 Car garrage Carage