

160 Veranda Street  
 Portland, Maine 04103  
 T: 207.221.2240  
 F: 207.221.2246  
 Web: www.allied-eng.com




Graphic Scale: 1" = 10' 0"


The Park Danforth

777 Stevens Ave, Portland, ME, 04103

NO.	DESCRIPTION	DATE
1	Addendum No. 2	2015-06-25



CONTENT:	
PLUMBING - UNDERGROUND DRAINAGE GARAGE LEVEL - NEW BUILDING	
DRAWN BY:	SGH
PROJECT NO.:	-
DATE:	06/05/2015
REVISED:	-
SCALE:	AS NOTED
<b>P1.0CU</b>	
Project Phase	
100% CONSTRUCTION DOCUMENTS	
<small>COPYRIGHT © 2014 BY LAVALLEE BRENSINGER PROFESSIONAL ASSOCIATION. ALL RIGHTS RESERVED. NO REPRODUCTION WITHOUT PERMISSION.</small>	



- KEYED NOTES:**
- 1 8" RAIN WATER LEADER AT INVERT ELEVATION 115'-10". SEE SITE DRAWING L3.0 FOR CONTINUATION.
  - 2 6" SANITARY WASTE AT INVERT ELEVATION 114'-6". SEE SITE DRAWING L4.0 FOR CONTINUATION.
  - 3 6" SANITARY WASTE AT INVERT ELEVATION 115'-0". SEE SITE DRAWING L4.0 FOR CONTINUATION.
  - 4 1/2" CW TO FLOOR DRAIN TRAP PRIMER CONNECTION
  - 5 4"W UP, EXPOSED
  - 6 2"W UP, EXPOSED
  - 7 1 1/2" V UP, EXPOSED
  - 8 3"W UP, EXPOSED
  - 9 1 1/2" V UIW
  - 10 3" RWL UP, EXPOSED
  - 11 4" RWL UP, EXPOSED
  - 12 4" RWL UP, EXPOSED
  - 13 4"W UP, EXPOSED
  - 14 3"W UIW
  - 15 1/2" CW UP, EXPOSED. RUN UNDERGROUND TO FLOOR DRAIN
- GENERAL NOTES:**
1. PROVIDE A CLEANOUT AT BASE OF WASTE AND RAIN WATER LEADER STACKS 24" ABOVE FINISHED FLOOR. POSITION TO ALLOW ACCESS FOR CLEANING IN THE DIRECTION OF FLOW.

FINISHED FLOOR ELEVATION 118'-8 5/8"

N:\Projects\2015\1011\1018 - Park Danforth\1018 - Park Danforth\1018 - Park Danforth.dwg - REVIT 2015\1018.rvt  
 06/05/2015 9:02:24 AM