



LEVEL 2 FRAMING PLAN
 1/8"=1'-0"

NOTES:

- INDICATES SPAN DIRECTION OF 5 1/2" NORMAL WEIGHT CONC SLAB ON 3/4" 18GA GALV COMPOSITE DECK W/6x6-W1.4xW1.4 W.W.F. (2 1/2" CONC FILL OVER 3" DECK; 5 1/2" TOTAL, 3 SPAN MIN).
- TOP OF SLAB EL 139'-11 5/8"
- TOP OF STEEL EL 139'-8 1/8", U.N.O. BY (3X-X')
- (10), (12), ETC. INDICATES NUMBER OF 3/4"x1/4" 1/2" HEADED STUDS SPACED UNIFORMLY ALONG SPAN OR BETWEEN CONCENTRATED LOADS U.N.O.
- INDICATES MOMENT CONNECTION. SEE MOMENT CONNECTION DETAILS.
- BF-X INDICATES VERTICAL BRACING. SEE BRACED FRAME ELEVATIONS DWG S4.2 & S4.3.
- BEAMS ARE LOCATED AT EQUAL SPACES BETWEEN COL LINES UNLESS NOTED OTHERWISE.
- FOR COMPOSITE BEAM END REACTIONS, SEE SIMPLE BEAM CONNECTION SCHEDULE DWG S3.1.
- E.O.S. INDICATES EDGE OF SLAB. E.O.S. 0'-7" U.N.O.

Owner

The Park Danforth

77 Stevens Ave, Portland, ME 04103

NO.	DESCRIPTION	DATE
1	GENERAL REVISIONS	06-10-15

CONTENT:
 LEVEL 2-NEW BUILDING-FRAMING PLAN

DRAWN BY: A.P.P.
 PROJECT NO: 3422
 DATE: 05/27/15
 REVISED:
 SCALE: As indicated

S1.2C

Project Phase
Package 2 - Foundations and Structural Steel

COPYRIGHT © 2014 BY LAVALLEE BRENSINGER PROFESSIONAL ASSOCIATION. ALL RIGHTS RESERVED. NO REPRODUCTION WITHOUT PERMISSION.