DOOR & FRAME SCHEDULE w ROOM NAMES & HARDWARE (CONTINUED)

MARK	From Room: Number	From Room: Name	To Room: Number	To Room: Name	DOOR SIZE WD	DOOR SIZE HT	DOOR SIZE THK	DOOR MATL	DOOR TYPE	DOOR RATING	GLAZING MATL	FRAME MATL	FRAME TYPE	HARDWARE SETS	COMMENTS
LEVEL 1															
1103	1001	CORRIDOR	1103	UNIT TYPE G (ACCESSIBLE)	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1105	1001	CORRIDOR	1105	UNIT TYPE F (HEARING IMPAIRED)	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	51	
1107	1020	CORRIDOR	1107	UNIT TYPE E	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1108	1020	CORRIDOR	1108	UNIT TYPE D	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1109	1020	CORRIDOR	1109	UNIT TYPE A	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1110	1020	CORRIDOR	1110	UNIT TYPE M	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1111	1021	STAIR B LOBBY	1111	UNIT TYPE C	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1112	1021	STAIR B LOBBY	1112	UNIT TYPE K	3' - 0"	7' - 0"	1 3/4"	HM	P1	1 1/2 HR		HM	3	50	
LEVEL 2															
1200	2000	CORRIDOR	1200	UNIT TYPE H	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1201	2000	CORRIDOR	1201	UNIT TYPE L	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1203	2000	CORRIDOR	1203	UNIT TYPE G	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1204	2000	CORRIDOR	1204	UNIT TYPE A	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1205	2000	CORRIDOR	1205	UNIT TYPE F	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	51	
1206	2000	CORRIDOR	1206	UNIT TYPE J	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1207	2011	CORRIDOR	1207	UNIT TYPE E	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1208	2011	CORRIDOR	1208	UNIT TYPE D	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1209	2011	CORRIDOR	1209	UNIT TYPE A	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1210	2011	CORRIDOR	1210	UNIT TYPE M	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1211	2011	CORRIDOR	1211	UNIT TYPE C	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1212	2011	CORRIDOR	1212	UNIT TYPE B (HEARING IMPAIRED)	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
2001	2000	CORRIDOR	2001	SITTING AREA	3' - 0"	7' - 0"	1 3/4"	ALUM	FG2	20 MIN.		ALUM	SF13	99	
2002	2002	ELEC	2000	CORRIDOR	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	20	
2003	2000	CORRIDOR	2003	ELEVATOR LOBBY	7' - 4"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	9	30	
2004	2003	ELEVATOR LOBBY	2004	GROUP ROOM	3' - 0"	7' - 0"	1 3/4"	HM	FG2	20 MIN.		HM	6	21	
2004A	2004A	STOR	2004	GROUP ROOM	3' - 0"	7' - 0"	1 3/4"	HM	P2			HM	1	21	
2005	2005	TOILET	2006	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	31	
2007	2007	TOILET	2006	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	31	
2008A	2008A	TEL	2008	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
2008B	2008B	CL	2008	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
2009	2009	HSKG	2008	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
2010	2010	TRASH	2008	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	45 MIN		HM	1	36	
2011	2003	ELEVATOR LOBBY	2011	CORRIDOR	7' - 4"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	9	30	
ST-A2	2000	CORRIDOR	ST-A	STAIR A	3' - 0"	7' - 0"	1 3/4"	HM	F	1 1/2 HR		HM	1	14	
ST-B2	2011	CORRIDOR	ST-B	STAIR B	3' - 0"	7' - 0"	1 3/4"	HM	F	1 1/2 HR		HM	1	14	
LEVEL 3															
1300	3000	CORRIDOR	1300	UNIT TYPE H	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1301	3000	CORRIDOR	1301	UNIT TYPE L	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1302	3000	CORRIDOR	1302	UNIT TYPE M	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1303	3000	CORRIDOR	1303	UNIT TYPE G	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1304	3000	CORRIDOR	1304	UNIT TYPE A	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1305	3000	CORRIDOR	1305	UNIT TYPE F	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	51	
1306	3000	CORRIDOR	1306	UNIT TYPE J	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1307	3011	CORRIDOR	1307	UNIT TYPE E	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1308	3011	CORRIDOR	1308	UNIT TYPE D	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1309	3011	CORRIDOR	1309	UNIT TYPE A	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1310	3011	CORRIDOR	1310	UNIT TYPE M	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1311	3011	CORRIDOR	1311	UNIT TYPE C	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1312	3011	CORRIDOR	1312	UNIT TYPE B	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
3001	3000	CORRIDOR	3001	SITTING AREA	3' - 8"	7' - 0"	4"	ALUM	FG2	20 MIN.		ALUM	SF13	99	
3002	3002	ELEC	3000	CORRIDOR	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
3003	3000	CORRIDOR	3003	ELEVATOR LOBBY	7' - 4"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	9	30	
3004			3003	ELEVATOR LOBBY	3' - 0"	7' - 0"	1 3/4"	ALUM	FG			ALUM	SF9	7	
3005	3003	ELEVATOR LOBBY	3005	LAUNDRY RM	3' - 0"	7' - 0"	1 3/4"	HM	G	20 MIN.		HM	1	36	
3007	3007	CL	3006	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
3008	3008	TEL	3006	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
3009	3009	HSKG	3006	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
3010	3010	TRASH	3006	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	45 MIN		HM	1	36	
3011	3011	CORRIDOR	3003	ELEVATOR LOBBY	7' - 4"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	9	30	
ST-A3	3000	CORRIDOR	ST-A	STAIR A	3' - 0"	7' - 0"	1 3/4"	HM	F	1 1/2 HR		HM	1	14	
ST-B3	3011	CORRIDOR	ST-B	STAIR B	3' - 0"	7' - 0"	1 3/4"	HM	F	1 1/2 HR		HM	1	14	
LEVEL 4															
1400	4000	CORRIDOR	1400	UNIT TYPE H	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1401	4000	CORRIDOR	1401	UNIT TYPE L	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1402	4000	CORRIDOR	1402	UNIT TYPE M	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1403	4000	CORRIDOR	1403	UNIT TYPE G	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1404	4000	CORRIDOR	1404	UNIT TYPE A	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1405	4000	CORRIDOR	1405	UNIT TYPE F	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	51	
1406	4000	CORRIDOR	1406	UNIT TYPE J	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1407	4011	CORRIDOR	1407	UNIT TYPE E (ACCESSIBLE)	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1408	4011	CORRIDOR	1408	UNIT TYPE D	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1409	4011	CORRIDOR	1409	UNIT TYPE A	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1410	4011	CORRIDOR	1410	UNIT TYPE M	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1411	4011	CORRIDOR	1411	UNIT TYPE C	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1412	4011	CORRIDOR	1412	UNIT TYPE B (ACCESSIBLE)	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
4001	4000	CORRIDOR	4001	SITTING ROOM	3' - 0"	7' - 0"	1 3/4"	ALUM	FG2	20 MIN.		ALUM	SF13	99	
4002	4002	ELEC	4000	CORRIDOR	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
4003	4000	CORRIDOR	4003	ELEVATOR LOBBY	7' - 4"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	9	30	
4004	4003	ELEVATOR LOBBY	4004	GROUP ROOM	3' - 0"	7' - 0"	1 3/4"	HM	FG2	20 MIN.		HM	3	21	
4004A	4004A	STOR	4004	GROUP ROOM	3' - 0"	7' - 0"	1 3/4"	HM	P2			HM	1	15	
4005	4005	TOLIET	4006	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	31	
4007	4007	TOILET	4006	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	31	
4008	4008	HSKG	4009	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
4009A	4009A	TEL	4009	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
4009B	4009B	CL	4009	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
4010	4010	TRASH	4009	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	45 MIN		HM	1	36	
4011	4011	CORRIDOR	4003	ELEVATOR LOBBY	7' - 4"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	9	30	
ST-A4	4000	CORRIDOR	ST-A	STAIR A	3' - 0"	7' - 0"	1 3/4"	HM	F	1 1/2 HR		HM	1	14	
ST-B4	4011	CORRIDOR	ST-B	STAIR B	3' - 0"	7' - 0"	1 3/4"	HM	F	1 1/2 HR		HM	1	14	
LEVEL 5															
1500	5000	CORRIDOR	1500	UNIT TYPE H	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1501	5000	CORRIDOR	1501	UNIT TYPE L	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1502	5000	CORRIDOR	1502	UNIT TYPE M	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1503	5000	CORRIDOR	1503	UNIT TYPE G	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1504	5000	CORRIDOR	1504	UNIT TYPE A	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1505	5000	CORRIDOR	1505	UNIT TYPE F	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	51	
1506	5000	CORRIDOR	1506	UNIT TYPE J	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1507	5011	CORRIDOR	1507	UNIT TYPE E	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1509	5011	CORRIDOR	1509	UNIT TYPE A	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1511	5011	CORRIDOR	1511	UNIT TYPE C	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
1512	5011	CORRIDOR	1512	UNIT TYPE B	3' - 0"	7' - 0"	1 3/4"	HM	P1	20 MIN.		HM	3	50	
5001	5001	SITTING AREA	5000	CORRIDOR	3' - 0"	7' - 0"	1 3/4"	ALUM	FG2	20 MIN.		ALUM	SF13	99	
5002	5002	ELEC	5000	CORRIDOR	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
5003	5000	CORRIDOR	5003	ELEVATOR LOBBY	7' - 4"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	9	30	
5004	5003	ELEVATOR LOBBY	5004	COMMUNITY RM	3' - 0"	7' - 0"	1 3/4"	HM	FG3	20 MIN.		HM	11	21	
5004-A	5004-A	STORAGE	5004	COMMUNITY RM	4' - 0"	7' - 0"	1 3/4"	HM	F			HM	1	17	
5005	5006	ANTE	5005	TOILET	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	31	
5007	5007	TOILET	5006	ANTE	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	31	
5008	5008	HSKG	5009	ANTE RM	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
5009A	5009A	TEL	5009	ANTE RM	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
5009B	5009B	CL	5009	ANTE RM	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	16	
5010	5010	TRASH	5009	ANTE RM	3' - 0"	7' - 0"	1 3/4"	HM	F	45 MIN		HM	1	36	
5011	5003	ELEVATOR LOBBY	5011	CORRIDOR	7' - 4"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	9	30	
5012	5011	CORRIDOR	5012	ROOF ACCESS	3' - 0"	7' - 0"	1 3/4"	HM	F	20 MIN.		HM	1	8	
5013	5011	CORRIDOR	5013	OFFICE	3' - 0"	7' - 0"	1 3/4"	ALUM	FG2	20 MIN.		ALUM	SF14	99	
5014	5003	ELEVATOR LOBBY	5014	ROOF DECK	3' - 0"	7' - 0"	1 3/4"	ALUM	FG2			ALUM	SF9	99	
ST-A5	5000	CORRIDOR	ST-A	STAIR A	3' - 0"	7' - 0"	1 3/4"	HM	F	1 1/2 HR		HM	1	14	
ST-B5	5011	CORRIDOR	ST-B	STAIR B	3' - 0"	7' - 0"	1 3/4"	HM	F	1 1/2 HR		HM	1	14	

DOOR & FRAME SCHEDULE W/ HARDWARE - RESIDENT UNITS

MARK	From Room: Name	TO ROOM: NAME	DOOR SIZE WD	DOOR SIZE HT	DOOR SIZE THK	DOOR MATL	DOOR TYPE	DOOR RATING	FRAME MATL	FRAME TYPE	HARDWARE SETS	COMMENTS
B	UNIT TYPE B (HEARING IMPAIRED)	BALCONY	3' - 0"	7' - 2"	1 3/4"		FG4				99	
C	UNIT TYPE B (HEARING IMPAIRED)	BEDROOM	3' - 0"	7' - 0"	1 3/4"	FIBERGLASS	P2		WD	4	52	
D		W.I.C.	2' - 8"	7' - 0"	1 3/8"	FIBERGLASS	L- BIFOLD		WD	4	100	
E	UNIT TYPE B (HEARING IMPAIRED)	CLOSET	3' - 0"	7' - 0"	1 3/8"	FIBERGLASS	L- BIFOLD		WD	4	100	
F	UNIT TYPE B (HEARING IMPAIRED)	W/D	2' - 8"	7' - 0"	1 3/8"	FIBERGLASS	L- BIFOLD		WD	4	100	
G	UNIT TYPE B (HEARING IMPAIRED)	BATHROOM	3' - 0"	7' - 0"	1 3/4"	FIBERGLASS	P2		WD	4	51	
J	UNIT TYPE B (HEARING IMPAIRED)	MASTER BEDROOM	3' - 0"	7' - 0"	1 3/4"	FIBERGLASS	P2		WD	4	52	
K		CLOSET	2' - 8"	7' - 0"	1 3/8"		L- BIFOLD				100	
L	UNIT TYPE B (HEARING IMPAIRED)	W.I.C.	2' - 8"	7' - 0"	1 3/8"	FIBERGLASS	L- BIFOLD		WD	4	100	
M	UNIT TYPE B (HEARING IMPAIRED)	MASTER BATH	3' - 0"	7' - 0"	1 3/4"	FIBERGLASS	P2		WD	10	51	

LAVALLEE|BRENSINGER ARCHITECTS
155 Dow Street, Suite 400, Manchester, NH 03101
40 Cambridge Street, Charlestown, MA 02129
NH: 603.622.5450 MA: 617.398.2035 www.LBPA.com

LICENSED ARCHITECT RICHARD R. FIZZI No. 3807 STATE OF MAINE

The Park Danforth

RENOVATIONS AND ADDITIONS

777 Stevens Ave
Portland, ME 04103

NO.	DESCRIPTION	DATE
2	Addendum #2	06/25/15
4	Addendum #3	07/06/15
9	RFI B-018	06/26/15
11	RFI B-055	07/24/15

CONTENT:
DOOR SCHEDULE

DRAWN BY: KM
PROJECT NO: 13-059-00
DATE: 06/05/2015
REVISED: 10/16/2015
SCALE:

A0.5B

Project Phase
CONFORMANCE SET

COPYRIGHT © 2015 BY LAVALLEE/BRENSINGER PROFESSIONAL ASSOCIATION. ALL RIGHTS RESERVED. NO REPRODUCTION WITHOUT PERMISSION.

10/16/2015 2:40:06 PM C:\Projects\13-059-00_The Park Danforth_R15_10-08-2015_scott.simmons.rvt