



LEVEL 3 FRAMING PLAN
 1/8"=1'-0"

- NOTES:**
- INDICATES SPAN DIRECTION OF 5 1/2" NORMAL WEIGHT CONC SLAB ON SVLI 18GA GALV COMPOSITE DECK W/6x6-W1.4xW1.4 W.W.F. (2 1/2" CONC FILL OVER 3" DECK, 5 1/2" TOTAL, 3 SPAN MIN).
 - TOP OF SLAB EL 190'-5 5/8".
 - TOP OF STEEL EL 190'-0 1/8" U.N.O. BY (2x'x')
 - [10], [12], ETC. INDICATES NUMBER OF 3/4"x4 1/2" HEADED STUDS SPACED UNIFORMLY ALONG SPAN OR BETWEEN CONCENTRATED LOADS U.N.O.
 - INDICATES MOMENT CONNECTION. SEE MOMENT CONNECTION DETAILS.
 - BF-X INDICATES VERTICAL BRACING. SEE BRACED FRAME ELEVATIONS DWG S4.2 & S4.3.
 - BEAMS ARE LOCATED AT EQUAL SPACES BETWEEN COL LINES UNLESS NOTED OTHERWISE.
 - FOR COMPOSITE BEAM END REACTIONS, SEE SIMPLE BEAM CONNECTION SCHEDULE DWG S3.3.
 - E.O.S. INDICATES EDGE OF SLAB. E.O.S. 0'-7" U.N.O.

Owner

The Park Danforth

77 Stevens Ave, Portland, ME 04103

NO.	DESCRIPTION	DATE
1	ADDENDUM #1	06-10-15

CONTENT:
 LEVEL 3-NEW BUILDING-FRAMING PLAN

DRAWN BY: A.P.P.
 PROJECT NO: 3422
 DATE: 05/27/15
 REVISED: 10/16/15
 SCALE: As indicated

S1.3C

Project Phase
CONFORMANCE SET
 COPYRIGHT © 2014 BY LAVALLEE BRENSINGER PROFESSIONAL ASSOCIATION. ALL RIGHTS RESERVED. NO REPRODUCTION WITHOUT PERMISSION.

C:\Users\jacob\Documents\2015\THE PARK DANFORTH\15-STRUC\CONFORM\SET 10-16-15\4_151600.dwg
 10/16/2015 1:17:17 PM