

**HIGH ROOF FRAMING PLAN DETAIL AT ELEATOR OVERFRAMING**  
1/8"=1'-0"

**HIGH ROOF FRAMING PLAN**  
1/8"=1'-0"


- NOTES:**
- 3N18 INDICATES SPAN DIRECTION OF 3N18 GALV ROOF DECK (3 SPAN MIN).
  - 1.5B20 INDICATES SPAN DIRECTION OF 1.5B20 GALV ROOF DECK (3 SPAN MIN).
  - TOP OF STEEL EL. 185'-0.58" U.N.O. BY (2'-X')
  - BEAMS ARE LOCATED AT EQUAL SPACES BETWEEN COL LINES UNLESS NOTED OTHERWISE
  - E.O.D. INDICATES EDGE OF DECK. SEE PLAN.
  - W8x24 HOIST BEAM. COORD EL. W/ELEVATOR REQmnts. PROVIDE BEARING PL 1/2x6x1'-0" W/2"-12"Ø HEADED STUDS WITH SOLID GROUTED MASONRY.

Owner

**The Park Danforth**

77 Stevens Ave, Portland, ME 04103

NO.	DESCRIPTION	DATE
1	ADDENDUM #1	06-10-15
2	ADDENDUM #2	06-25-15



CONTENT:  
HIGH ROOF - NEW BUILDING-FRAMING PLAN

DRAWN BY:	A.P.P.
PROJECT NO:	3422
DATE:	05/27/15
REVISED:	10/16/15
SCALE:	As indicated

**S1.7C**

Project Phase  
**CONFORMANCE SET**  
COPYRIGHT © 2014 BY LAVALLEE BRENSINGER PROFESSIONAL ASSOCIATION. ALL RIGHTS RESERVED. NO REPRODUCTION WITHOUT PERMISSION.