



	A	B	C	D	E	F	G
LG 1+2	2.5'	4'+4"	13'	122.10	120.60	117.93	115.96
LG 3+4	2.5'	4'+4"	13'	120.39	118.89	116.22	114.22
LG 5+6	2.5'	4'+4"	13'	122.13	120.63	117.96	115.96
LG 8,9,10+11	3.0'	4'+4"+4'+4"	22'	119.81	118.31	115.64	112.64
LG 13+14	2.5'	4'+4"	13'	117.03	115.53	112.86	110.86
LG 15,16+17	3.0'	4'+4"+4"	18'	116.58	115.08	112.46	109.00
DW1	2.5'	4'	9'	124.90	123.90	120.74	117.74
DW2	2.5'	4'	9'	124.90	123.90	120.74	117.74
DW3	2.5'	4'	9'	124.90	123.90	120.74	117.74

1 LG.2 PRECAST CONCRETE LEACHING GALLEY / DRY WELL NOT TO SCALE





- PRECAST NOTES:
- CONCRETE 4000 PSI IN 28 DAYS.
 - CONCRETE SECTION IS FIBER REINFORCED CONCRETE.
 - DESIGNED TO CONFORM TO A.S.T.M. C-478.
 - ALL MANHOLE MATERIAL MEETS H-20 LOADING REQUIREMENTS.
 - JENTS SEALED WITH BUTYL RUBBER JOINT SEALANT ASHTO M-19
 - ALL PIPE BOOT TO HAVE FLEXIBLE WATERTIGHT BOOT AS A.S.T.M. C-923
 - EXTERIOR TO RECEIVE DAMP PROOF COATING.
 - SEE PROJECT MANUAL FOR CAST IRON FRAMES AND GRATES.
 - PRODUCT ITEM #C-11) MANUFACTURED BY PRECAST CONCRETE PRODUCTS ON MAINE, INC. (207-724-1628) OR APPROVED EQUAL.

2 LG.2 PRECAST OIL AND WATER SEPARATOR NOT TO SCALE




3 LG.2 TRENCH DRAIN DETAIL NOT TO SCALE




4 LG.2 PRE-CAST CONCRETE MANHOLE NOT TO SCALE


- NOTES:
- LOCATIONS AND ELEVATIONS OF STUBS ON THE PLANS ARE TO BE CONSIDERED AS APPROXIMATE AND MAY BE ADJUSTED AS DIRECTED TO SUIT FIELD CONDITIONS.
 - HOUSE CONNECTIONS AND CATCH BASIN CONNECTIONS TO BE MAIN LINE OF THE SEWER, SHALL CONSIST OF AN APPROPRIATE "Y" BRANCH CONNECTION AS SHOWN ON THE PLANS, OR AS DIRECTED. ACTUAL "Y" LOCATIONS FOR THE HOUSE CONNECTIONS AND CATCH BASIN CONNECTIONS SHALL BE DETERMINED DURING CONSTRUCTION. THE CONTRACTOR SHALL KEEP A COMPLETE RECORD OF "Y" LOCATIONS WHICH SHALL BE GIVEN TO THE CITY OF PORTLAND UPON COMPLETION OF THE CONTRACT. ALL PVC TO PVC COUPLING SHALL BE "SOLID PVC COUPLINGS".



5 LG.2 TYPICAL LATERAL WYE CONNECTION DETAIL NOT TO SCALE



6 LG.2 PRECAST CONCRETE CATCHBASIN NOT TO SCALE



7 LG.2 THE SNOOT CAT GARAGE DRAINAGE STRUCTURES NOT TO SCALE

Prepared For:

Owner:
Home For The Aged
777 Stevens Avenue
Portland, Maine 04103
Tel.: 207-797-7710

Applicant:
The Park Danforth
777 Stevens Avenue
Portland, Maine 04103
Tel.: 207-797-7710

Prepared By:
MITCHELL & ASSOCIATES
Landscape Architects
The Staples School
70 Center Street
Portland, Maine 04101
Tel.: 207-774-4427

The Park Danforth
Portland, Maine
777 Stevens Avenue

Date:
OCTOBER 17, 2014

Issued For:
PERMITTING

Revisions:
NOV. 25, 2014: Per City of Portland Staff Review Comments

Reproduction or reuse of this document without the expressed written consent of Mitchell & Associates is prohibited.
© 2014

Title:
SITE DETAILS

Scale: AS SHOWN

North:

Sheet No.:

L6.2