

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-

Location of Construction: 1106 Forest Ave Portland		Owner: Lloyd Wolf Diversified Prop		Phone:		Permit No: 990967			
Owner Address: 465 Forest Ave Portland		Lessee/Buyer's Name: Goodwill Ind. Me.		Phone:		Business Name:			
Contractor Name: ** Hookcraft signs		Address: ** 606 Main Street Lewiston ME		Phone: 782-9654		Permit Issued: SEP 10 1999			
Past Use: retail		Proposed Use: retail/collection depot		COST OF WORK: \$		PERMIT FEE: \$ 54.00			
Proposed Project Description: Replace faces in 2 existing freestanding signs remove existing freestanding sign to grade install new wall signs relocate property address sign to wall				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: <i>signed</i> Use Group: Type: DOC 9 96			
				Signature:		Signature: <i>Hoffner</i>			
Permit Taken By: SP				Date Applied For: Sept. 9 1999 K				Zone: R-2 CBL: 146-C-006	
				PEDESTRIAN ACTIVITIES DISTRICT (A.D.)				Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied	

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

**PERMIT ISSUED
WITH REQUIREMENTS**

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT		ADDRESS:		DATE: Sept. 9 1999		PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE						PHONE:	

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT

3

COMMENTS

10-18-99 Signs Not yet completed
12/1/99 Signs completed and within
code. Turn

Close out

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Sign Permit Pre-Application
Attached Single Family Dwellings/Two-Family Dwelling
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**


Location/Address of Construction (include Portion of Building): 1106 FOREST AVE

Total Square Footage of Proposed Structure 7500 SQ.FT.	Square Footage of Lot
---	-----------------------

Tax Assessor's Chart, Block & Lot Number Chart# 146 Block# C Lot# 006	Owner: LLOYD B. WOLF DIVERSIFIED PROPERTIES	Telephone#:
---	--	-------------

Owner's Address: 465 FOREST AVE PORTLAND, ME 04101	Lessee/Buyer's Name (If Applicable) GOODWILL INDUSTRIES of NORTHEAST NEW ENGLAND	Total Sq. Ft. of Sign 120	Fee \$ 54
---	--	----------------------------------	------------------


Proposed Project Description: (Please be as specific as possible) REPLACE FACES IN (2) EXISTING FREESTANDING SIGNS; REMOVE (1) EXISTING FREESTANDING SIGN TO GRADE; INSTALL (2) NEW WALL SIGNS; RELOCATE PROPERTY ADDRESS SIGN TO WALL
--

Contractor's Name, Address & Telephone: NEOKRAFT SIGNS, 686 MAIN ST., LEWISTON, ME 04240 782-9654	Rec'd By: 
--	---

Current Use: RETAIL	Proposed Use: RETAIL & COLLECTION DEPOT
----------------------------	--

Signature of applicant: Paul Jensen - NEOKRAFT SIGNS	Date: 9-8-99
---	---------------------

Signage Permit Fee: \$30.00 plus .20 per square foot of signage



SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS

ADDRESS: 1106 FOREST AVENUE ZONE: B-2

OWNER: GOODWILL INDUSTRIES OF NORTHERN NEW ENGLAND

APPLICANT: NEOKRAFT SIGNS

ASSESSOR NO. _____

SINGLE TENANT LOT? YES ___ NO X

MULTI TENANT LOT? YES X NO ___

FREESTANDING SIGN? YES X NO ___ DIMENSIONS _____

(ex. pole sign. . .)

MORE THAN ONE SIGN? YES X NO ___ DIMENSIONS _____

BLDG. WALL SIGN? YES X NO ___ DIMENSIONS _____

(attached to bldg)

MORE THAN ONE SIGN? YES X NO ___ DIMENSIONS _____

LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS: _____

LOT FRONTAGE (FEET): 201.1' and 60'

BLDG FRONTAGE (FEET): 125' / 20'

AWNING YES ___ NO X IS AWNING BACKLIT? YES ___ NO ___

HEIGHT OF AWNING: 48" sign

IS THERE ANY COMMUNICATION, MESSAGE, TRADEMARK OR SYMBOL ON IT? _____

*** TENANT BLDG. FRONTAGE (IN FEET) _____

*** REQUIRED INFORMATION

AREA FOR COMPUTATION

A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT: Paul Lussan DATE: 9-8-99

INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION


Applicants for a sign permit will be asked to submit the following information to the Code Enforcement Office:

1. Proof of insurance
2. Letter of permission from the owner
3. A sketch plan of lot, indicating location of buildings, driveways and any abutting streets or right of ways. Lengths of building frontages and street frontages should be noted. (see attached)
4. Indicate on the plan all existing and proposed signs
5. Computation of the following:
 - A) Sign area of each existing and proposed building sign
 - B) Sign area height and setback of each existing and proposed freestanding sign
6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method (see attached).
7. Certificate of flammability required for awning/canopy at time of application.
8. UL # required for lighted signs at the time of application. — BL-175108
BL-175109

Fee for permit - \$30.00 plus \$0.20 per square foot

Fee for awning based on cost of work - \$30.00 for the first \$1,000.00, \$6.00 for each additional \$1,000.000.

NOTE: Once a sketch plan has been filed for a property, the code enforcement office will keep a record of the plan so that a new sketch plan will not be required for later changes to signage on the property. In such an instance, applicants will only be required to submit information applicable to the new sign.



Neokraft

Neokraft Signs Inc.
686 Main Street
Lewiston, Maine 04240
Telephone: 207.782.9654
Facsimile: 207.782.0009
1.800.339.2258
<http://www.neokraft.com>

LANDLORD CONSENT AGREEMENT

Written consent and agreement relating to a certain sign proposed to be erected on the

premises at: 1100 - 1108 FOREST AVENUE

in PORTLAND, MAINE.

L. B. WOLF being the owner of the premises at

SAME in _____,

hereby gives consent to the erection of (a) certain sign(s):

(2) WALL SIGNS; and changes to (2) EXISTING SIGNS

owned by: GOODWILL INDUSTRIES of Nor. ME. (the tenant) as described in the

attached application for a permit submitted to the inspection division of the building

department of CITY OF PORTLAND, ME to cover

the erection of said signs.

Signed by the owner of said premises, or his authorized agent, on this

24th day of AUGUST 19 99.

L. B. Wolf (SIGNED)

OWNER (TITLE)

HULL-26-1995 10:21

MORSE, PAYSON & NOYES

207 775 0339

P.02/02

PRODUCER

Morse, Payson & Noyes Insurance
P.O. Box 406
Portland ME 04112-0406

Michael P. Kilbride
Phone No. 207-775-6000 Fax No. 207-775-0339
INSURED

Goodwill Industries of
Northern New England
P. O. Box 8600
Portland ME 04104

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

COMPANIES AFFORDING COVERAGE

COMPANY A TRAVELERS INSURANCE COMPANY

COMPANY B

COMPANY C

COMPANY D

COVERAGES

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN. THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
A	<input checked="" type="checkbox"/> GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> OWNER'S & CONTRACTOR'S PROT	6309260569998	10/01/98	10/01/99	GENERAL AGGREGATE \$ 2000000
					PRODUCTS COMP/OP AGG \$ 2000000
					PERSONAL & ADV INJURY \$ 1000000
					EACH OCCURRENCE \$ 1000000
					FIRE DAMAGE (Any one 1/m) \$ 300000
					MED EXP (Any one person) \$ 5000
	<input type="checkbox"/> AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS				COMBINED SINGLE LIMIT \$
					BODILY INJURY (Per person) \$
					BODILY INJURY (Per accident) \$
					PROPERTY DAMAGE \$
	<input type="checkbox"/> GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$
					OTHER THAN AUTO ONLY \$
					EACH ACCIDENT \$
	<input type="checkbox"/> EXCESS LIABILITY <input type="checkbox"/> UMBRELLA FORM <input type="checkbox"/> OTHER THAN UMBRELLA FORM				AGGREGATE \$
					EACH OCCURRENCE \$
					AGGREGATE \$
	<input type="checkbox"/> WORKERS COMPENSATION AND EMPLOYERS LIABILITY <input type="checkbox"/> THE PROPRIETOR/PARTNER/EXECUTIVE OFFICERS ARE: <input type="checkbox"/> INC <input type="checkbox"/> EXCL <input type="checkbox"/> OTHER				WC STATUTORY LIMIT \$
					EL EACH ACCIDENT \$
					EL DISEASE - POLICY LIMIT \$
					EL DISEASE - EA EMPLOYEE \$

DESCRIPTION OF OPERATIONS, LOCATIONS, VEHICLES/SPECIAL ITEMS

City of Portland is named as additional insured with respects to the sign located at 110 Forest Ave., Portland, ME

CERTIFICATE HOLDER

City of Portland
389 Congress St.
Portland ME 04101

GENERIC

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

Michael P. Kilbride

CORD 25-9 (1/85)

ACORD CORPORATION 1998

TOTAL P.02

Post-It* Fax Note	7871	Date	8/26/99	# of pages	1
To	Paul Leonard	From	Lexindy		
Co./Dept.	Neotcraft	Co.	Goodwill		
Phone #	800-339-2258	Phone #	797-0631		
Fax #	782-0009	Fax #	797-0929		

BUILDING PERMIT REPORT

DATE: 10 Sept. 99 ADDRESS: 1106 Forest Ave. CBL: 146-C-006

REASON FOR PERMIT: Signage

BUILDING OWNER: Lloyd Woff Diversified Prop

PERMIT APPLICANT: Contractor Neo Kraft Sign

USE GROUP Signage CONSTRUCTION TYPE _____

The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)


CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: *1, *34

Approved with the following conditions: _____


1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
 In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall maintained to NFPA #72 Standard.
22. The Sprinkler System shall maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. **No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done.**
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
- *34. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996).
35. _____
36. _____
37. _____
38. _____




P. Samuel Hoffes, Building Inspector
 cc: Lt. McDougall, PFD
 Marge Schmuckal, Zoning Administrator

****On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.**



Date 8-17-99

Job Name & Location GOODWILL STORE, 1100 FOREST AVE




(C) - 2'x16' WALL SIGN
NEW 2'x16' SIGN




(A) - NEW FACES
- NEW PANELS FOR
POLECOVER



REMOVE TO GRAVE
(E) SIGN TO BE REMOVED
New sign as shown



RELOCATE ADDRESS SIGN
(D) NEW 3'x16' WALL SIGN
NEW 4'x16' WALL SIGN




Date 8/99

Job Name & Location GOODWILL STORE, 1106 FOREST AVE., PORTLAND




(G) EXISTING 30" X 6' WALL SIGN





(F) EXISTING 4' X 8' GROUND SIGN



(D) EXISTING SIGN 5' X 6' TOP 1'-6" X 6' BOTTOM



(D)



Neokraft

Neokraft Signs Inc.
 686 Main Street
 Lewiston, Maine 04240
 Telephone: 207.782.9654
 Facsimile: 207.782.0009
 1.800.339.2258
<http://www.neokraft.com>

Custom Sign Fabrication


All ideas, plans or arrangements indicated on this drawing are copyrighted and owned by Neokraft Signs Inc. and shall not be reproduced, used by or disclosed to any person, firm or corporation without written permission of Neokraft Signs Inc.

**Shop Drawing
 99NK5510**

Job Name:	Goodwill
Location:	1106 Forest Avenue Portland, ME
Date:	08.23.1999
Drawing No.:	4 of 5
Drawn by:	D. Sysko
Gen Ref.:	99NK4993


Repl. Faces for Existing D/F Internally Illuminated Pylon Sign (Stevens Ave.)
 Scale: ½" = 1'-0" (4) faces total

(D)



Removal of Existing Internally Illuminated Pylon Sign (Forest Ave.)
Not to Scale

(E)



Neokraft


Neokraft Signs Inc.
686 Main Street
Lewiston, Maine 04240
Telephone: 207.782.9654
Facsimile: 207.782.0009
1.800.339.2258
<http://www.neokraft.com>

Custom Sign Fabrication

All ideas, plans or arrangements indicated on this drawing are copyrighted and owned by Neokraft Signs Inc. and shall not be reproduced, used by or disclosed to any person, firm or corporation without written permission of Neokraft Signs Inc.

Shop Drawing
99NK5510

Job Name:	Goodwill
Location:	1106 Forest Avenue Portland, ME
Date:	08.23.1999
Drawing No.:	5 of 5
Drawn by:	D. Sysko
Gen Ref.:	99NK4993



Neokraft


Neokraft Signs Inc.
686 Main Street
Lewiston, Maine 04240
Telephone: 207.782.9654
Facsimile: 207.782.0009
1.800.339.2258
<http://www.neokraft.com>

Custom Sign Fabrication

All ideas, plans or arrangements indicated on this drawing are copyrighted and owned by Neokraft Signs Inc. and shall not be reproduced, used by or disclosed to any person, firm or corporation without written permission of Neokraft Signs Inc.

Shop Drawing 99NK5510

Job Name:	Goodwill
Location:	1106 Forest Avenue Portland, ME
Date:	08.23.1999
Drawing No.:	1 of 5
Drawn by:	D. Sysko
Gen Ref.:	99NK4993



Existing illuminated sign: ABC Large A frame with 2 1/2" flat retainer and 8" radius corners

(2) new white Lexan (transl.) faces with GSP Burgundy Transl vinyl copy [230-49], see [99] 4995.PLT; use appropriate face hanging detail.


New Faces for Existing D/F Int. Illum. Pylon Sign (Forest Ave.)
1/2" = 1'-0" (2) faces total

1/2" thick white Komacel panels with GSP Burgundy Transl vinyl copy [230-49], GSP Bookman Extra Bold

New Panels for Existing D/F Pole Cover (Forest Ave.)
1/2" = 1'-0" (2) panels total




(A)



S/F Internally Illuminated Wall Sign
 Scale: 1/2" = 1'-0" (1) required

Extruded aluminum cabinet and
 retainer, white

White Lexan (transl.) face with
 GSP Burgundy Transl vinyl copy
 [230-49]



Neokraft

Neokraft Signs Inc.
 686 Main Street
 Lewiston, Maine 04240
 Telephone: 207.782.9654
 Facsimile: 207.782.0009
 1.800.339.2258
<http://www.neokraft.com>

Custom Sign Fabrication

All ideas, plans or arrangements indicated
 on this drawing are copyrighted and owned
 by Neokraft Signs Inc. and shall not be
 reproduced, used by or disclosed to any
 person, firm or corporation without written
 permission of Neokraft Signs Inc.



 **The GOODWILL Store**

1100-1108
 Forest Avenue


Relocate N/L sign from
 existing pylon to become
 S/F wall sign as shown

Shop Drawing
99NK5510

Job Name:	Goodwill
Location:	1106 Forest Avenue Portland, ME
Date:	08.23.1999
Drawing No.:	2 of 5
Drawn by:	D. Sysko
Gen Ref.:	99NK4993

Pictorial View
 NTS

(B)



S/F Internally Illuminated Wall Sign
 1/2" = 1'-0"




Pictorial View
 NTS

(C)

Extruded aluminum cabinet and
 retainer, white

White Lexan (transl.) face with
 GSP Burgundy Transl vinyl copy
 [230-49], GSP Bookman Extra
 Bold



Neokraft

Neokraft Signs Inc.
 686 Main Street
 Lewiston, Maine 04240
 Telephone: 207.782.9654
 Facsimile: 207.782.0009
 1.800.339.2258
<http://www.neokraft.com>

Custom Sign Fabrication

All ideas, plans or arrangements indicated
 on this drawing are copyrighted and owned
 by Neokraft Signs Inc. and shall not be
 reproduced, used by or disclosed to any
 person, firm or corporation without written
 permission of Neokraft Signs Inc.

Shop Drawing
99NK5510

Job Name:	Goodwill
Location:	1106 Forest Avenue Portland, ME
Date:	08.23.1999
Drawing No.:	3 of 5
Drawn by:	D. Sysko
Gen Ref.:	99NK4993