Inspections Division
Date: 12/09/16

DOOR SCHEDULE

DOOR NO.	ROOM NO.	ROOM NAME	DOOR SIZE	DOOR TYPE	DOOR MATERIAL	DOOR GLAZING	DOOR LABEL	FRAME SIZE (WxH)	FRAME MATERIALS	FRAME TYPE	THRESHOLD	HARDWARE	DOOR NO.	REMARKS
2N006A	2N006	MENS RESTROOM	3'-0" X 6'-8"	A	FRP	--	--	3'-4" X 7'-0"	ALUM	A	ALUM	--	2N006	
2N006B	2N006A	STORAGE	2'-8" X 6'-8"	A	FRP	--	--	3'-0" X 7'-0"	ALUM	A	ALUM	--	--	
2N005	2N005	WOMENS RESTROOM	3'-0" X 6'-8"	A	FRP	--	--	3'-4" X 7'-0"	ALUM	A	ALUM	--	2N005	
2N007	2N007	HANDICAP RESTROOM	3'-0" X 6'-8"	A	FRP			3'-4" X 7'-0"	ALUM	A	ALUM	--	2N007	

1 A601 DOOR TYPES
1/4" = 1'-0"

GLAZING SCHEDULE

TYPE A - 1/4" TEMPERED PLATE OR LAMINATED SAFETY GLASS

NOTE:
PROVIDE TRANSITION STRIPS, TERMINATION BARS AND/OR THRESHOLDS AT ALL CHANGES IN FINISH MATERIAL ELEVATIONS (METAL TERM BARS, VINYL REDUCERS, ETC...)

HEAD
1-1/2" = 1'-0"

FRAME TYPE A
1/4" = 1'-0"

JAMB
1-1/2" = 1'-0"

2 A601 DOOR FRAMES
1/4" = 1'-0"

GENERAL NOTES:
1. ALL FRAME DIMENSIONS TO BE VERIFIED IN FIELD PRIOR TO FABRICATION.

A A601 FRAME TYPE A
1-1/2" = 1'-0"

LICENSED ARCHITECT WILLIAM T. HARKE No. 4170 STATE OF MAINE

REV.	DESCRIPTION	DATE	BY	CK	APP
1-0A	FOR PERMIT	10.31.16			
0-0A	FOR FINAL REVIEW	10.14.16			

OWNER ENGINEER:

APPROVAL STAMP:

PE Stamp

DRAWING PREPARED BY: LABELLA Associates, D.P.C.

ACCEPTED BY OE:

CMP ENGINEERING
CONFIDENTIAL, PROPRIETARY and TRADE SECRET INFORMATION
Property of CENTRAL MAINE POWER CO.

CENTRAL MAINE POWER

REV.	DATE	BY	DESCRIPTION	APP.
1-0A	10-31-2016	WTH	FOR PERMIT	

PORTLAND SERVICE CENTER
DOOR SCHEDULE, TYPES, AND DETAILS

SHEET 14 OF 14

PORTLAND - 162 CANCO ROAD MAINE

DR. WTH & JME | SCALE: 1/4" = 1'-0" | FILE: A601 Door Schedule, Types, and Details.DWG
CK. LABELLA | NO. A-601 | REV. 0-0A
APP. --
DATE: --

ARCH D CADD Drawing, DO NOT REVISE MANUALLY.