


## STORM DRAIN PIPE DATA

| NAME | SIZE | LENGTH | SLOPE |
|---|---|---|---|
| SD-1 | 6" | 15' | 2.28% |
| SD-2 | 12" | 88' | 5.10% |
| SD-3 | 6" | 50' | 0.92% |
| UD-1 | 6" | 12' | 0.00% |
| UD-2 | 4" | 75' | 0.00% |
| UD-3 | 4" | 116' | 0.00% |
| UD-4 | 6" | 8' | 0.00% |
| UD-5 | 4" | 47' | 0.57% |
| UD-6 | 4" | 54' | 0.50% |

CRAIG A. BURGESS, P.E. 12638

STATE OF MAINE
CRAIG A. BURGESS
No. 12638
PROFESSIONAL ENGINEER
11-01-18

| DESIGNED | CHECKED |
|---|---|
| KJR | CAB |

| REV. | BY: | DATE: | STATUS: |
|---|---|---|---|
| A | CAB | 11-01-18 | CITY SUBMISSION |

ANY REPRODUCTION, IN WHOLE OR IN PART, IS PROHIBITED WITHOUT WRITTEN PERMISSION FROM SEBAGO TECHNICS, INC. ANY ALTERATIONS, AUTHORIZED OR OTHERWISE, SHALL BE AT THE USER'S SOLE RISK AND WITHOUT LIABILITY TO SEBAGO TECHNICS, INC.

SEBAGO TECHNICS
WWW.SEBAGOTECHNICS.COM
75 John Roberts Rd.
Suite 4A
South Portland, ME 04106
Tel. 207-202-2100

# UTILITY PLAN

OF:
PORTLAND PUBLIC WORKS MASTER PLAN
212/250/256 CANCO ROAD
PORTLAND, MAINE 04103

FOR:
CITY OF PORTLAND
DEPARTMENT OF PUBLIC WORKS, 55 PORTLAND STREET
PORTLAND, MAINE 04101

| PROJECT NO. | SCALE |
|---|---|
| 15056 | 1" = 20' |



15056 U.dwg, TAB:U1