



EROSION & SEDIMENT CONTROL MIX SPECIFIC ORGANIC MATTER CONTENT  
 80-100% DRY WEIGHT BASIS PARTICLE SIZE BY WEIGHT 100% PASSING  
 6" SCREEN AND 70% TO 80% PASSING A 0.75" SCREEN



SEE MAINE EROSION AND SEDIMENT CONTROL BEST MANAGEMENT PRACTICES  
 MANUAL SECTION B-1: SEDIMENT BARRIERS FOR MORE INFORMATION  
 EROSION & SEDIMENT CONTROL MIX DETAIL (NO SCALE)


1. SET 4" DIA. WOODEN STAKES (SPACING NOT TO EXCEED 6')
2. EXCAVATE A 4" WIDE X 4" DEEP TRENCH UPSLOPE ALONG STAKES
3. STAPLE FILTER MATERIAL TO STAKES & EXTEND INTO TRENCH
4. BACKFILL AND COMPACT THE EXCAVATED SOIL



SEE MAINE EROSION AND SEDIMENT CONTROL BEST MANAGEMENT PRACTICES  
 MANUAL SECTION B-1: SEDIMENT BARRIERS FOR MORE INFORMATION


SILT FENCE DETAIL (NO SCALE)

**EROSION AND SEDIMENT CONTROL DETAILS**



NOT TO SCALE

**INFILTRATION TRENCH DETAIL**  
 (FOR LEVEL SECTION OF PIPE)



NOTE: PROVIDE RODENT GUARD AT TERMINAL ENDS OF PIPE NOT TO SCALE

**FIELD INLET CONCEPTUAL CROSS SECTION**

DATE:	REVISIONS:	DETAILS & CROSS SECTION PREPARED FOR SILVER BEACH, LLC LIZ BROWN / DERON BARTON	Albert Frick Associates, Inc. Environmental Consultants Gorham, Maine
6/27/14	ADDED DETAILS		