City of Portland, Maine - Buildi	ng or Use Permit Applicati	ion 389 Congress	s Street, C	94101, Tel: (207) 8	74-8703, FAX: 874-8716
Location of Construction: 360 Canco rd	Owner: First Baptist Ch		Phone:		Permit No: 9 7 1 2 9 9
Owner Address: SAA Ptld, ME 04103	Lessee/Buyer's Name:	Phone:	Business	Name:	PERMIT ISSUED
Contractor Name: Granite Graphics		Phon Ptld,ME 04103	878-554		Permit Issued:
Past Use:	Proposed Use:	COST OF WOR		PERMIT FEE: \$ 33.00	CITY OF PORTLAND
Church	Same	FIRE DEPT. □  Signature:	Approved Denied	INSPECTION: Use Group: Type: Signature: Helde	Zone: CBL: 153-A-001
Proposed Project Description:  Install Signage 40 Sq	Ft	Action:	Approved	S DISTRICT (PAD).)  with Conditions:	☐ Shoreland
Permit Taken By:  Mary Gresik	Date Applied For:	Signature:		Date:	☐ Subdivision ☐ Site Plan maj ☐minor ☐mm ☐
<ol> <li>This permit application does not preclude the</li> <li>Building permits do not include plumbing,</li> <li>Building permits are void if work is not start tion may invalidate a building permit and seemed and seemed are seemed.</li> </ol>	septic or electrical work. ted within six (6) months of the date of				☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
			PERMIT I	ISSUED PENNENTS	Historic Preservation  □ Not in District or Landmark □ Does Not Require Review □ Requires Review  Action:
I hereby certify that I am the owner of record of t authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable	n as his authorized agent and I agree to is issued, I certify that the code official	d work is authorized by to conform to all applicables authorized representa	he owner of i le laws of thi tive shall hav	record and that I have been is jurisdiction. In addition	Denied
SIGNATURE OF APPLICANT Michael B.	alon ADDRESS:	04 Decembe DATE:	r 1997	PHONE:	- 77
RESPONSIBLE PERSON IN CHARGE OF WO	- PRESIDENT		S	7 <i>8-5549</i> PHONE:	CEO DISTRICT
	Permit Desk Green–Assessor's C	anary-D.P.W. Pink-P			M. LENTO

City of Portland, Maine – Buil  Location of Construction:	Owner:	programme and the second	Phone:	Permit No:Q 7 1 2 9 9
360 Canco rd	First Baptist Cl			10.9/12/
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name:	Address:	Pho	one: 678-3549	Permit Issued:
Past Use:	Proposed Use:	COST OF WO	\$ 33.00	5:
Church	Same	FIRE DEPŢ. [	Approved INSPECTION Use Group:	Type:
		Signature:	Signature:	Zone; CBL: 153-A-001
Proposed Project Description:  Install Signage 40 S	iq Pt	PEDESTRIAN Action:	ACTIVITIES DISTRICT ( Approved Approved with Conditions: Denied	□ Special Zone or Reviews:
,	ID. A. II. ID.	Signature:	Date:	☐ Flood Zone ☐ Subdivision ☐ Site Plan maj ☐minor ☐mm ☐
Permit Taken By:	Date Applied For:	04 Dacember 1	997	Zoning Appeal
2. Building permits do not include plumbin	started within six (6) months of the date of			☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
			PERMIT ISSUEL	Historic Preservation  ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review  Action:
The character described to the control of the contr	CERTIFICATION	1 1		□Appoved
I hereby certify that I am the owner of record authorized by the owner to make this applica if a permit for work described in the applicati areas covered by such permit at any reasonal	tion as his authorized agent and I agree to on is issued, I certify that the code official	conform to all applica 's authorized represent	ble laws of this jurisdiction. I ative shall have the authority	n addition, ☐ Denied
	·	04 Decemb		
SIGNATURE OF APPLICANT Michael		DATE:	PHONE:	3 3
DESPONSIBLE DEPOSITION OF A PARTY OF A			273-554	
RESPONSIBLE PERSON IN CHARGE OF V	VOKK, IIILE		PHONE:	CEO DISTRICT

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

# COMMENTS

	,			
1-16-95 Sign has	been And w	/		
		f		
				·
		And the Control of th		
	•			The state of the s
	, , , , , , , , , , , , , , , , , , , ,			
		70	<b>Inspection Record</b>	TD . 4
		<b>Type</b> Foundation:		Date
		Framing:		
		Plumbing:		
		Final:		
	•	Other:		

### BUILDING PERMIT REPORT

DATE: 11 Dec, 97 ADDRESS: 360 Canco Rd.	
REASON FOR PERMIT: Signage	
BUILDING OWNER: Firs J Ban TIST Chunch	
CONTRACTOR: Grante Granbles	
PERMIT APPLICANT: Michael Baker APPROVAL: 43	Demod
USE GROUPBOCA 1996 CONSTRUCTION TYPE	H.
	1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

## CONDITION(S) OF APPROVAL

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- X 3. Precaution must be taken to protect concrete from freezing.
  - 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
  - Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
  - 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993).
  - 7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
  - 8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of clevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)
  - 9. Headroom in habitable space is a minimum of 7'6".
  - 10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise.
  - 11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8")
  - Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
  - 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
  - 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
  - 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
  - All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
    - In the immediate vicinity of bedrooms
    - In all bedrooms

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups	
1-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is	requirea)
A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agen approved type.	cy and be of an
The Fire Alarm System shall be maintained to NFPA #72 Standard.	
The Sprinkler System shall maintained to NFPA #13 Standard.	
All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Su 1023, & 1024. Of the City's building code. (The BOCA National Building Code/1996)	bsections
No construction or demolition work shall begin until you have obtained permits for dumpsters or contained Stop Order shall be issued if this requirement is not met.	ners. A work
Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a exercise or open any street or sidewalk from the time of November 15 of each year to April 15 of the following	
The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, certification from a design professional that the plans commencing construction of the facility, the builder sha certification to the Division of Inspection Services.	shall obtain a
This permit does not excuse the applicant from obtaining any license which may be needed from the City Cle	rk's office.
Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code.	· u!
All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade,	118)1
All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.  All requirements must be met before a final Certificate of Occupancy is issued.	2
All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. All requirements must be met before a final Certificate of Occupancy is issued. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (TI National Building Code/1996).	e BOCA
All requirements must be met before a final Certificate of Occupancy is issued.  All building elements shall meet the fastening schedule as per Table 2305,2 of the City's Building Code. (TI National Building Code/1996).  Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BO	T. Paul III
All requirements must be met before a final Certificate of Occupancy is issued.  All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (TI National Building Code/1996).	T. Paul III
All requirements must be met before a final Certificate of Occupancy is issued.  All building elements shall meet the fastening schedule as per Table 2305,2 of the City's Building Code. (TI National Building Code/1996).  Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BO	T. Paul III
All requirements must be met before a final Certificate of Occupancy is issued.  All building elements shall meet the fastening schedule as per Table 2305,2 of the City's Building Code. (TI National Building Code/1996).  Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BO	T. Paul III
All requirements must be met before a final Certificate of Occupancy is issued.  All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (TI National Building Code/1996).  Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BC Mechanical Code/1993).	A Paul C
All requirements must be met before a final Certificate of Occupancy is issued.  All building elements shall meet the fastening schedule as per Table 2305,2 of the City's Building Code. (TI National Building Code/1996).  Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BO	T. Paul III
All requirements must be met before a final Certificate of Occupancy is issued.  All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (TI National Building Code/1996).  Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BC Mechanical Code/1993).	T. Paul III
All requirements must be met before a final Certificate of Occupancy is issued.  All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (TI National Building Code/1996).  Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BC Mechanical Code/1993).	T. Paul III

Summet Horises, Code Enforcement

ce: Lt. McDongall, IFD Marge Schmuckal

### SIGNAGE

### PLEASE ANSWER ALL QUESTIONS

Address: 360 CANCO RD. PORTUMD Zone: K-)
Owner: FIRST BAPTIST CHURCH Assessors #:
Applicant: BRANITE GRAPHICS 75 BELL ST. POTTIMD
Single Tenant Lot?: Yes No
Multi Tenant Lot?: Yes No _X
Freestanding (Ext pole sign)? Yes X No Dimensions 4x10 on Pos
More than (1) one sign?: Yes No Dimensions
Bldg Wall Sign (att to bldg)? Yes No Dimensions
List all existing signage and their dimensions:
NONE
Lot Frontage (feet): Zhan 250 Tenant Frontage (feet):
Lot Frontage (feet): Than 250 Tenant Frontage (feet):  (15 × 780')  AWNINGS
81 harghtont Shows 5/21 51 Setbacks - shows 404 35,
5 Setbacks - Shows 40 935, Awning: Yes No Is Awning Backlit?: Yes No
Is there any comunication, message, trademark or symbol on awning?
Height of Awning?:

PLEASE NOTE: Approvals for signs on the Public Sidewalk and temporary signs come under different requirements and regulations.

ALSO: See reverse side for additional information, requirements and materials needed for signage application submittal.

### INFORMATIONAL REQUIREMENTS

- 1. Proof of Insurance: Current, single page certificate showing a minimum of \$300,000.00 liability coverage of owner of sign.
- 2. Letter of permission from owner. Exemption: If applicant and property owner are one and the same.
- 3. A sketch plan of the lot, indicating location of buildings, driveways, and any abutting streets or right of ways. Lengths of building and street frontages should be noted.
- 4. Indicate on the plan all existing and proposed signs.
- 5. Computation of the following:

50 50 50

rol

- a) Sign area of each existing and proposed building sign.
- b) Sign area height and setback of each existing and proposed freestanding sign.
- 6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method.

### PERMIT FEES

Signage: \$25.00 + .20 per square foot of signage.

Awning: Based on cost of work - labor/materials \$25.00 lst \$1,000.00 worth of work \$5.00 each additional 1,000.00 worth of work

Note: Once a sketch plan has been filed for a property, the Code
Enforcement Office will keep a record of the plan so that a new
sketch plan will not be required for later changes to signage on the
property. In such an instance, applicants will only be required to
submit information applicable to the new sings.

Y X 10. SOCID FOUNDATION

W/ STRINGS STEEL RODS AND GRONY.

CONNECTING POST + SIGN TO

FOUNDATION 
TOTAL WEIGHT

10,000 CBS-


4-16'

# FIRST BAPTIST

# CHURCH

PORTLAND, MAINE

(ALL GRANITE)



LOT SKETCH BACK PAGE

